



Camera Type: M3115-LVE outdoor camera

Dimensions:  $\varnothing$ :4.0 x H: 3.7"

$\varnothing$ : 101.0 x H: 94.0 mm

Weight: 0.86 lb / 390 g

**HALRB APPROVED**

**COA ISSUED ON May 18, 2022**

**FIELD CHANGES TO EXTERIOR  
COMPONENTS OF APPROVED PLANS ARE  
NOT PERMITTED. FOR INFORMATION CALL  
703-228-3830.**

Camera Placement Marked By: 



Arlington Arts Center  
Contemporary works  
by regional artists

**HALRB APPROVED**

COA ISSUED ON May 18, 2022

FIELD CHANGES TO EXTERIOR  
COMPONENTS OF APPROVED PLANS ARE  
NOT PERMITTED. FOR INFORMATION CALL  
703-228-3830.

N Monroe

Google





**HALRB APPROVED**

**COA ISSUED ON May 18, 2022**

**FIELD CHANGES TO EXTERIOR  
COMPONENTS OF APPROVED PLANS ARE  
NOT PERMITTED. FOR INFORMATION CALL  
703-228-3830.**





**HALRB APPROVED**

**COA ISSUED ON May 18, 2022**

**FIELD CHANGES TO EXTERIOR  
COMPONENTS OF APPROVED PLANS ARE  
NOT PERMITTED. FOR INFORMATION CALL  
703-228-3830.**





**HALRB APPROVED**

**COA ISSUED ON May 18, 2022**

**FIELD CHANGES TO EXTERIOR  
COMPONENTS OF APPROVED PLANS ARE  
NOT PERMITTED. FOR INFORMATION CALL**

**703-228-3830.**





**HALRB APPROVED**

**COA ISSUED ON May 18, 2022**

**FIELD CHANGES TO EXTERIOR  
COMPONENTS OF APPROVED PLANS ARE  
NOT PERMITTED. FOR INFORMATION CALL  
703-228-3830.**






**AXIS M31 Network Camera Series**

**AXIS M3115-LVE Network Camera**

**AXIS M3116-LVE Network Camera**



**Installation Guide**

**HALRB APPROVED**

**COA ISSUED ON May 18, 2022**

**FIELD CHANGES TO EXTERIOR  
COMPONENTS OF APPROVED PLANS ARE  
NOT PERMITTED. FOR INFORMATION CALL  
703-228-3830.**

# AXIS M3115-LVE Network Camera

Affordable flat-faced 1080p dome with IR

AXIS M3115-LVE is an affordable, flat-faced dome designed to suppress light reflections. This compact, IK08-rated camera features a wide-angle view in HDTV 1080p video. It includes Forensic WDR, Lightfinder and built-in IR illumination for sharp video with clear colors even in challenging light or complete darkness. Additionally, it offers flexible installation for both indoor and outdoor surveillance. And, with its 3-axis camera-angle adjustment, it can be easily leveled and directed. It features enhanced security functionality, and Axis Zipstream with support for H.264/H.265 significantly reduces bandwidth and storage requirements without compromising image quality.

- > [HDTV 1080p video quality](#)
- > [Forensic WDR, Lightfinder and IR illumination](#)
- > [Flat-faced design suppressing light reflections](#)
- > [Zipstream supporting H.264 and H.265](#)
- > [Signed firmware and secure boot](#)



## **HALRB APPROVED**

**COA ISSUED ON May 18, 2022**

**FIELD CHANGES TO EXTERIOR  
COMPONENTS OF APPROVED PLANS ARE  
NOT PERMITTED. FOR INFORMATION CALL  
703-228-3830.**



**New proposed location**





**New proposed location**





New proposed location

