



1 EXISTING DOOR  
NTS

2 EXISTING DOOR  
NTS

3 VIEW FROM STREET  
NTS

6/1/2023	<p>EXISTING CONDITIONS PHOTOS</p> <p>BRIDEAU RESIDENCE – WEST ELEVATION EXTERIOR DOOR REPLACEMENT</p> <p>3210 23<sup>RD</sup> STREET N, ARLINGTON, VA</p>	B1
----------	---	----



## Quote Form



WINDOW & DOOR SHOWPLACE INC  
44845 FALCON PLACE  
STERLING VA 20166  
703-736-9600



**Project Information (ID #6985500 Revision #10643843)**

[Hide](#)

**Project Name:** Scott Brideau  
**Customer:**  
**Contact Name:**  
**Phone (Main):**  
**Phone (Cell):**  
**Customer Type:**  
**Terms:**

**Quote Date:** 3/16/2023  
**Submitted Date:**  
**PO#:** MLSI-Brideau  
  
**Sales Rep Name:** Mike Simpson  
**Salesperson:** Mike Simpson

### Delivery Information

[Hide](#)

**Shipping Contact:**  
**Shipping Address:**  
**City:**  
**State:**  
**Zip:**

**Comments:**

### Unit Detail

[Hide All Configuration Options](#)

Item: 0004: Ext 32" x 80" FCM4816-SDLF1LE LHI 5 1/4" On-Guard White Shield

Location:

Quantity: 1



Fiber-Classic Mahogany 32"x80" Single Door

#### Configuration Options [Hide](#)



EXTERIOR  
Left-Hand Inswing

- **Product Category:** Exterior Doors
- **Manufacturer:** Reeb - Fiber-Classic
- **Product Material:** Fiber-Classic Fiberglass
- **Material Type:** Fiber-Classic Mahogany
- **Product Type:** Entry
- **Brand:** Therma-Tru
- **Configuration (Units viewed from Exterior):** Single Door
- **Reeb Finish:** No
- **Slab Width:** 32"
- **Slab Height:** 80"
- **Product Style:** Craftsman
- **Glass Type:** Clear
- **Glass Style:** SDL
- **Glazing Type:** Flush Glazed

- **Insulation:** Low E
- **Grille Type:** SDL Shaker Profile
- **Model:** FCM4816-SDLF1LE
- **Grille Material:** Therma-Tru High Heat Composite SDL
- **Frame Material:** On-Guard White Shield
- **Handing:** Left Hand Inswing
- **Casing/Brickmould Pattern:** Flat Casing
- **Casing/Brickmould Type:** 5/4 x 4 Flat PVC
- **Ship Casing/Brickmould Loose:** Yes
- **Hinge Type:** Ball Bearing
- **Hinge Brand:** Therma-Tru
- **Hinge Finish:** Brushed Nickel
- **Jamb Depth:** 5 1/4"
- **Sill:** Composite Adjustable
- **Sill Finish:** Mill Finish w Light Cap
- **Lock Option:** None
- **Bore:** Double Lock Bore 2-3/8" Backset
- **Strike Jamb Prep:** Schlage/Baldwin Standard Prep
- **Weatherstrip Type:** Compression
- **Weatherstrip Color:** White
- **Custom Height Option:** Yes
- **Cutdown Rough Opening Height:** 80"
- **Door Viewer:** None
- **Dentil Shelf:** None
- **Rough Opening Width:** 34 1/2"
- **Rough Opening Height:** 80"
- **Total Unit Width(Includes Exterior Casing):** 39 1/4"
- **Total Unit Height(Includes Exterior Casing):** 82 3/8"

**Item Total: \$**

**Item Quantity Total: \$**

<b>Unit Summary</b>			
<b>Item</b>	<b>Description</b>	<b>Quantity</b>	<b>Unit Price Total Price</b>
0004	Ext 32" x 80" FCM4816-SDLF1LE LHI 5 1/4" On-Guard White Shield	1	