

SEAL



APPROVALS DATE

DESIGN TEAM SUPERVISOR _____

PROJECT MANAGER _____

WATER, SEWER, STREETS BUREAU CHIEF _____

TRANSIT BUREAU CHIEF _____

TRANSPORTATION DIRECTOR _____

REVISIONS DATE

Table with 2 columns: REVISIONS, DATE. Multiple empty rows for recording changes.


INTERSECTION IMPROVEMENT
ASST

N QUINCY ST & 14TH ST N

SIGNING & PAVEMENT MARKING PLAN

DESIGNED: BW
DRAWN: BW
CHECKED: KC

SCALE:




PAVEMENT MARKING NOTES:

- 1. STREET WIDTH MEASUREMENTS ARE FROM FACE OF CURB TO FACE OF CURB. LANES ARE MEASURED FROM CENTER OF MARKING TO CENTER OF MARKING.
2. CONTACT DES-TRANSPORTATION ENGINEERING & OPERATIONS CONSTRUCTION MANAGEMENT SPECIALIST OR HIS DESIGNEE AT 703-228-6598 OR 571-437-1077 TO APPROVE MARKING LAYOUT 48 HOURS PRIOR TO INSTALLATION OF MARKINGS.
3. PAVEMENT MARKINGS TO BE IN ACCORDANCE WITH THE FOLLOWING AND ANY REVISIONS HERE TO:
A. THE MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES.
B. ARLINGTON COUNTY MARKING STANDARDS.
4. ALL MARKINGS SHALL BE THERMOPLASTIC PER ARLINGTON COUNTY MARKING STANDARDS.
5. STOP BARS SHALL BE A MINIMUM OF 4' IN ADVANCE OF A MARKED CROSSWALK. IF THERE IS NO MARKED CROSSWALK, STOP BAR SHALL BE NO MORE THAN 30' FROM THE NEAREST EDGE OF THE INTERSECTED TRAVELED WAY.
6. CROSSWALKS SHALL BE 10' WIDE UNLESS OTHERWISE NOTED.
7. LEFT TURN ARROWS SHALL BE LOCATED 25' BACK FROM STOP BAR. FOR ADDITIONAL ARROWS FOLLOW COUNTY MARKING STANDARDS.
8. ON-STREET PARKING LANE IS 7' WIDE (UNLESS OTHERWISE NOTED) AND MARKED WITH 4" WIDE WHITE LINES. BEGINNING AND END OF PARKING SHALL BE MARKED WITH AN END LINE PERPENDICULAR TO CURB EXCEPT AT NUBS OR WHERE OTHERWISE INDICATED.
9. SHARED LANE MARKINGS SHALL BE PLACED IN CENTER OF LANE, 250' APART UNLESS OTHERWISE SPECIFIED.
10. BIKE LANE SYMBOLS TO BE PLACED 330' APART UNLESS OTHERWISE SPECIFIED.
11. EDGE LINES ARE ONLY REQUIRED WHERE SHOWN ON THE PLANS.
12. FOR DETAILS SEE ARLINGTON COUNTY PAVEMENT MARKING SPECIFICATION, DETAILS MK-1 TO MK-12

SIGN NOTES:

- 1. FOR ALL SIGN POSTS PLACED IN CONCRETE USE 7 GAUGE HEAVY DUTY ANCHOR (30"x2.50") WITH HARDWARE FOR 2" POST. USE 3/8" CORNER BOLT WITH FLANGED NUT AND 3/8" DRIVER RIVET WITH WASHER.
2. CONTACT T&B CONSTRUCTION MANAGER OR HIS DESIGNEE AT 703-228-6598 OR 571-437-1077 48 HRS PRIOR TO POURING CONCRETE. ALTERNATIVE CONTACT AT 703-228-3788 OR 571-414-7497.



HIGH VISIBILITY CROSSWALK NOT TO SCALE

STANDARD PAVEMENT MARKING LEGEND

Table with 3 columns: Symbol (A-T), Description (e.g., TYPE B CLASS 1 WHITE 4" WIDTH), and Application (e.g., PARKING LANES, EDGE LINES, LANE LINES).

