

NOTES



1. STAKING AND GUYING MAY ONLY BE IMPLEMENTED WHERE SITE CONDITIONS WARRANT THEIR USE. PLANTED TREES WILL BE ASSESSED INDIVIDUALLY BY ARLINGTON COUNTY URBAN FORESTER. STAKING AND GUYING WILL BE INSTALLED ONLY IF REQUIRED BY ARLINGTON COUNTY URBAN FORESTER. CONDITIONS WHERE STAKING AND GUYING MAY BE NECESSARY TO ENSURE STABILITY INCLUDE: WINDY LOCATIONS, STEEP SLOPES, OR WHERE VANDALISM MAY BE A CONCERN.

2. STAKES OR GUYS WILL BE INSTALLED USING ACCEPTED ARBORICULTURE PRACTICES. TREES SHALL STAND PLUMB AFTER STAKING.

3. INSTALLATION WILL INCLUDE THE REMOVAL OF ALL STAKING AND GUYING MATERIAL ONE YEAR AFTER INSTALLATION. ANY HOLES LEFT BY REMOVING STAKING SHALL BE FILLED WITH APPROVED TOPSOIL/BACKFILL MIXTURE.

4. REFER TO DETAILS FOR TREE PLANTING INFORMATION.

5. CONTRACTOR SHALL USE GALVANIZED EYESCREW & TURNBUCKLE INSTEAD OF ARBOR TIE ONLY FOR TREES OF SIGNIFICANT SIZE AS DIRECTED BY ARLINGTON COUNTY URBAN FORESTER.




PLAN VIEW  
NOT TO SCALE

$\frac{3}{4}$ " WIDE, FLAT, WOVEN POLYPROPLENE MATERIAL ("ARBOR TIE" OR AN APPROVED EQUAL) SHALL BE LOOPED AROUND THE TREE THROUGH EACH OTHER, TWISTED AND SECURED TO THE STAKE

SURVEYOR'S FLAG ON ARBOR TIE (USE ONLY WHEN STAKING NARROW EVERGREENS THAT EXPOSE TIE)

HARDWOOD STAKE; SET OUTSIDE OF ROOTBALL  
SURVEYOR'S FLAG

*THIS DETAIL SUPERSEDES ALL OTHER EVERGREEN TREE STAKING DETAILS IN ARLINGTON COUNTY.*



# EVERGREEN TREE STAKING

ELEVATION  
329300.7 (2016) (02930.7)

NOT TO SCALE

