

Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%IC	%Turf	P (in)	Rv	Water Quality Volume (CF)	Treatment Volume (CF)	Total Treatment Volume Sum for Projects in Series*	% Water Quality Volume Treated
GB_201	Gulf Branch	Glebe Park and Ethan Allen Park	Dry Swale	10.80	32%	68%	1.00	0.46	17910.92	6570.00		0.37
FMR2_141	Four Mile Run Mainstem 2	Ocean Dunes Water Park	Bioretention	3.95	33%	67%	1.00	0.46	6572.84	6337.50		0.96
LPW-44	Little Pimmit Run West	John Marshall Dr. Median	Bioretention	4.08	45%	55%	1.00	0.55	8075.54	5733.75		0.71
FMR2_132 C	Four Mile Run Mainstem 2	Trail near 808 Harrison Street	Bioretention	2.82	28%	72%	1.00	0.42	4345.47	9317.40		2.14
FMR2_132 D	Four Mile Run Mainstem 2	Trail between North Greenbrier Street and North Harrison Cul-de-sacs	Bioretention	3.31	29%	71%	1.00	0.43	5187.27	7081.20		1.37
SR-534	Spout Run	1600 N Taylor St (corner of 16th St N)	Dry Swale	3.48	29%	71%	1.00	0.43	5453.41	2645.00		0.49
LLB_264	Lower Long Branch	Towers Park, 801 S Scott Street	Grass Channel	1.74	94%	6%	1.00	0.91	5735.40	9615.40		1.68
FMR2_567	Four Mile Run Mainstem 2	875 N Madison Street	Street Bioretention	6.66	10%	90%	1.00	0.29	7067.61	3260.00		0.46
GB_105	Gulf Branch	Glebe Park	Dry Swale	2.33	21%	79%	1.00	0.37	3128.72	3150.00		1.01
LPW-60B	Little Pimmit Run West	Minor Hill Park	Bioretention	1.71	92%	8%	1.00	0.89	5537.61	2808.75		0.51
FMRM_220	Four Mile Run Middle	George Mason Village Apartments, South George Mason Drive and South Four Mile Run Drive	Bioretention	1.63	67%	33%	1.00	0.71	4195.67	8622.65		2.06
FMRM_181B	Four Mile Run Middle	Abingdon School, 3035 South Abingdon Street	Bioretention	1.26	79%	21%	1.00	0.80	3655.34	3960.65		1.08
RO_783B	Rosslyn	North Ft. Meyer Drive Just south of Key Bridge	Dry Swale	2.07	39%	61%	1.00	0.51	3799.52	2900.20		0.76
FMR2_561	Four Mile Run Mainstem 2	320 North Manchester Street	Bioretention	2.32	49%	51%	1.00	0.58	4847.14	4765.50		0.98
LR-904	Lubber Run	Fire Station 8, 4845 Lee Highway	Bioretention	1.38	46%	54%	1.00	0.55	2772.73	1413.38		0.51
WR-102	Windy Run	HB Woodlawn High School & adjacent Arlington Co Ballfield	Bioretention	2.57	34%	66%	1.00	0.47	4367.88	1526.25		0.35
GB_118B	Gulf Branch	36th Road North and North Nelson Street	Street Bioretention	3.13	37%	63%	1.00	0.49	5556.28	2475.00		0.45
LPW-46B	Little Pimmit Run West	North Kensington Street and 33rd Street North	Street Bioretention	3.59	35%	65%	1.00	0.47	6163.45	2380.50		0.39
FB_668A	Fairlington-Bradlee	4236 32nd Street, South	Street Bioretention	2.54	50%	50%	1.00	0.59	5393.82	5396.00		1.00
PR_692B	Pimmit Run	The dead end of 38th Place North	Bioretention	1.89	72%	28%	1.00	0.75	5139.72	1728.00		0.34
SR-206	Spout Run	Central Library - 1015 North Quincy Street	Wet Swale	4.19	34%	66%	1.00	0.47	7121.18	788.00		0.11
FMR2_134	Four Mile Run Mainstem 2	Bluemont Park parking lot and tennis courts	Bioretention	1.74	34%	66%	1.00	0.47	2953.01	2277.20		0.77
GB_118C	Gulf Branch	North Nelson Street and North Oakland Street	Street Bioretention	2.46	43%	57%	1.00	0.53	4767.62	2475.00		0.52
FMR1_588B-1&2	Four Mile Run Mainstem 1	North Trinidad Street and 31st Street North	Street Bioretention	2.71	50%	65%	1.00	0.62	6079.45	2154.60	2154.60	0.35
DR_103	Donaldson Run	County Compost Facility	Bioretention	0.66	99%	1%	1.00	0.94	2252.96	2070.00		0.92
CR_123-1&2&3	Crossman Run	Corner of North Rockingham Street and 24th Street North	Street Bioretention	1.62	61%	39%	1.00	0.67	3912.36	1912.25	1912	0.49
GB_143A	Gulf Branch	North Albemarle Street and 34th Road North	Street Bioretention	4.16	33%	67%	1.00	0.46	6953.86	1308.00		0.19
LPW-60A	Little Pimmit Run West	Minor Hill Park	Bioretention	3.34	22%	78%	1.00	0.38	4649.71	922.50		0.20
AB_520	Arlington Branch	2914 13th Road South	Street Bioretention	2.69	44%	56%	1.00	0.54	5312.23	2234.00		0.42
LR-597B (option 2)	Lubber Run	210 and 214 North Edison Street between 3rd Street and 2nd Street	Rain Garden	1.00	59%	41%	1.00	0.65	2362.04	2300.00		0.97
FMR1_103	Four Mile Run Mainstem 1	Charles A. Stewart Park - 2400 North Underwood Street	Dry Swale	1.14	47%	53%	1.00	0.56	2330.22	2428.00		1.04
NB_563	Nauck Branch	Intersection of 22nd St. South & South Kenmore St. (34	Street Bioretention	3.50	32%	68%	1.00	0.46	5789.49	2497.25		0.43
CP_951	Cemetery/Pentagon	Clover Leaf off of 395 and Boundary Drive	Bioretention	2.59	26%	74%	1.00	0.41	3870.31	5288.40		1.37

Sites with Concepts																
Site ID	Phosphorus Removal - VRRM				Phosphorus Removal - CSN				Impervious Area Acreage				Potential Utility or Site Constraints			
	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
GB_201	3.13	31.31	2.5	78.28	4.61	46.13	2.5	115.33	3.50	17.52	2	35.04	Low	10	1.5	15
FMR2_141	2.24	22.41	2.5	56.02	2.38	23.78	2.5	59.45	1.29	6.45	2	12.90	Low	10	1.5	15
LPW-44	2.40	23.98	2.5	59.94	2.59	25.94	2.5	64.85	1.82	9.09	2	18.18	Medium	5	1.5	7.5
FMR2_132 C	1.50	15.02	2.5	37.54	1.80	17.95	2.5	44.88	0.79	3.95	2	7.90	Low	10	1.5	15
FMR2_132 D	1.79	17.93	2.5	44.81	1.97	19.70	2.5	49.25	0.96	4.80	2	9.60	Medium	5	1.5	7.5
SR-534	1.19	11.91	2.5	29.78	1.66	16.56	2.5	41.40	1.01	5.05	2	10.09	Low	10	1.5	15
LLB_264	1.46	14.59	2.5	36.49	2.07	20.71	2.5	51.78	1.64	8.20	2	16.40	Medium	5	1.5	7.5
FMR2_567	1.59	15.90	2.5	39.75	2.64	26.42	2.5	66.04	0.66	3.30	2	6.60	Medium	5	1.5	7.5
GB_105	1.02	10.22	2.5	25.55	1.19	11.92	2.5	29.80	0.48	2.39	2	4.79	Low	10	1.5	15
LPW-60B	1.32	13.22	2.5	33.04	1.35	13.49	2.5	33.72	1.57	7.87	2	15.74	Low	10	1.5	15
FMRM_220	1.45	14.50	2.5	36.25	1.56	15.59	2.5	38.98	1.09	5.46	2	10.92	Low	10	1.5	15
FMRM_181B	1.26	12.63	2.5	31.58	1.23	12.34	2.5	30.86	1.00	5.00	2	10.00	Low	10	1.5	15
RO_783B	1.11	11.11	2.5	27.77	1.27	12.73	2.5	31.84	0.81	4.05	2	8.10	Low	10	1.5	15
FMR2_561	1.66	16.62	2.5	41.55	1.68	16.82	2.5	42.05	1.13	5.65	2	11.30	Medium	5	1.5	7.5
LR-904	0.66	6.62	2.5	16.54	0.78	7.75	2.5	19.38	0.63	3.15	2	6.31	Low	10	1.5	15
WR-102	0.76	7.59	2.5	18.97	1.08	10.79	2.5	26.99	0.87	4.37	2	8.74	Medium	5	1.5	7.5
GB_118B	1.20	12.04	2.5	30.11	1.53	15.30	2.5	38.25	1.15	5.77	2	11.54	Medium	5	1.5	7.5
LPW-46B	1.20	11.98	2.5	29.94	1.60	16.02	2.5	40.06	1.24	6.22	2	12.44	Medium	5	1.5	7.5
FB_668A	1.86	18.64	2.5	46.60	1.87	18.73	2.5	46.84	1.27	6.35	2	12.70	High	0	1.5	0
PR_692B	0.87	8.72	2.5	21.80	1.01	10.11	2.5	25.27	1.37	6.85	2	13.70	Low	10	1.5	15
SR-206	0.03	0.29	2.5	0.73	0.74	7.40	2.5	18.50	1.42	7.12	2	14.25	Low	10	1.5	15
FMR2_134	0.92	9.16	2.5	22.90	1.01	10.14	2.5	25.35	0.59	2.95	2	5.90	Medium	5	1.5	7.5
GB_118C	1.15	11.53	2.5	28.82	1.36	13.62	2.5	34.06	1.06	5.29	2	10.58	Medium	5	1.5	7.5
FMR1_588B-1&2	1.09	10.94	2.5	27.36	1.41	14.11	2.5	35.26	1.36	6.78	2	13.55	Medium	5	1.5	7.5
DR_103	0.75	7.51	2.5	18.77	0.71	7.11	2.5	17.77	0.65	3.26	2	6.51	Low	10	1.5	15
CR_123-1&2&3	0.90	9.04	2.5	22.60	1.01	10.07	2.5	25.18	0.99	4.94	2	9.88	Low	10	1.5	15
GB_143A	0.52	5.22	2.5	13.05	1.14	11.40	2.5	28.49	1.37	6.85	2	13.71	Medium	5	1.5	7.5
LPW-60A	0.38	3.76	2.5	9.41	0.93	9.31	2.5	23.26	0.75	3.74	2	7.48	Low	10	1.5	15
AB_520	1.12	11.16	2.5	27.91	1.35	13.54	2.5	33.86	1.19	5.97	2	11.94	Medium	5	1.5	7.5
LR-597B (option 2)	0.81	8.08	2.5	20.21	0.80	8.00	2.5	20.01	0.59	2.95	2	5.90	Medium	5	1.5	7.5
FMR1_103	0.76	7.61	2.5	19.03	0.82	8.22	2.5	20.54	0.54	2.68	2	5.36	Medium	5	1.5	7.5
NB_563	1.23	12.35	2.5	30.87	1.62	16.24	2.5	40.60	1.13	5.65	2	11.30	High	0	1.5	0
CP_951	1.34	13.37	2.5	33.44	1.48	14.76	2.5	36.91	0.68	3.40	2	6.80	Medium	5	1.5	7.5

Sites with Concepts																
Site ID	Property Ownership				Potential for Quick Implementation				Existing Drainage Problem/Hotspot				County Maintenance Burden			
	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
GB_201	Public	10	1.5	15	No	0	1	0	Yes	10	0.5	5	Low	10	0.5	5
FMR2_141	Public	10	1.5	15	Yes	10	1	10	Yes	10	0.5	5	Medium	5	0.5	2.5
LPW-44	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
FMR2_132 C	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
FMR2_132 D	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
SR-534	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
LLB_264	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
FMR2_567	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
GB_105	Public	10	1.5	15	Yes	10	1	10	Yes	10	0.5	5	Medium	5	0.5	2.5
LPW-60B	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FMRM_220	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FMRM_181B	School	4	1.5	6	Yes	10	1	10	Yes	10	0.5	5	Medium	5	0.5	2.5
RO_783B	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
FMR2_561	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
LR-904	Public	10	1.5	15	Yes	10	1	10	Yes	10	0.5	5	Medium	5	0.5	2.5
WR-102	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
GB_118B	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
LPW-46B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FB_668A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
PR_692B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
SR-206	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FMR2_134	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
GB_118C	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
FMR1_588B-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DR_103	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
CR_123-1&2&3	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
GB_143A	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
LPW-60A	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
AB_520	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-597B (option 2)	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
FMR1_103	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
NB_563	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
CP_951	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5

Sites with Concepts																		
Site ID	Educational Opportunity				Pollutant Removal - VRRM													
	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit ¹	Size-Adjusted N-Removal Credit	Size-Adjusted N-Removal Credit ¹	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
GB_201	Park	8	0.5	4	11.25	80.51	Dry Swale	52%	55%	37%	28%	28%	29%	29%	3.13	23.69	157.32	1
FMR2_141	Park	8	0.5	4	4.13	29.54	Bioretention	55%	64%	96%	54%	54%	63%	63%	2.24	18.65	120.42	3
LPW-44	Residential street w/ sidewalks	5	0.5	2.5	5.07	36.30	Bioretention	55%	64%	71%	47%	47%	55%	55%	2.40	19.96	115.62	4
FMR2_132 C	Park	8	0.5	4	2.73	19.53	Bioretention	55%	64%	214%	63%	55%	73%	64%	1.50	12.50	91.94	10
FMR2_132 D	Park	8	0.5	4	3.26	23.32	Bioretention	55%	64%	137%	60%	55%	70%	64%	1.79	14.92	93.41	9
SR-534	Residential street with sidewalks	5	0.5	2.5	3.43	24.51	Dry Swale	52%	55%	49%	35%	35%	37%	37%	1.19	9.01	84.87	19
LLB_264	Public Park		0.5	0	3.60	25.78	Grass Channel	41%	44%	168%	45%	41%	49%	44%	1.46	11.34	80.39	25
FMR2_567	Residential streets with sidewalks	5	0.5	2.5	4.44	31.77	Street Bioretention	55%	64%	46%	36%	36%	42%	42%	1.59	13.24	66.85	45
GB_105	Park	8	0.5	4	1.97	14.06	Dry Swale	52%	55%	101%	52%	52%	55%	55%	1.02	7.73	81.84	23
LPW-60B	Park	8	0.5	4	3.48	24.89	Bioretention	55%	64%	51%	38%	38%	44%	44%	1.32	11.00	85.28	17
FMRM_220	Park along stream at private apartments	5	0.5	2.5	2.64	18.86	Bioretention	55%	64%	206%	63%	55%	73%	64%	1.45	12.07	82.17	21
FMRM_181B	School	10	0.5	5	2.30	16.43	Bioretention	55%	64%	108%	56%	55%	66%	64%	1.26	10.52	85.08	18
RO_783B		0	0.5	0	2.39	17.08	Dry Swale	52%	55%	76%	47%	47%	49%	49%	1.11	8.41	78.37	26
FMR2_561	Park	8	0.5	4	3.05	21.79	Bioretention	55%	64%	98%	55%	55%	63%	63%	1.66	13.83	81.85	22
LR-904	Fire Station	8	0.5	4	1.74	12.46	Bioretention	55%	64%	51%	38%	38%	44%	44%	0.66	5.51	74.35	28
WR-102	School/Park	10	0.5	5	2.74	19.63	Bioretention	55%	64%	35%	28%	28%	32%	32%	0.76	6.32	67.71	42
GB_118B	Street w/ sidewalks	5	0.5	2.5	3.49	24.97	Street Bioretention	55%	64%	45%	35%	35%	40%	40%	1.20	10.03	67.15	44
LPW-46B	Residential street w/ sidewalks	5	0.5	2.5	3.87	27.70	Street Bioretention	55%	64%	39%	31%	31%	36%	36%	1.20	9.97	62.88	71
FB_668A	Residential streets with Sidewalks	5	0.5	2.5	3.39	24.24	Street Bioretention	55%	64%	100%	55%	55%	64%	64%	1.86	15.52	72.30	32
PR_692B	Dead end of street	0	0.5	0	3.23	23.10	Bioretention	55%	64%	34%	27%	27%	31%	31%	0.87	7.26	63.50	40
SR-206	Library	10	0.5	5	4.47	32.01	Wet Swale	20%	25%	11%	1%	1%	1%	1%	0.03	0.26	52.48	150
FMR2_134	Park	8	0.5	4	1.86	13.27	Bioretention	55%	64%	77%	49%	49%	57%	57%	0.92	7.63	67.80	41
GB_118C	Street w/ sidewalks	5	0.5	2.5	3.00	21.43	Street Bioretention	55%	64%	52%	38%	38%	45%	45%	1.15	9.60	64.90	55
FMR1_588B-1&2	Residential streets with Sidewalks	5	0.5	2.5	3.82	27.33	Street Bioretention	55%	64%	35%	29%	29%	33%	33%	1.09	9.11	61.41	76
DR_103	Mulch facility	5	0.5	2.5	1.42	10.13	Bioretention	55%	64%	92%	53%	53%	62%	62%	0.75	6.25	70.28	35
CR_123-1&2&3	Street w/ sidewalks	5	0.5	2.5	2.46	17.59	Street Bioretention	55%	64%	49%	37%	37%	43%	43%	0.90	7.52	65.48	50
GB_143A	Street w/ sidewalks	5	0.5	2.5	4.37	31.26	Street Bioretention	55%	64%	19%	12%	12%	14%	14%	0.52	4.34	52.25	156
LPW-60A	Park	8	0.5	4	2.92	20.90	Bioretention	55%	64%	20%	13%	13%	15%	15%	0.38	3.13	53.39	140
AB_520		5	0.5	2.5	3.34	23.88	Street Bioretention	55%	64%	42%	33%	33%	39%	39%	1.12	9.29	60.35	82
LR-597B (option 2)	Park	8	0.5	4	1.48	10.62	Rain Garden	55%	64%	97%	54%	54%	63%	63%	0.81	6.73	65.11	54
FMR1_103	Park	8	0.5	4	1.46	10.47	Dry Swale	52%	55%	104%	53%	52%	56%	55%	0.76	5.76	63.39	67
NB_563	Street with sidewalk	5	0.5	2.5	3.64	26.02	Street Bioretention	55%	64%	43%	34%	34%	39%	39%	1.23	10.28	55.17	116
CP_951	No	0	0.5	0	2.43	17.40	Bioretention	55%	64%	137%	60%	55%	70%	64%	1.34	11.13	60.74	79

Pollutant Removal - CSN												
Site ID	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	Rank
GB_201	8.67	132.55	4,720.71	0.52	53.2%	4.61	45.6%	60.49	57.0%	2,691.86	194.37	1
FMR2_141	3.18	48.54	1,737.78	1.35	74.8%	2.38	63.9%	31.03	80.2%	1,393.07	123.85	5
LPW-44	3.87	53.43	2,448.93	0.87	67.0%	2.59	57.3%	30.61	71.8%	1,757.86	120.53	7
FMR2_132 C	2.11	33.76	1,064.22	3.25	85.0%	1.80	70.0%	23.63	85.0%	904.59	99.28	10
FMR2_132 D	2.52	39.85	1,293.24	2.03	78.2%	1.97	66.9%	26.66	84.0%	1,086.38	97.85	11
SR-534	2.65	41.90	1,359.51	0.72	62.5%	1.66	53.5%	22.43	67.0%	911.05	96.49	13
LLB_264	2.70	28.66	2,209.28	1.62	76.8%	2.07	65.7%	18.82	82.3%	1,819.24	95.68	14
FMR2_567	3.53	71.55	889.10	1.36	74.8%	2.64	64.0%	45.79	80.2%	713.41	93.14	17
GB_105	1.53	26.71	644.60	1.81	77.7%	1.19	66.5%	17.76	83.4%	537.43	86.09	21
LPW-60B	2.61	27.91	2,120.91	0.49	51.8%	1.35	44.4%	12.39	55.5%	1,176.18	85.97	22
FMRM_220	1.99	23.83	1,471.19	2.18	78.4%	1.56	67.0%	15.97	84.2%	1,239.04	84.90	23
FMRM_181B	1.73	19.48	1,346.72	1.09	71.5%	1.23	61.1%	11.90	76.6%	1,032.03	84.35	25
RO_783B	1.83	26.34	1,091.17	0.99	69.6%	1.27	59.5%	15.68	74.6%	814.27	82.44	27
FMR2_561	2.32	31.04	1,522.25	1.16	72.5%	1.68	62.0%	19.25	77.8%	1,183.69	82.35	28
LR-904	1.33	18.17	849.76	0.62	58.3%	0.78	50.0%	9.08	62.5%	531.12	77.18	36
WR-102	2.11	31.81	1,177.11	0.48	51.1%	1.08	43.9%	13.95	54.8%	644.90	75.72	38
GB_118B	2.68	39.35	1,553.90	0.59	57.1%	1.53	48.9%	19.26	61.2%	950.96	75.29	41
LPW-46B	2.98	44.60	1,675.82	0.53	53.8%	1.60	46.1%	20.58	57.7%	966.34	73.00	44
FB_668A	2.58	34.20	1,710.84	1.17	72.7%	1.87	62.1%	21.24	77.9%	1,332.54	72.54	45
PR_692B	2.43	28.33	1,845.55	0.35	41.6%	1.01	35.7%	10.11	44.5%	821.74	66.97	52
SR-206	3.44	51.87	1,919.11	0.15	21.5%	0.74	18.3%	9.50	23.0%	442.11	70.25	54
FMR2_134	1.43	21.53	794.80	1.06	71.0%	1.01	60.7%	13.07	76.1%	605.13	70.25	55
GB_118C	2.29	31.95	1,424.98	0.64	59.5%	1.36	51.0%	16.29	63.8%	908.91	70.14	56
FMR1_588B-1&2	2.92	40.58	1,825.35	0.44	48.4%	1.41	41.5%	16.84	51.8%	945.60	69.31	59
DR_103	1.06	11.07	877.38	0.88	67.2%	0.71	57.4%	6.36	72.0%	631.38	69.29	60
CR_123-1&2&3	1.86	23.02	1,331.22	0.53	54.1%	1.01	46.4%	10.69	58.0%	772.29	68.06	64
GB_143A	3.36	51.20	1,846.23	0.26	33.9%	1.14	29.0%	14.87	36.3%	670.13	67.70	66
LPW-60A	2.27	38.71	1,007.78	0.34	40.9%	0.93	35.1%	13.59	43.8%	441.72	67.24	70
AB_520	2.55	35.20	1,608.47	0.52	53.2%	1.35	45.6%	16.04	57.0%	916.15	66.30	73
LR-597B (option 2)	1.12	14.08	794.80	1.07	71.2%	0.80	60.9%	8.57	76.3%	606.65	64.91	81
FMR1_103	1.12	15.12	721.79	1.25	73.7%	0.82	63.0%	9.52	79.0%	569.86	64.90	82
NB_563	2.80	42.92	1,522.25	0.61	57.9%	1.62	49.6%	21.31	62.1%	945.16	64.90	83
CP_951	1.88	30.70	916.04	2.14	78.3%	1.48	67.0%	20.57	84.2%	771.11	64.21	88

Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%IC	%Turf	P (in)	Rv	Water Quality Volume (CF)	Treatment Volume (CF)	Total Treatment Volume Sum for Projects in Series*	% Water Quality Volume Treated
LR-450	Lubber Run	3rd Street North between North Park Drive and North Columbus Street	Street Bioretention	1.66	45%	55%	1.00	0.55	3305.15	4482.00		1.36
FMR2_558	Four Mile Run Mainstem 2	5900 1st Street North	Street Bioretention	2.12	47%	53%	1.00	0.56	4316.43	2743.45		0.64
WB_113	Westover Branch	North Ohio Street and 22nd Street North - near bike path	Bioretention	0.61	69%	31%	1.00	0.72	1602.49	629.50		0.39
CR_121	Crossman Run	North Trinidad Street next to Bishop O'Connell High School	Street Bioretention	0.80	84%	16%	1.00	0.84	2425.74	2682.00		1.11
FMR2_524-1&2	Four Mile Run Mainstem 2	5928 10th Road North	Street Bioretention	3.15	32%	68%	1.00	0.45	5186.69	2663.60	2663.60	0.51
LR-100	Lubber Run	Langston Brown Community Center, 4854 Lee Highway	Permeable Pavement	0.48	95%	5%	1.00	0.92	1609.39	1600.00		0.99
LPW-45B	Little Pimmit Run West	33rd St. North and 34th St. North	Street Bioretention	2.80	22%	78%	1.00	0.38	3900.48	2412.00		0.62
FMRL_580	Four Mile Run Lower	1348 28th St South	Street Bioretention	2.89	41%	59%	1.00	0.52	5461.34	1416.40		0.26
LR-592A-1&2	Lubber Run	2nd Street North and North Columbus Street	Street Bioretention	2.30	42%	58%	1.00	0.53	4396.58	1903.50		0.43
FMR1_589B-1&2	Four Mile Run Mainstem 1	North Tuckahoe Street near Williamsburg Boulevard	Street Bioretention	2.16	34%	66%	1.00	0.47	3671.06	1369.44	1369.44	0.37
TR_132B	Torreyson Run	#5617 19th Street North	Street Bioretention	1.73	47%	53%	1.00	0.57	3557.41	1438.00		0.40
LLB_2000F	Lower Long Branch	Bike Trail at North Bedford and Arlington Boulevard	Bioretention	2.74	22%	78%	1.00	0.38	3778.10	1026.00		0.27
LLB_2000G	Lower Long Branch	Bike Trail at North Bedford and Arlington Boulevard	Bioretention	1.76	39%	61%	1.00	0.50	3207.47	1504.20		0.47
FMR2_530 B	Four Mile Run Mainstem 2	868 9th Street North	Street Bioretention	2.97	33%	67%	1.00	0.46	4942.25	2227.35		0.45
TR_154A-1&2	Torreyson Run	Patrick Henry Drive and 20th Street North	Street Bioretention	2.47	39%	61%	1.00	0.51	4552.75	872.00	872	0.19
DB_538	Doctor's Branch	South Quincy Street, between 7th Street South, and 8th Street South	Street Bioretention	2.55	39%	61%	1.00	0.50	4647.53	2541.00		0.55
DR_114	Donaldson Run	Potomac Overlook Regional Park	Disconnection	0.59	72%	28%	1.00	0.75	1597.38	1597.38		1.00
LR-542-1&2	Lubber Run	1315 North Frederick Street	Street Bioretention	1.61	41%	59%	1.00	0.52	3057.08	1686.50		0.55
DB_503	Doctor's Branch	Northwest corner of 4th Street North and North Norwood Street	Street Bioretention	2.28	37%	63%	1.00	0.49	4093.56	1782.00		0.44
RR_211	Roaches Run	Aurora Hills Branch Library; 735 18th Street South	Bioretention	1.27	68%	32%	1.00	0.71	3293.14	1277.88		0.39
AF_591D	Arlington Forest Branch	Intersection of North Wakefield St and 2nd St N	Street Bioretention	1.53	48%	52%	1.00	0.57	3167.94	2926.13		0.92
TR_128A	Torreyson Run	#1915 North Kenilworth Street	Street Bioretention	4.56	29%	71%	1.00	0.43	7130.47	962.00		0.13
GB_144B	Gulf Branch	North Dittmar Road and North Albemarle Street	Street Bioretention	3.95	34%	66%	1.00	0.47	6750.38	1000.00		0.15
DB_537	Doctor's Branch	6th Street South and South Quincy Street	Street Bioretention	1.93	39%	61%	1.00	0.51	3532.52	1844.00		0.52
LPE-24A	Little Pimmit Run East	Williamsburg St. at 34th St.	Bioretention	1.48	27%	73%	1.00	0.42	2241.89	1435.00		0.64
LR-905	Lubber Run	Langston High School, 4854 Lee Highway	Bioretention	0.49	91%	9%	1.00	0.89	1575.56	1543.00		0.98
LPE-15B	Little Pimmit Run East	North George Mason Drive and 27th Street North - southwest corner of intersection	Street Bioretention	2.42	19%	81%	1.00	0.36	3142.03	1864.00		0.59
SR-622	Spout Run	Corner of Kirkwood & Fairfax Drive	Bioretention	0.90	65%	35%	1.00	0.70	2262.14	1835.25		0.81
LLB_903	Lower Long Branch	1300 Army Navy Drive- Horizon House Condominium	Street Bioretention	0.85	96%	4%	1.00	0.92	2851.73	3141.00		1.10
DR_110A	Donaldson Run	Wakefield Water Tower	Bioretention	0.66	51%	49%	1.00	0.59	1424.07	351.00		0.25
TR_128B	Torreyson Run	#1916 North Kenilworth Street	Street Bioretention	1.31	55%	45%	1.00	0.62	2967.61	1409.00		0.47

Site ID	Phosphorus Removal - VRRM				Phosphorus Removal - CSN				Impervious Area Acreage				Potential Utility or Site Constraints			
	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
LR-450	1.14	11.42	2.5	28.55	1.22	12.20	2.5	30.50	0.75	3.74	2	7.47	Low	10	1.5	15
FMR2_558	1.20	12.01	2.5	30.01	1.32	13.22	2.5	33.05	0.99	4.95	2	9.90	Medium	5	1.5	7.5
WB_113	0.32	3.19	2.5	7.97	0.35	3.53	2.5	8.83	0.42	2.10	2	4.21	Low	10	1.5	15
CR_121	0.84	8.38	2.5	20.96	0.82	8.19	2.5	20.47	0.67	3.37	2	6.74	Low	10	1.5	15
FMR2_524-1&2	1.25	12.54	2.5	31.35	1.58	15.76	2.5	39.39	1.01	5.04	2	10.08	High	0	1.5	0
LR-100	0.59	5.91	2.5	14.78	0.52	5.22	2.5	13.05	0.46	2.31	2	4.62	Low	10	1.5	15
LPW-45B	1.07	10.65	2.5	26.63	1.35	13.54	2.5	33.84	0.63	3.14	2	6.28	Medium	5	1.5	7.5
FMRL_580	0.67	6.65	2.5	16.63	1.05	10.47	2.5	26.19	1.19	5.95	2	11.90	Medium	5	1.5	7.5
LR-592A-1&2	0.94	9.38	2.5	23.44	1.15	11.55	2.5	28.87	0.97	4.83	2	9.66	Medium	5	1.5	7.5
FMR1_589B-1&2	0.70	6.97	2.5	17.42	0.94	9.41	2.5	23.54	0.73	3.67	2	7.34	Low	10	1.5	15
TR_132B	0.72	7.22	2.5	18.04	0.87	8.72	2.5	21.80	0.82	4.11	2	8.21	Low-Medium	7	1.5	10.5
LLB_2000F	0.51	5.05	2.5	12.63	0.93	9.34	2.5	23.35	0.60	3.00	2	6.00	Medium	5	1.5	7.5
LLB_2000G	0.72	7.22	2.5	18.04	0.90	8.95	2.5	22.38	0.68	3.40	2	6.80	Medium	5	1.5	7.5
FMR2_530 B	1.09	10.88	2.5	27.19	1.41	14.11	2.5	35.28	0.97	4.85	2	9.70	High	0	1.5	0
TR_154A-1&2	0.37	3.68	2.5	0.00	0.71	7.06	2.5	17.66	0.97	4.87	2	9.74	Low	10	1.5	15
DB_538	1.18	11.80	2.5	29.50	1.39	13.91	2.5	34.78	0.98	4.92	2	9.84	High	0	1.5	0
DR_114	0.25	2.51	2.5	6.27	0.53	5.34	2.5	13.34	0.43	2.13	2	4.25	Low	10	1.5	15
LR-542-1&2	0.79	7.88	2.5	19.70	0.91	9.05	2.5	22.63	0.67	3.34	2	6.67	Low	10	1.5	15
DB_503	0.87	8.73	2.5	21.82	1.11	11.10	2.5	27.74	0.86	4.28	2	8.56	Medium	5	1.5	7.5
RR_211	0.64	6.40	2.5	16.00	0.72	7.24	2.5	18.09	0.86	4.30	2	8.60	Medium	5	1.5	7.5
AF_591D	1.06	10.60	2.5	26.50	1.09	10.85	2.5	27.14	0.73	3.67	2	7.34	Medium	5	1.5	7.5
TR_128A	0.21	2.08	2.5	5.19	0.95	9.47	2.5	23.66	1.32	6.58	2	13.17	High	0	1.5	0
GB_144B	0.26	2.59	2.5	6.47	0.90	8.98	2.5	22.45	1.36	6.79	2	13.57	High	0	1.5	0
DB_537	0.87	8.69	2.5	21.73	1.03	10.33	2.5	25.83	0.75	3.76	2	7.53	Medium	5	1.5	7.5
LPE-24A	0.63	6.31	2.5	15.78	0.76	7.60	2.5	19.00	0.40	2.00	2	4.00	Medium	5	1.5	7.5
LR-905	0.54	5.39	2.5	13.48	0.51	5.11	2.5	12.78	0.45	2.23	2	4.47	Low	10	1.5	15
LPE-15B	0.84	8.43	2.5	21.08	1.11	11.12	2.5	27.81	0.46	2.28	2	4.56	Medium	5	1.5	7.5
SR-622	0.72	7.18	2.5	17.94	0.72	7.18	2.5	17.96	0.58	2.92	2	5.84	medium	5	1.5	7.5
LLB_903	0.99	9.85	2.5	24.64	0.95	9.51	2.5	23.77	0.82	4.10	2	8.20	Medium	5	1.5	7.5
DR_110A	0.16	1.63	2.5	4.06	0.25	2.45	2.5	6.14	0.34	1.69	2	3.39	Medium	5	1.5	7.5
TR_128B	0.67	6.75	2.5	16.87	0.77	7.68	2.5	19.19	0.73	3.63	2	7.25	Medium	5	1.5	7.5

Site ID	Property Ownership				Potential for Quick Implementation				Existing Drainage Problem/Hotspot				County Maintenance Burden			
	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
LR-450	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_558	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
WB_113	Public	10	1.5	15	Yes	10	1	10	No	10	0.5	5	Medium	5	0.5	2.5
CR_121	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
FMR2_524-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-100	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	High	0	0.5	0
LPW-45B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMRL_580	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-592A-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_589B-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
TR_132B	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
LLB_2000F	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
LLB_2000G	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FMR2_530 B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
TR_154A-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
DB_538	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DR_114	Public	4	1.5	6	Yes	10	1	10	No	0	0.5	0	Low	10	0.5	5
LR-542-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DB_503	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
RR_211	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
AF_591D	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
TR_128A	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
GB_144B	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
DB_537	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LPE-24A	Street ROW	7	1.5	10.5	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
LR-905	School	4	1.5	6	Yes	10	1	10	No	0	0.5	0	High	0	0.5	0
LPE-15B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
SR-622	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	medium	5	0.5	2.5
LLB_903	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DR_110A	Public	10	1.5	15	Yes	10	1	10	Yes	10	0.5	5	Medium	5	0.5	2.5
TR_128B	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0

Site ID	Educational Opportunity				Pollutant Removal - VRRM													
	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit ¹	Size-Adjusted N Removal Credit	Size-Adjusted N Removal Credit ¹	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
LR-450	Street	0	0.5	0	2.08	14.86	Street Bioretention	55%	64%	136%	60%	55%	69%	64%	1.14	9.51	61.52	75
FMR2_558	Residential streets with Sidewalks	5	0.5	2.5	2.71	19.40	Street Bioretention	55%	64%	64%	44%	44%	52%	52%	1.20	9.99	60.41	81
WB_113	Street w/ sidewalks	5	0.5	2.5	1.01	7.20	Bioretention	55%	64%	39%	32%	32%	37%	37%	0.32	2.65	62.18	72
CR_121	Near school	10	0.5	5	1.52	10.90	Street Bioretention	55%	64%	111%	57%	55%	66%	64%	0.84	6.98	63.20	69
FMR2_524-1&2	Residential streets with Sidewalks	5	0.5	2.5	3.26	23.31	Street Bioretention	55%	64%	51%	38%	38%	45%	45%	1.25	10.44	54.43	123
LR-100	Community Center	8	0.5	4	1.01	7.23	Permeable Pavement	59%	59%	99%	58%	58%	58%	58%	0.59	4.23	63.39	66
LPW-45B	Residential street w/ sidewalks	5	0.5	2.5	2.45	17.53	Street Bioretention	55%	64%	62%	43%	43%	51%	51%	1.07	8.87	53.41	139
FMRL_580			0.5	0	3.43	24.55	Street Bioretention	55%	64%	26%	19%	19%	23%	23%	0.67	5.54	51.03	171
LR-592A-1&2	Residential street w/ sidewalk	5	0.5	2.5	2.76	19.76	Street Bioretention	55%	64%	43%	34%	34%	39%	39%	0.94	7.80	53.60	137
FMR1_589B-1&2	Residential streets with Sidewalks	5	0.5	2.5	2.31	16.50	Street Bioretention	55%	64%	37%	30%	30%	35%	35%	0.70	5.80	52.76	147
TR_132B	Street w/ sidewalks	5	0.5	2.5	2.24	15.99	Street Bioretention	55%	64%	40%	32%	32%	38%	38%	0.72	6.01	54.76	120
LLB_2000F	Bike Trail and Park Area	8	0.5	4	2.37	16.98	Bioretention	55%	64%	27%	21%	21%	25%	25%	0.51	4.20	47.63	222
LLB_2000G	Bike Trail and Park Area	8	0.5	4	2.02	14.42	Bioretention	55%	64%	47%	36%	36%	42%	42%	0.72	6.01	53.84	132
FMR2_530 B	Residential streets with sidewalks	5	0.5	2.5	3.11	22.21	Street Bioretention	55%	64%	45%	35%	35%	41%	41%	1.09	9.05	49.89	188
TR_154A-1&2	Arterial Road	0	0.5	0	2.86	20.46	Street Bioretention	55%	64%	19%	13%	13%	15%	15%	0.37	3.07	40.24	393
DB_538	Residential streets with Sidewalks	5	0.5	2.5	2.92	20.89	Street Bioretention	55%	64%	55%	40%	40%	47%	47%	1.18	9.82	52.34	153
DR_114	Park	8	0.5	4	1.00	7.18	Disconnection	25%	25%	100%	25%	25%	25%	25%	0.25	1.79	50.52	178
LR-542-1&2	Residential street w/ sidewalks	5	0.5	2.5	1.92	13.74	Street Bioretention	55%	64%	55%	41%	41%	48%	48%	0.79	6.56	54.38	125
DB_503	Residential streets with Sidewalks	5	0.5	2.5	2.57	18.40	Street Bioretention	55%	64%	44%	34%	34%	39%	39%	0.87	7.27	50.89	173
RR_211	Library	10	0.5	5	2.07	14.80	Bioretention	55%	64%	39%	31%	31%	36%	36%	0.64	5.33	54.60	121
AF_591D	Residential street w/ sidewalk	5	0.5	2.5	1.99	14.24	Street Bioretention	55%	64%	92%	53%	53%	62%	62%	1.06	8.82	54.35	126
TR_128A	Street w/ sidewalks	5	0.5	2.5	4.48	32.05	Street Bioretention	55%	64%	13%	5%	5%	5%	5%	0.21	1.73	36.36	531
GB_144B	Street w/ sidewalks	5	0.5	2.5	4.24	30.34	Street Bioretention	55%	64%	15%	6%	6%	7%	7%	0.26	2.15	38.04	464
DB_537	Residential streets with Sidewalks	5	0.5	2.5	2.22	15.88	Street Bioretention	55%	64%	52%	39%	39%	46%	46%	0.87	7.24	49.76	190
LPE-24A	Median	0	0.5	0	1.41	10.08	Bioretention	55%	64%	64%	45%	45%	52%	52%	0.63	5.25	50.28	181
LR-905	School	10	0.5	5	0.99	7.08	Bioretention	55%	64%	98%	54%	54%	63%	63%	0.54	4.49	53.95	131
LPE-15B	Residential street w/ sidewalks	5	0.5	2.5	1.97	14.12	Street Bioretention	55%	64%	59%	43%	43%	50%	50%	0.84	7.02	46.14	252
SR-622	park	8	0.5	4	1.42	10.17	Bioretention	55%	64%	81%	50%	50%	59%	59%	0.72	5.97	52.78	145
LLB_903	Street with sidewalk	5	0.5	2.5	1.79	12.82	Street Bioretention	55%	64%	110%	57%	55%	66%	64%	0.99	8.20	53.34	141
DR_110A	Salt storage facility	5	0.5	2.5	0.89	6.40	Bioretention	55%	64%	25%	18%	18%	21%	21%	0.16	1.35	49.95	186
TR_128B	Street w/ sidewalks	5	0.5	2.5	1.86	13.34	Street Bioretention	55%	64%	47%	36%	36%	42%	42%	0.67	5.62	49.62	192

Site ID	Pollutant Removal - CSN											
	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	Rank
LR-450	1.58	21.79	1,006.30	1.65	77.0%	1.22	65.9%	14.35	82.6%	830.99	63.47	92
FMR2_558	2.07	28.07	1,333.65	0.76	63.9%	1.32	54.7%	15.36	68.5%	913.81	63.45	93
WB_113	0.76	9.00	567.00	0.41	46.5%	0.35	39.9%	3.59	49.9%	282.70	63.04	94
CR_121	1.14	12.64	908.30	1.10	71.6%	0.82	61.2%	7.73	76.7%	696.74	62.71	98
FMR2_524-1&2	2.51	38.56	1,357.90	0.73	62.8%	1.58	53.7%	20.71	67.2%	913.02	62.47	100
LR-100	0.76	8.00	621.83	0.95	69.0%	0.52	59.0%	4.72	73.9%	459.73	61.67	105
LPW-45B	1.91	32.46	846.13	1.06	70.9%	1.35	60.6%	19.69	76.0%	643.38	60.62	112
FMRL_580	2.62	37.18	1,603.07	0.33	39.9%	1.05	34.2%	12.73	42.8%	685.35	60.59	115
LR-592A-1&2	2.11	29.72	1,301.32	0.54	54.7%	1.15	46.9%	13.93	58.6%	762.29	59.03	127
FMR1_589B-1&2	1.77	26.74	989.32	0.51	53.1%	0.94	45.5%	12.17	56.9%	562.45	58.88	129
TR_132B	1.70	23.00	1,106.12	0.48	51.2%	0.87	43.9%	10.10	54.9%	606.94	58.51	133
LLB_2000F	1.85	31.67	808.27	0.47	50.5%	0.93	43.3%	13.72	54.1%	437.38	58.35	137
LLB_2000G	1.54	22.34	916.04	0.61	58.0%	0.90	49.7%	11.10	62.1%	569.03	58.18	138
FMR2_530 B	2.39	36.49	1,306.71	0.63	59.0%	1.41	50.6%	18.45	63.2%	826.25	57.98	142
TR_154A-1&2	2.19	31.48	1,311.69	0.25	32.2%	0.71	27.6%	8.70	34.5%	453.08	57.90	143
DB_538	2.24	32.40	1,325.72	0.71	62.2%	1.39	53.2%	17.24	66.6%	882.93	57.62	144
DR_114	0.76	8.83	572.53	1.04	70.6%	0.53	60.3%	5.32	75.6%	432.92	57.59	145
LR-542-1&2	1.47	20.79	898.66	0.70	61.6%	0.91	52.7%	10.96	66.0%	593.20	57.30	149
DB_503	1.97	28.82	1,153.51	0.57	56.2%	1.11	48.2%	13.89	60.3%	695.17	56.80	156
RR_211	1.56	18.63	1,158.52	0.41	46.3%	0.72	39.8%	7.41	49.7%	575.24	56.69	157
AF_591D	1.52	20.39	989.32	1.10	71.6%	1.09	61.2%	12.48	76.7%	759.19	54.98	182
TR_128A	3.46	54.86	1,773.62	0.20	27.3%	0.95	23.4%	12.83	29.3%	519.42	54.83	185
GB_144B	3.26	48.99	1,828.04	0.20	27.5%	0.90	23.6%	11.54	29.5%	539.18	54.02	193
DB_537	1.70	24.50	1,014.28	0.67	60.8%	1.03	52.0%	12.75	65.1%	660.38	53.86	198
LPE-24A	1.09	17.62	538.85	0.99	69.7%	0.76	59.6%	10.49	74.7%	402.33	53.50	203
LR-905	0.74	7.97	602.03	0.95	68.9%	0.51	58.9%	4.69	73.8%	444.57	53.25	209
LPE-15B	1.54	27.47	614.83	1.13	72.0%	1.11	61.6%	16.91	77.2%	474.59	52.87	214
SR-622	1.07	12.99	786.18	0.87	66.9%	0.72	57.2%	7.43	71.7%	563.77	52.80	215
LLB_903	1.34	14.13	1,104.64	1.06	70.9%	0.95	60.6%	8.56	76.0%	839.40	52.47	221
DR_110A	0.68	8.94	456.00	0.29	36.1%	0.25	31.0%	2.77	38.7%	176.29	52.02	228
TR_128B	1.41	18.12	976.80	0.54	54.3%	0.77	46.5%	8.43	58.1%	567.94	51.94	231

Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%IC	%Turf	P (in)	Rv	Water Quality Volume (CF)	Treatment Volume (CF)	Total Treatment Volume Sum for Projects in Series*	% Water Quality Volume Treated
LLB_2000D	Lower Long Branch	Bike Trail at North Bedford and Arlington Boulevard	Bioretention	2.10	6%	94%	1.00	0.26	1995.05	1806.00		0.91
DB_122	Doctor's Branch	Arlington Oaks Community Center, 4490 North Pershing Drive	Bioretention	1.23	50%	50%	1.00	0.59	2613.55	3186.00		1.22
FMR2_530 A	Four Mile Run Mainstem 2	5975 9th Street North	Street Bioretention	2.60	35%	65%	1.00	0.48	4514.27	1721.22		0.38
TR_132A	Torreyson Run	#5616 19th Street North	Street Bioretention	2.43	39%	61%	1.00	0.50	4451.91	1266.00		0.28
WR-502	Windy Run	Intersection of Vacation Lane & Military Road-curb inlet on Military Rd	Street Bioretention	2.12	33%	67%	1.00	0.46	3546.90	1254.00		0.35
LPE-24B	Little Pimmit Run East	Williamsburg St. at 34th St.	Bioretention	0.95	49%	51%	1.00	0.58	2002.53	845.00		0.42
DR_129	Donaldson Run	Donaldson Run Nature Area - 30th Street North and North Military Road	Street Bioretention	1.90	30%	70%	1.00	0.44	3006.05	2685.00		0.89
WR-548	Windy Run	#2711 N. Fillmore Street	Street Bioretention	1.04	56%	44%	1.00	0.63	2369.70	2388.00		1.01
FMR1_588A	Four Mile Run Mainstem 1	North Trinidad Street and 31st Street North	Street Bioretention	0.64	66%	34%	1.00	0.70	1630.42	1743.25		1.07
SR-509A	Spout Run	#2215 North Ablemarle Street, N side of traffic island	Street Bioretention	1.39	64%	36%	1.00	0.69	3467.41	2007.00		0.58
LLB_2000A	Lower Long Branch	Bike Trail at North Bedford and Arlington Boulevard	Bioretention	0.97	20%	80%	1.00	0.36	1278.12	3036.00		2.38
TR_128C	Torreyson Run	#1917 North Kenilworth Street	Street Bioretention	0.47	48%	52%	1.00	0.57	973.16	1204.50		1.24
LLB_2000E	Lower Long Branch	Bike Trail at North Bedford and Arlington Boulevard	Bioretention	1.30	35%	65%	1.00	0.48	2257.13	519.50		0.23
GB_118A	Gulf Branch	36th Road North and North Nelson Street	Street Bioretention	0.27	100%	0%	1.00	0.95	932.68	1293.00		1.39
LPE-15G	Little Pimmit Run East	North George Mason Drive and 25th Place North - west side of street	Street Bioretention	1.42	31%	69%	1.00	0.44	2291.49	1457.00		0.64
LPW-46A	Little Pimmit Run West	32nd Street North and North Kensington Street	Street Bioretention	0.90	55%	45%	1.00	0.62	2026.20	1782.00		0.88
TR_154B-1&2	Torreyson Run	Patrick Henry Drive and North Huntington Street	Street Bioretention	1.20	62%	38%	1.00	0.67	2929.85	1501.00	1501	0.51
LPE-15A	Little Pimmit Run East	North George Mason Drive and 27th Street North - median in northern section of intersection	Bioretention	0.32	77%	23%	1.00	0.78	910.87	3305.00		3.63
LPE-15J	Little Pimmit Run East	North George Mason Drive and 27th Street North - east side of street	Street Bioretention	1.09	32%	68%	1.00	0.45	1782.04	1754.00		0.98
PR_692A-1&2	Pimmit Run	4008 38th Place North	Street Bioretention	1.08	54%	46%	1.00	0.61	2399.43	907.00	907.00	0.38
LLB_2000C	Lower Long Branch	Bike Trail at North Bedford and Arlington Boulevard	Bioretention	0.52	17%	83%	1.00	0.35	653.76	1836.00		2.81
LPE-15I	Little Pimmit Run East	Median at intersection of North George Mason Drive and 27th Street North	Bioretention	0.21	58%	42%	1.00	0.65	492.85	1150.00		2.33
LLB_2000B	Lower Long Branch	Bike Trail at North Bedford and Arlington Boulevard	Bioretention	0.40	28%	73%	1.00	0.42	610.93	1130.40		1.85
LPE-15F	Little Pimmit Run East	North George Mason Drive and 26th Street North - west side of street	Street Bioretention	1.44	26%	74%	1.00	0.41	2143.17	522.00		0.24
LPE-15H	Little Pimmit Run East	North George Mason Drive and 25th Place North - east side of street	Street Bioretention	1.23	28%	72%	1.00	0.42	1881.12	566.00		0.30
GB_143B	Gulf Branch	North Albemarle Street and 34th Road North	Street Bioretention	0.57	65%	35%	1.00	0.69	1436.99	1475.00		1.03
LPE-15C	Little Pimmit Run East	North George Mason Drive between 26th Road North and 26th Street North - eastern side	Street Bioretention	0.56	34%	66%	1.00	0.47	950.70	1314.00		1.38
LPW-45A	Little Pimmit Run West	34th St. North and 33rd St. North	Street Bioretention	0.31	61%	39%	1.00	0.66	748.13	972.00		1.30
LPE-15D	Little Pimmit Run East	North George Mason Drive between 26th Road North and 26th Street North - western side	Street Bioretention	0.28	52%	48%	1.00	0.60	611.29	874.00		1.43

Site ID	Property Ownership				Potential for Quick Implementation				Existing Drainage Problem/Hotspot				County Maintenance Burden			
	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
LLB_2000D	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
DB_122	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FMR2_530 A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
TR_132A	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
WR-502	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LPE-24B	Street ROW	7	1.5	10.5	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
DR_129	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
WR-548	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_588A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
SR-509A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LLB_2000A	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
TR_128C	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
LLB_2000E	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
GB_118A	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
LPE-15G	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LPW-46A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
TR_154B-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
LPE-15A	Street ROW	7	1.5	10.5	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
LPE-15J	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
PR_692A-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LLB_2000C	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
LPE-15I	Street ROW	7	1.5	10.5	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
LLB_2000B	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
LPE-15F	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LPE-15H	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
GB_143B	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
LPE-15C	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LPW-45A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LPE-15D	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0

Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%IC	%Turf	P (in)	Rv	Water Quality Volume (CF)	Treatment Volume (CF)	Total Treatment Volume Sum for Projects in Series*	% Water Quality Volume Treated
Sites that treat less than .25 acres of drainage												
Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%IC	%Turf	P (in)	Rv	Target Storage WQv (CF)	Total Volume (CF)	Total Volume Sum for Projects in Series*	% Water Quality Volume
LPE-15E	Little Pimmit Run East	North George Mason Drive and 26th Street North - east side of street	Street Bioretention	0.07	39%	61%	1.00	0.51	129.04	346.00		2.68
TR_154C-1&2	Torreyson Run	Patrick Henry Drive and North Inglewood Street	Street Bioretention	0.24	41%	59%	1.00	0.52	452.41	1397.00	1397	3.09
WB_112	Westover Branch	John Marshall Drive and 23rd Street North	Street Bioretention	0.23	82%	18%	1.00	0.82	686.36	495.75		0.72
Sites that treat <10% Tv												
Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%IC	%Turf	P (in)	Rv	Target Storage WQv (CF)	Total Volume (CF)	Total Volume Sum for Projects in Series*	% Water Quality Volume
GB_144A	Gulf Branch	North Dittmar Road and North Albemarle Street	Street Bioretention	3.46	29%	71%	1.00	0.43	5453.86	593.75		0.11

Site ID	Phosphorus Removal - VRRM				Phosphorus Removal - CSN				Impervious Area Acreage				Potential Utility or Site Constraints			
	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
Sites that treat less than .2%																
Site ID	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
LPE-15E	0.04	0.45	2.5	1.11	0.05	0.53	2.5	1.32	0.03	0.14	2	0.28	Medium	5	1.5	7.5
TR_154C-1&2	0.16	1.56	2.5	3.91	0.18	1.85	2.5	4.62	0.10	0.49	2	0.98	High	0	1.5	0
WB_112	0.21	2.05	2.5	5.13	0.20	2.02	2.5	5.06	0.19	0.95	2	1.90	High	0	1.5	0
Sites that treat <10% Tv																
Site ID	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
GB_144A	#N/A	#N/A	2.5	0.00	0.60	5.98	2.5	14.95	1.02	5.08	2	10.15	Low	10	1.5	15

Site ID	Property Ownership				Potential for Quick Implementation				Existing Drainage Problem/Hotspot				County Maintenance Burden			
	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
Sites that treat less than .2%																
Site ID	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
LPE-15E	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
TR_154C-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
WB_112	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
Sites that treat <10% Tv																
Site ID	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
GB_144A	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0

Educational Opportunity					Pollutant Removal - VRRM													
Site ID	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit ¹	Size-Adjusted N Removal Credit	Size-Adjusted N Removal Credit ¹	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
Sites that treat less than .2%																		
Site ID	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit ¹	Size-Adjusted N Removal Credit	Size-Adjusted N Removal Credit ¹	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
LPE-15E	Residential street w/ sidewalks	5	0.5	2.5	0.08	0.58	Street Bioretention	55%	64%	268%	63%	55%	74%	64%	0.04	0.37	21.89	
TR_154C-1&2	Arterial Road	0	0.5	0	0.28	2.03	Street Bioretention	55%	64%	309%	63%	55%	74%	64%	0.16	1.30	20.39	
WB_112	Street w/ sidewalks	5	0.5	2.5	0.43	3.09	Street Bioretention	55%	64%	72%	48%	48%	55%	55%	0.21	1.71	25.03	
Sites that treat <10% Tv																		
Site ID	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit ¹	Size-Adjusted N Removal Credit	Size-Adjusted N Removal Credit ¹	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
GB_144A	Street w/ sidewalks	5	0.5	2.5	3.43	24.51	Street Bioretention	55%	64%	11%	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	43.15	

Pollutant Removal - CSN												
Site ID	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	Rank
Sites that treat less than .2%												
Site ID	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	
LPE-15E	0.06	0.89	37.18	3.45	85.0%	0.05	70.0%	0.62	85.0%	31.60	22.10	
TR_154C-1&2	0.22	3.08	132.56	3.91	85.0%	0.18	70.0%	2.16	85.0%	112.67	21.11	
WB_112	0.32	3.60	255.55	0.72	62.5%	0.20	53.5%	1.93	66.9%	171.05	24.95	
Sites that treat <10% Tv												
Site ID	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	
GB_144A	2.65	41.74	1,367.87	0.16	22.6%	0.60	19.3%	8.04	24.2%	330.98	58.10	