

Project Inventory												
Sites with Concepts												
Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%IC	%Turf	P (in)	Rv	Water Quality Volume (CF)	Treatment Volume (CF)	Treatment Volume Sum for Projects in Series*	% Water Quality Volume Treated
AB_100C	Arlington Branch	800 South Walter Reed Drive	Bioretention	0.33	83%	17%	1.00	0.83	989.61	606.00		0.61
AB_100D	Arlington Branch	800 South Walter Reed Drive	Bioretention	0.78	89%	11%	1.00	0.87	2456.64	1188.00		0.48
AB_103A	Arlington Branch	2700 8th Street South	Bioretention	0.46	34%	66%	1.00	0.47	780.74	819.00		1.05
AB_103B	Arlington Branch	2700 8th Street South	Bioretention	0.76	33%	67%	1.00	0.46	1266.76	2756.25		2.18
AB_103C	Arlington Branch	2700 8th Street South	Bioretention	0.42	39%	61%	1.00	0.51	769.99	1302.00		1.69
AB_103D	Arlington Branch	2700 8th Street South	Bioretention	0.43	37%	63%	1.00	0.49	767.38	1302.00		1.70
AB_104	Arlington Branch	Filmore Gardens Apartments	Bioretention	0.97	32%	68%	1.00	0.45	1596.11	1484.00		0.93
AB_107	Arlington Branch	Adams Court	Stormwater Planters	0.11	83%	17%	1.00	0.82	328.98	703.50		2.14
AB_110	Arlington Branch	2112 Columbia Pike	Bioretention	0.38	75%	25%	1.00	0.77	1056.04	1733.40		1.64
AB_111	Arlington Branch	Block south east of Columbia Pike and South Courthouse Road	Disconnection	1.05	100%	0%	1.00	0.95	3603.68	3603.68		1.00
AB_112	Arlington Branch	1201 Scott Street South	Bioretention	0.48	61%	39%	1.00	0.67	1159.75	1543.50		1.33
AB_113A	Arlington Branch	Near 1334 South Rolfe Street	Bioretention	0.27	23%	77%	1.00	0.39	382.57	1064.25		2.78
AB_113B	Arlington Branch	Near 1727 13th Road South	Bioretention	0.63	34%	66%	1.00	0.47	1070.19	349.25		0.33
AB_116A	Arlington Branch	1201 South Barton Street	Bioretention	0.48	29%	71%	1.00	0.43	757.03	1594.57		2.11
AB_116B	Arlington Branch	1201 South Barton Street - at the tennis courts	Dry Swale	1.23	29%	71%	1.00	0.43	1941.51	1530.60		0.79
AB_123	Arlington Branch	Glebe Street South and 11th Street South	Impervious Cover Removal	0.10	100%	0%	1.00	0.95	344.85	344.85		1.00
AB_129	Arlington Branch	Monroe Park	Street Bioretention	2.97	40%	60%	1.00	0.51	5541.17	1114.00		0.20
AB_130	Arlington Branch	Kenton Square	Bioretention	0.29	67%	33%	1.00	0.71	745.70	675.00		0.91
AB_138	Arlington Branch	1415 S. Edgewood St.	Dry Swale	0.71	44%	56%	1.00	0.54	1401.72	583.65		0.42
AB_139	Arlington Branch	2700 16th Street South Apt. 670	Bioretention	0.48	53%	47%	1.00	0.61	1056.40	583.26		0.55
AB_501-1&2	Arlington Branch	Near 812 South Ivy Street	Street Bioretention	1.28	61%	39%	1.00	0.66	3086.48	437.25		0.14
AB_503	Arlington Branch	Near 808 South Highland Street	Street Bioretention	1.17	47%	53%	1.00	0.56	2389.16	1794.00		0.75
AB_505	Arlington Branch	9th Street South between South Highland Street and Walter Reed Drive	Street Bioretention	1.00	92%	9%	1.00	0.89	3223.26	3159.25		0.98
AB_506A	Arlington Branch	Southeast corner of 9th Street South and Walter Reed Drive	Street Bioretention	9.45	57%	43%	1.00	0.63	21721.08	3828.00		0.18
AB_506C	Arlington Branch	Northwest corner of 9th Street South and Walter Reed Drive	Street Bioretention	0.34	35%	65%	1.00	0.48	589.51	1059.00		1.80
AB_509A	Arlington Branch	9th Road South and South Walter Reed Drive	Street Bioretention	0.57	95%	5%	1.00	0.92	1896.74	1442.40		0.76
AB_512	Arlington Branch	Near 2820 Columbia Pike (Columbia Pike and South Edgewood Street)	Street Bioretention	0.65	78%	22%	1.00	0.79	1859.94	498.00		0.27
AB_514A	Arlington Branch	Near 1100 South Walter Reed Drive (West side of Walter Reed Drive and 11th Street South)	Street Bioretention	0.46	44%	56%	1.00	0.54	907.94	1398.00		1.54
AB_514C	Arlington Branch	Near 2819 12th Street South	Street Bioretention	1.05	54%	46%	1.00	0.62	2346.32	651.00		0.28
AB_516	Arlington Branch	3518 15th Street South	Street Bioretention	0.50	57%	43%	1.00	0.63	1151.87	762.00		0.66
AB_517A	Arlington Branch	1317 South Walter Reed Drive	Street Bioretention	0.57	64%	36%	1.00	0.69	1427.78	1842.00		1.29
AB_517B	Arlington Branch	1317 South Walter Reed Drive	Bioretention	0.40	86%	14%	1.00	0.85	1231.01	833.20		0.68
AB_520	Arlington Branch	2914 13th Road South	Street Bioretention	2.69	44%	56%	1.00	0.54	5312.23	2234.00		0.42
AB_521	Arlington Branch	13th Street South & South Edgewood Street	Bioretention	0.66	48%	52%	1.00	0.57	1375.04	415.50		0.30
AB_524	Arlington Branch	2327 9th Street South and neighboring properties	Street Bioretention	0.61	59%	41%	1.00	0.65	1433.16	714.00		0.50
AB_528	Arlington Branch	Near 2200 Columbia Pike (Southeast corner of Columbia Pike and South Wayne Street)	Street Bioretention	0.96	61%	39%	1.00	0.66	2314.20	642.00		0.28
AB_530	Arlington Branch	Near 1200 South Courthouse Road (Northwest corner of 12th Street South and South Courthouse Road)	Street Bioretention	1.07	50%	50%	1.00	0.59	2277.50	2838.00		1.25
AB_531	Arlington Branch	1301 South Cleveland Street	Street Bioretention	0.34	52%	48%	1.00	0.60	737.86	1184.00		1.60
AB_536	Arlington Branch	16th Street South & South Edgewood Street	Street Bioretention	0.45	67%	33%	1.00	0.71	1154.34	769.70		0.67
AB_537A	Arlington Branch	2618 18th Street South	Street Bioretention	0.70	63%	37%	1.00	0.68	1727.63	519.00		0.30
AB_537B	Arlington Branch	18th Street South	Street Bioretention	1.12	26%	74%	1.00	0.41	1673.50	834.00		0.50

Project Inventory																
Sites with Concepts																
Site ID	Phosphorus Removal - VRRM				Phosphorus Removal - CSN				Impervious Area Acreage				Potential Utility or Site Constraints			
	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
AB_100C	0.27	2.70	2.5	6.76	0.27	2.71	2.5	6.77	0.27	1.37	2	2.74	Low	10	1.5	15
AB_100D	0.57	5.68	2.5	14.19	0.59	5.86	2.5	14.64	0.69	3.46	2	6.92	Medium	5	1.5	7.5
AB_103A	0.27	2.70	2.5	6.74	0.29	2.85	2.5	7.13	0.16	0.78	2	1.56	Low	10	1.5	15
AB_103B	0.44	4.38	2.5	10.94	0.52	5.21	2.5	13.02	0.25	1.24	2	2.49	Low	10	1.5	15
AB_103C	0.27	2.66	2.5	6.65	0.29	2.90	2.5	7.26	0.16	0.82	2	1.64	Low	10	1.5	15
AB_103D	0.27	2.65	2.5	6.63	0.29	2.90	2.5	7.25	0.16	0.80	2	1.60	Low	10	1.5	15
AB_104	0.53	5.34	2.5	13.35	0.58	5.75	2.5	14.38	0.31	1.55	2	3.10	Medium	5	1.5	7.5
AB_107	0.11	1.14	2.5	2.84	0.12	1.22	2.5	3.04	0.09	0.45	2	0.91	Low	10	1.5	15
AB_110	0.36	3.65	2.5	9.12	0.39	3.85	2.5	9.63	0.28	1.42	2	2.84	Low	10	1.5	15
AB_111	0.57	5.66	2.5	14.15	1.17	11.66	2.5	29.15	1.05	5.23	2	10.45	Low	10	1.5	15
AB_112	0.40	4.01	2.5	10.02	0.42	4.17	2.5	10.43	0.29	1.46	2	2.93	Medium	5	1.5	7.5
AB_113A	0.13	1.32	2.5	3.31	0.16	1.59	2.5	3.97	0.06	0.32	2	0.63	Low	10	1.5	15
AB_113B	0.17	1.74	2.5	4.35	0.25	2.54	2.5	6.35	0.21	1.07	2	2.14	Medium	5	1.5	7.5
AB_116A	0.26	2.62	2.5	6.54	0.31	3.12	2.5	7.81	0.14	0.71	2	1.41	Medium	5	1.5	7.5
AB_116B	0.57	5.73	2.5	14.32	0.68	6.84	2.5	17.10	0.36	1.81	2	3.62	Medium	5	1.5	7.5
AB_123	0.17	1.67	2.5	4.17	0.11	1.12	2.5	2.79	0.10	0.50	2	1.00	Low	10	1.5	15
AB_129	0.49	4.95	2.5	12.37	0.89	8.86	2.5	22.15	1.20	5.98	2	11.96	Medium	5	1.5	7.5
AB_130	0.25	2.47	2.5	6.19	0.24	2.44	2.5	6.11	0.19	0.97	2	1.94	Medium	5	1.5	7.5
AB_138	0.27	2.73	2.5	6.83	0.36	3.55	2.5	8.89	0.32	1.58	2	3.15	Medium	5	1.5	7.5
AB_139	0.27	2.72	2.5	6.81	0.30	2.98	2.5	7.44	0.25	1.27	2	2.54	Medium	5	1.5	7.5
AB_501-1&2	0.12	1.18	2.5	2.96	0.32	3.20	2.5	7.99	0.78	3.89	2	7.79	Medium	5	1.5	7.5
AB_503	0.73	7.33	2.5	18.33	0.78	7.75	2.5	19.38	0.55	2.74	2	5.49	Medium	5	1.5	7.5
AB_505	1.11	11.05	2.5	27.63	1.05	10.45	2.5	26.14	0.92	4.58	2	9.15	Medium	5	1.5	7.5
AB_506A	1.46	14.65	2.5	36.62	2.78	27.80	2.5	69.50	5.35	26.74	2	53.49	High	0	1.5	0
AB_506C	0.20	2.04	2.5	5.09	0.22	2.24	2.5	5.59	0.12	0.60	2	1.20	Medium	5	1.5	7.5
AB_509A	0.59	5.87	2.5	14.66	0.56	5.60	2.5	14.01	0.54	2.72	2	5.44	Low	10	1.5	15
AB_512	0.24	2.38	2.5	5.94	0.30	3.05	2.5	7.62	0.51	2.53	2	5.06	High	0	1.5	0
AB_514A	0.31	3.14	2.5	7.84	0.34	3.39	2.5	8.48	0.20	1.02	2	2.04	Low	10	1.5	15
AB_514C	0.31	3.14	2.5	7.84	0.43	4.34	2.5	10.85	0.57	2.84	2	5.69	Medium	5	1.5	7.5
AB_516	0.33	3.28	2.5	8.20	0.35	3.46	2.5	8.66	0.28	1.42	2	2.84	Medium	5	1.5	7.5
AB_517A	0.49	4.93	2.5	12.33	0.51	5.09	2.5	12.72	0.37	1.84	2	3.67	High	0	1.5	0
AB_517B	0.35	3.53	2.5	8.84	0.35	3.51	2.5	8.77	0.34	1.72	2	3.44	Medium	5	1.5	7.5
AB_520	1.12	11.16	2.5	27.91	1.35	13.54	2.5	33.86	1.19	5.97	2	11.94	Medium	5	1.5	7.5
AB_521	0.21	2.08	2.5	5.19	0.28	2.79	2.5	6.97	0.32	1.60	2	3.20	High	0	1.5	0
AB_524	0.34	3.35	2.5	8.38	0.38	3.76	2.5	9.40	0.36	1.79	2	3.57	High	0	1.5	0
AB_528	0.31	3.09	2.5	7.74	0.41	4.15	2.5	10.36	0.58	2.92	2	5.84	High	0	1.5	0
AB_530	0.79	7.87	2.5	19.68	0.82	8.24	2.5	20.59	0.54	2.69	2	5.37	Low	10	1.5	15
AB_531	0.25	2.55	2.5	6.37	0.27	2.74	2.5	6.86	0.18	0.88	2	1.76	Medium	5	1.5	7.5
AB_536	0.33	3.29	2.5	8.22	0.34	3.39	2.5	8.48	0.30	1.50	2	3.00	High	0	1.5	0
AB_537A	0.26	2.61	2.5	6.53	0.32	3.25	2.5	8.12	0.44	2.21	2	4.41	High	0	1.5	0
AB_537B	0.39	3.91	2.5	9.78	0.53	5.26	2.5	13.14	0.29	1.47	2	2.94	Medium	5	1.5	7.5

Project Inventory																
Sites with Concepts																
Site ID	Property Ownership				Potential for Quick Implementation				Existing Drainage Problem/Hotspot				County Maintenance Burden			
	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
AB_100C	School	4	1.5	6	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
AB_100D	School	4	1.5	6	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
AB_103A	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
AB_103B	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
AB_103C	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
AB_103D	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
AB_104	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
AB_107	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
AB_110	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
AB_111	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
AB_112	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
AB_113A	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
AB_113B	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
AB_116A	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
AB_116B	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
AB_123	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
AB_129	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
AB_130	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
AB_138	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
AB_139	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
AB_501-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
AB_503	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
AB_505	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
AB_506A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
AB_506C	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
AB_509A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
AB_512	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
AB_514A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
AB_514C	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
AB_516	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
AB_517A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
AB_517B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
AB_520	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
AB_521	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
AB_524	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
AB_528	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
AB_530	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
AB_531	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
AB_536	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
AB_537A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
AB_537B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0

Project Inventory																		
Sites with Concepts																		
Educational Opportunity					Pollutant Removal - VRRM													
Site ID	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit <sup>1</sup>	Size-Adjusted N Removal Credit	Size-Adjusted N Removal Credit <sup>1</sup>	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
AB_100C		10	0.5	5	0.62	4.45	Bioretention	55%	64%	61%	43%	43%	51%	51%	0.27	2.25	38.00	467
AB_100D		10	0.5	5	1.54	11.04	Bioretention	55%	64%	48%	37%	37%	43%	43%	0.57	4.72	42.11	337
AB_103A		0	0.5	0	0.49	3.51	Bioretention	55%	64%	105%	56%	55%	65%	64%	0.27	2.25	25.80	890
AB_103B		0	0.5	0	0.80	5.69	Bioretention	55%	64%	218%	63%	55%	73%	64%	0.44	3.64	30.93	739
AB_103C		0	0.5	0	0.48	3.46	Bioretention	55%	64%	169%	61%	55%	71%	64%	0.27	2.21	25.79	891
AB_103D		0	0.5	0	0.48	3.45	Bioretention	55%	64%	170%	61%	55%	71%	64%	0.27	2.21	25.73	893
AB_104		0	0.5	0	1.00	7.17	Bioretention	55%	64%	93%	53%	53%	62%	62%	0.53	4.45	26.45	869
AB_107		0	0.5	0	0.21	1.48	Stormwater Planters	55%	64%	214%	63%	55%	73%	64%	0.11	0.95	23.75	939
AB_110		0	0.5	0	0.66	4.75	Bioretention	55%	64%	164%	61%	55%	71%	64%	0.36	3.04	29.46	789
AB_111		0	0.5	0	2.26	16.20	Disconnection	25%	25%	100%	25%	25%	25%	25%	0.57	4.05	44.60	282
AB_112		0	0.5	0	0.73	5.21	Bioretention	55%	64%	133%	59%	55%	69%	64%	0.40	3.34	22.95	958
AB_113A		5	0.5	2.5	0.24	1.72	Bioretention	55%	64%	278%	63%	55%	74%	64%	0.13	1.10	23.94	936
AB_113B		0	0.5	0	0.67	4.81	Bioretention	55%	64%	33%	26%	26%	30%	30%	0.17	1.45	16.49	1013
AB_116A		0	0.5	0	0.48	3.40	Bioretention	55%	64%	211%	63%	55%	73%	64%	0.26	2.18	17.95	1008
AB_116B		0	0.5	0	1.22	8.73	Dry Swale	52%	55%	79%	47%	47%	50%	50%	0.57	4.34	27.94	829
AB_123		0	0.5	0	0.22	1.55	Impervious Cover Removal	77%	77%	100%	77%	77%	77%	77%	0.17	1.19	35.67	554
AB_129		8	0.5	4	3.48	24.91	Street Bioretention	55%	64%	20%	14%	14%	17%	17%	0.49	4.12	46.33	248
AB_130		5	0.5	2.5	0.47	3.35	Bioretention	55%	64%	91%	53%	53%	61%	61%	0.25	2.06	20.63	985
AB_138		0	0.5	0	0.88	6.30	Dry Swale	52%	55%	42%	31%	31%	33%	33%	0.27	2.07	19.98	993
AB_139		0	0.5	0	0.66	4.75	Bioretention	55%	64%	55%	41%	41%	48%	48%	0.27	2.27	19.35	999
AB_501-1&2		5	0.5	2.5	1.94	13.87	Street Bioretention	55%	64%	14%	6%	6%	7%	7%	0.12	0.98	31.25	730
AB_503		5	0.5	2.5	1.50	10.74	Street Bioretention	55%	64%	75%	49%	49%	57%	57%	0.73	6.10	44.32	283
AB_505		5	0.5	2.5	2.03	14.49	Street Bioretention	55%	64%	98%	55%	55%	63%	63%	1.11	9.20	57.28	97
AB_506A		5	0.5	2.5	13.65	97.63	Street Bioretention	55%	64%	18%	11%	11%	12%	12%	1.46	12.19	103.11	7
AB_506C		5	0.5	2.5	0.37	2.65	Street Bioretention	55%	64%	180%	62%	55%	72%	64%	0.20	1.70	26.79	861
AB_509A		5	0.5	2.5	1.19	8.53	Street Bioretention	55%	64%	76%	49%	49%	57%	57%	0.59	4.88	48.10	212
AB_512		5	0.5	2.5	1.17	8.36	Street Bioretention	55%	64%	27%	20%	20%	24%	24%	0.24	1.98	24.00	934
AB_514A		5	0.5	2.5	0.57	4.08	Street Bioretention	55%	64%	154%	61%	55%	70%	64%	0.31	2.61	37.88	472
AB_514C		5	0.5	2.5	1.47	10.55	Street Bioretention	55%	64%	28%	21%	21%	25%	25%	0.31	2.61	34.03	619
AB_516		5	0.5	2.5	0.72	5.18	Street Bioretention	55%	64%	66%	45%	45%	53%	53%	0.33	2.73	31.54	721
AB_517A		5	0.5	2.5	0.90	6.42	Street Bioretention	55%	64%	129%	59%	55%	69%	64%	0.49	4.11	29.00	804
AB_517B		0	0.5	0	0.77	5.53	Bioretention	55%	64%	68%	46%	46%	53%	53%	0.35	2.94	30.28	769
AB_520		5	0.5	2.5	3.34	23.88	Street Bioretention	55%	64%	42%	33%	33%	39%	39%	1.12	9.29	60.35	82
AB_521		0	0.5	0	0.86	6.18	Bioretention	55%	64%	30%	24%	24%	28%	28%	0.21	1.73	21.39	975
AB_524		5	0.5	2.5	0.90	6.44	Street Bioretention	55%	64%	50%	37%	37%	43%	43%	0.34	2.79	24.95	913
AB_528		5	0.5	2.5	1.45	10.40	Street Bioretention	55%	64%	28%	21%	21%	25%	25%	0.31	2.58	26.58	867
AB_530		5	0.5	2.5	1.43	10.24	Street Bioretention	55%	64%	125%	59%	55%	68%	64%	0.79	6.55	53.05	143
AB_531		5	0.5	2.5	0.46	3.32	Street Bioretention	55%	64%	160%	61%	55%	71%	64%	0.25	2.12	28.63	815
AB_536		0	0.5	0	0.73	5.19	Street Bioretention	55%	64%	67%	45%	45%	53%	53%	0.33	2.74	21.72	970
AB_537A		0	0.5	0	1.09	7.77	Street Bioretention	55%	64%	30%	24%	24%	28%	28%	0.26	2.17	21.44	974
AB_537B		0	0.5	0	1.05	7.52	Street Bioretention	55%	64%	50%	37%	37%	43%	43%	0.39	3.26	30.72	755

Project Inventory												
Sites with Concepts												
Pollutant Removal - CSN												
Site ID	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	Rank
AB_100C	0.47	5.18	369.11	0.61	58.0%	0.27	49.7%	2.57	62.1%	229.27	38.01	557
AB_100D	1.16	12.55	932.21	0.47	50.6%	0.59	43.4%	5.45	54.2%	505.62	42.56	407
AB_103A	0.38	5.69	210.15	1.45	75.6%	0.29	64.7%	3.68	81.1%	170.35	26.19	906
AB_103B	0.61	9.34	335.43	3.05	85.0%	0.52	70.0%	6.54	85.0%	285.12	33.01	725
AB_103C	0.37	5.34	220.93	2.19	78.4%	0.29	67.0%	3.58	84.2%	186.10	26.40	899
AB_103D	0.37	5.42	215.54	2.24	78.4%	0.29	67.1%	3.63	84.3%	181.70	26.35	901
AB_104	0.77	11.87	417.61	1.32	74.4%	0.58	63.6%	7.56	79.8%	333.21	27.48	881
AB_107	0.16	1.73	122.59	2.13	78.3%	0.12	67.0%	1.16	84.2%	103.17	23.95	955
AB_110	0.50	5.75	382.58	1.68	77.1%	0.39	66.0%	3.80	82.7%	316.56	29.97	811
AB_111	1.69	17.62	1,407.74	0.95	68.9%	1.17	58.9%	10.38	73.8%	1,039.19	59.60	124
AB_112	0.55	6.82	394.71	1.45	75.6%	0.42	64.7%	4.41	81.1%	320.12	23.36	963
AB_113A	0.19	3.15	84.87	4.65	85.0%	0.16	70.0%	2.20	85.0%	72.14	24.60	940
AB_113B	0.52	7.80	288.28	0.45	49.1%	0.25	42.1%	3.29	52.6%	151.72	18.49	1007
AB_116A	0.37	5.79	189.98	3.11	85.0%	0.31	70.0%	4.05	85.0%	161.48	19.22	1004
AB_116B	0.94	14.84	487.64	1.16	72.6%	0.68	62.0%	9.21	77.8%	379.41	30.72	797
AB_123	0.16	1.69	134.71	0.95	68.9%	0.11	58.9%	0.99	73.8%	99.44	34.29	677
AB_129	2.66	38.03	1,611.18	0.26	33.2%	0.89	28.5%	10.84	35.6%	573.89	56.11	162
AB_130	0.35	4.24	261.35	0.96	69.1%	0.24	59.0%	2.50	74.0%	193.43	20.55	993
AB_138	0.67	9.29	424.34	0.51	52.9%	0.36	45.3%	4.21	56.7%	240.40	22.04	981
AB_139	0.50	6.56	342.17	0.63	59.0%	0.30	50.6%	3.32	63.2%	216.36	19.98	1000
AB_501-1&2	1.47	18.18	1,049.41	0.15	21.8%	0.32	18.6%	3.37	23.3%	244.92	36.28	616
AB_503	1.14	15.51	739.57	0.90	67.8%	0.78	57.9%	8.99	72.6%	537.01	45.37	342
AB_505	1.52	16.28	1,232.61	0.95	68.9%	1.05	58.9%	9.59	73.8%	910.24	55.79	166
AB_506A	10.35	131.48	7,205.74	0.20	26.9%	2.78	23.0%	30.21	28.8%	2,073.94	135.99	3
AB_506C	0.28	4.24	161.65	2.43	78.6%	0.22	67.4%	2.86	84.6%	136.84	27.29	886
AB_509A	0.89	9.43	732.83	0.73	62.8%	0.56	53.8%	5.07	67.3%	493.42	47.45	302
AB_512	0.88	9.98	681.64	0.27	34.7%	0.30	29.7%	2.97	37.2%	253.32	25.68	922
AB_514A	0.44	6.02	274.81	1.89	77.9%	0.34	66.7%	4.01	83.6%	229.86	38.52	541
AB_514C	1.12	14.44	766.51	0.32	38.8%	0.43	33.3%	4.81	41.6%	318.56	37.04	595
AB_516	0.55	6.96	382.58	0.74	63.1%	0.35	54.0%	3.76	67.7%	258.83	32.00	773
AB_517A	0.68	8.23	494.42	1.38	75.1%	0.51	64.2%	5.28	80.5%	397.82	29.39	835
AB_517B	0.58	6.36	463.41	0.67	60.5%	0.35	51.8%	3.30	64.8%	300.24	30.21	806
AB_520	2.55	35.20	1,608.47	0.52	53.2%	1.35	45.6%	16.04	57.0%	916.15	66.30	73
AB_521	0.66	8.82	431.08	0.36	42.4%	0.28	36.4%	3.21	45.4%	195.80	23.17	967
AB_524	0.68	8.57	480.92	0.55	55.1%	0.38	47.2%	4.05	59.0%	283.94	25.97	916
AB_528	1.10	13.63	786.72	0.30	37.7%	0.41	32.3%	4.41	40.4%	317.60	29.20	840
AB_530	1.09	14.42	723.40	1.46	75.7%	0.82	64.7%	9.33	81.1%	587.01	53.96	194
AB_531	0.35	4.62	237.07	1.85	77.8%	0.27	66.6%	3.08	83.5%	198.01	29.12	841
AB_536	0.55	6.57	404.14	0.71	62.0%	0.34	53.1%	3.49	66.4%	268.44	21.98	982
AB_537A	0.82	10.04	594.08	0.32	39.6%	0.32	34.0%	3.41	42.4%	251.95	23.03	969
AB_537B	0.81	13.27	396.05	0.78	64.5%	0.53	55.2%	7.33	69.1%	273.81	34.08	687

Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%IC	%Turf	P (in)	Rv	Water Quality Volume (CF)	Treatment Volume (CF)	Treatment Volume Sum for Projects in Series*	% Water Quality Volume Treated
AB_538	Arlington Branch	1201 South Scott Street	Street Bioretention	0.51	78%	22%	1.00	0.79	1456.65	2363.00		1.62
AB_539A-1&2	Arlington Branch	Northeast corner of 12th Street South and South Rolfe Street	Street Bioretention	2.14	49%	51%	1.00	0.58	4504.65	978.00		0.22
AB_539B	Arlington Branch	Southeast corner of 12th Street South and South Rolfe Street	Street Bioretention	0.98	42%	58%	1.00	0.53	1879.69	546.00		0.29
AB_540A	Arlington Branch	Northeast corner of 13th Road South and South Rolfe Street	Street Bioretention	0.73	37%	63%	1.00	0.49	1293.15	1681.80		1.30
AB_540B	Arlington Branch	Northeast corner of 13th Road South and South Rolfe Street	Street Bioretention	0.51	39%	61%	1.00	0.51	937.26	3402.00		3.63
AB_960	Arlington Branch	9th St. S at S. Glebe Rd.	Street Bioretention	0.37	58%	42%	1.00	0.64	852.90	455.25		0.53
AF_116	Arlington Forest Branch	Arlington Assembly of God - parking lot and trailer storage lot	Disconnection	1.83	64%	36%	1.00	0.69	4565.00	4565.00		1.00
AF_591A	Arlington Forest Branch	Intersection of North Wakefield St and 2nd St N	Street Bioretention	1.38	54%	46%	1.00	0.61	3076.77	1461.38		0.47
AF_591B	Arlington Forest Branch	Intersection of North Wakefield St and 2nd St N	Street Bioretention	2.36	43%	57%	1.00	0.53	4573.81	604.00		0.13
AF_591C-1&2	Arlington Forest Branch	Intersection of North Wakefield St and 2nd St N	Street Bioretention	1.83	42%	58%	1.00	0.53	3498.15	918.00	918.00	0.26
AF_591D	Arlington Forest Branch	Intersection of North Wakefield St and 2nd St N	Street Bioretention	1.53	48%	52%	1.00	0.57	3167.94	2926.13		0.92
AF_595A_1&2	Arlington Forest Branch	1st Street N. & N. Wakefield St	Street Bioretention	0.56	56%	44%	1.00	0.63	1278.22	610.00	610.00	0.48
AF_595B-1&2	Arlington Forest Branch	1st Street N. & N. Wakefield St	Street Bioretention	2.65	32%	68%	1.00	0.45	4363.41	1259.60	1259.60	0.29
AF_694A	Arlington Forest Branch	118 North Abingdon Street	Street Bioretention	2.07	39%	61%	1.00	0.51	3802.70	1114.00		0.29
AF_694B	Arlington Forest Branch	121 North Abingdon Street	Street Bioretention	0.91	56%	44%	1.00	0.63	2085.33	1116.40		0.54
AF_698A	Arlington Forest Branch	416 South Abingdon Street	Street Bioretention	0.66	57%	43%	1.00	0.63	1521.05	352.40		0.23
AF_698B	Arlington Forest Branch	417 South Abingdon Street	Street Bioretention	0.42	49%	51%	1.00	0.58	884.21	640.60		0.72
BB_209	Bailey's Branch	5228 8th Road South	Street Bioretention	0.77	57%	43%	1.00	0.64	1777.96	2010.00		1.13
BB_211A	Bailey's Branch	5314 8th Road South	Rain garden	0.40	24%	76%	1.00	0.40	573.83	177.75		0.31
BB_211B	Bailey's Branch	5316 8th Road South	Bioretention	0.69	47%	53%	1.00	0.56	1410.40	830.40		0.59
BB_211C	Bailey's Branch	5314 8th Road South	Disconnection	0.07	90%	10%	1.00	0.88	222.85	222.85		1.00
BB_212A	Bailey's Branch	5100 Columbia Pike	Bioretention	0.51	38%	62%	1.00	0.50	920.84	2018.40		2.19
BB_212B	Bailey's Branch	5100 Columbia Pike	Bioretention	0.41	44%	56%	1.00	0.54	805.47	2113.65		2.62

Site ID	Phosphorus Removal - VRRM				Phosphorus Removal - CSN				Impervious Area Acreage				Potential Utility or Site Constraints			
	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
AB_538	0.50	5.03	2.5	12.58	0.53	5.30	2.5	13.24	0.40	1.98	2	3.96	Medium	5	1.5	7.5
AB_539A-1&2	0.43	4.31	2.5	10.79	0.71	7.13	2.5	17.84	1.06	5.28	2	10.55	Medium	5	1.5	7.5
AB_539B	0.27	2.73	2.5	6.82	0.39	3.87	2.5	9.67	0.41	2.07	2	4.14	Medium	5	1.5	7.5
AB_540A	0.45	4.47	2.5	11.17	0.48	4.82	2.5	12.06	0.27	1.34	2	2.68	Medium	5	1.5	7.5
AB_540B	0.32	3.24	2.5	8.10	0.38	3.83	2.5	9.59	0.20	1.00	2	2.00	Medium	5	1.5	7.5
AB_960	0.21	2.13	2.5	5.33	0.23	2.32	2.5	5.81	0.21	1.06	2	2.11	Medium	5	1.5	7.5
AF_116	0.72	7.17	2.5	17.93	1.54	15.44	2.5	38.59	1.17	5.86	2	11.71	Low	10	1.5	15
AF_591A	0.70	6.99	2.5	17.49	0.80	8.00	2.5	20.01	0.75	3.73	2	7.45	Medium	5	1.5	7.5
AF_591B	0.00	0.00	2.5	0.00	0.50	5.04	2.5	12.59	1.01	5.07	2	10.15	Medium	5	1.5	7.5
AF_591C-1&2	0.45	4.47	2.5	11.18	0.67	6.72	2.5	16.80	0.77	3.84	2	7.69	Medium	5	1.5	7.5
AF_591D	1.06	10.60	2.5	26.50	1.09	10.85	2.5	27.14	0.73	3.67	2	7.34	Medium	5	1.5	7.5
AF_595A_1&2	0.29	2.91	2.5	7.26	0.33	3.31	2.5	8.27	0.31	1.57	2	3.14	High	0	1.5	0
AF_595B-1&2	0.61	6.13	2.5	15.33	0.98	9.79	2.5	24.47	0.85	4.24	2	8.48	Medium	5	1.5	7.5
AF_694A	0.55	5.52	2.5	13.81	0.81	8.06	2.5	20.14	0.81	4.06	2	8.11	High	0	1.5	0
AF_694B	0.52	5.22	2.5	13.04	0.57	5.72	2.5	14.29	0.51	2.56	2	5.13	Medium	5	1.5	7.5
AF_698A	0.17	1.66	2.5	4.15	0.24	2.42	2.5	6.06	0.38	1.88	2	3.75	Medium	5	1.5	7.5
AF_698B	0.26	2.65	2.5	6.62	0.28	2.81	2.5	7.03	0.21	1.04	2	2.07	High	0	1.5	0
BB_209	0.61	6.14	2.5	15.36	0.62	6.25	2.5	15.62	0.44	2.19	2	4.39	Medium	5	1.5	7.5
BB_211A	0.09	0.87	2.5	2.17	0.15	1.48	2.5	3.70	0.10	0.48	2	0.96	Medium	5	1.5	7.5
BB_211B	0.38	3.75	2.5	9.39	0.42	4.18	2.5	10.46	0.32	1.62	2	3.24	Medium	5	1.5	7.5
BB_211C	0.04	0.35	2.5	0.88	0.07	0.73	2.5	1.82	0.06	0.32	2	0.63	Low	10	1.5	15
BB_212A	0.32	3.18	2.5	7.96	0.37	3.68	2.5	9.19	0.19	0.97	2	1.94	High	0	1.5	0
BB_212B	0.28	2.78	2.5	6.96	0.33	3.28	2.5	8.21	0.18	0.90	2	1.80	High	0	1.5	0

Site ID	Property Ownership				Potential for Quick Implementation				Existing Drainage Problem/Hotspot				County Maintenance Burden			
	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
AB_538	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
AB_539A-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
AB_539B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
AB_540A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
AB_540B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
AB_960	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
AF_116	Private	0	1.5	0	No	0	1	0	Yes	10	0.5	5	Low	10	0.5	5
AF_591A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
AF_591B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
AF_591C-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
AF_591D	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
AF_595A_1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
AF_595B-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
AF_694A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
AF_694B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
AF_698A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
AF_698B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
BB_209	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
BB_211A	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
BB_211B	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
BB_211C	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
BB_212A	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
BB_212B	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5



Site ID	Educational Opportunity				Pollutant Removal - VRRM													
	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit <sup>1</sup>	Size-Adjusted N Removal Credit	Size-Adjusted N Removal Credit <sup>1</sup>	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
AB_538		5	0.5	2.5	0.92	6.55	Street Bioretention	55%	64%	162%	61%	55%	71%	64%	0.50	4.19	37.04	503
AB_539A-1&2		5	0.5	2.5	2.83	20.25	Street Bioretention	55%	64%	22%	15%	15%	18%	18%	0.43	3.59	41.84	346
AB_539B		5	0.5	2.5	1.18	8.45	Street Bioretention	55%	64%	29%	23%	23%	27%	27%	0.27	2.27	31.46	725
AB_540A		5	0.5	2.5	0.81	5.81	Street Bioretention	55%	64%	130%	59%	55%	69%	64%	0.45	3.72	34.35	609
AB_540B		5	0.5	2.5	0.59	4.21	Street Bioretention	55%	64%	363%	63%	55%	74%	64%	0.32	2.70	30.60	761
AB_960		5	0.5	2.5	0.54	3.83	Street Bioretention	55%	64%	53%	40%	40%	46%	46%	0.21	1.78	27.95	828
AF_116	Park setting/playground	8	0.5	4	2.87	20.52	Disconnection	25%	25%	100%	25%	25%	25%	25%	0.72	5.13	58.64	87
AF_591A	Residential street w/ sidewalk	5	0.5	2.5	1.93	13.83	Street Bioretention	55%	64%	47%	36%	36%	42%	42%	0.70	5.82	45.44	271
AF_591B	Residential street w/ sidewalk	5	0.5	2.5	2.87	20.56	Street Bioretention	55%	64%	13%	5%	5%	5%	5%	0.13	1.11	30.65	758
AF_591C-1&2	Residential street w/ sidewalk	5	0.5	2.5	2.20	15.72	Street Bioretention	55%	64%	26%	20%	20%	24%	24%	0.45	3.72	39.37	422
AF_591D	Residential street w/ sidewalk	5	0.5	2.5	1.99	14.24	Street Bioretention	55%	64%	92%	53%	53%	62%	62%	1.06	8.82	54.35	126
AF_595A_1&2	Residential street w/ sidewalk	5	0.5	2.5	0.80	5.75	Street Bioretention	55%	64%	48%	36%	36%	42%	42%	0.29	2.42	23.40	949
AF_595B-1&2	Residential street w/ sidewalk	5	0.5	2.5	2.74	19.61	Street Bioretention	55%	64%	29%	22%	22%	26%	26%	0.61	5.10	44.31	284
AF_694A	Residential streets with Sidewalks	5	0.5	2.5	2.39	17.09	Street Bioretention	55%	64%	29%	23%	23%	27%	27%	0.55	4.60	34.92	589
AF_694B	Residential streets with Sidewalks	5	0.5	2.5	1.31	9.37	Street Bioretention	55%	64%	54%	40%	40%	46%	46%	0.52	4.34	38.67	451
AF_698A	Residential streets with Sidewalks	5	0.5	2.5	0.96	6.84	Street Bioretention	55%	64%	23%	17%	17%	20%	20%	0.17	1.38	28.40	818
AF_698B	Residential streets with Sidewalks	5	0.5	2.5	0.56	3.97	Street Bioretention	55%	64%	72%	48%	48%	55%	55%	0.26	2.20	21.69	971
BB_209	Residential streets with Sidewalks	5	0.5	2.5	1.12	7.99	Street Bioretention	55%	64%	113%	57%	55%	66%	64%	0.61	5.11	40.25	391
BB_211A	Behind townhomes in grass	0	0.5	0	0.36	2.58	Bioretention	55%	64%	31%	24%	24%	28%	28%	0.09	0.72	13.13	1022
BB_211B	Behind townhomes	5	0.5	2.5	0.89	6.34	Bioretention	55%	64%	59%	42%	42%	49%	49%	0.38	3.13	25.13	909
BB_211C	Residential streets with Sidewalks	5	0.5	2.5	0.14	1.00	Disconnection	25%	25%	100%	25%	25%	25%	25%	0.04	0.25	24.01	933
BB_212A	Parking lot for townhomes	5	0.5	2.5	0.58	4.14	Bioretention	55%	64%	219%	63%	55%	73%	64%	0.32	2.65	14.89	1015
BB_212B	Residential streets with Sidewalks	5	0.5	2.5	0.51	3.62	Bioretention	55%	64%	262%	63%	55%	74%	64%	0.28	2.32	13.76	1019

Site ID	Pollutant Removal - CSN											
	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	Rank
AB_538	0.69	7.82	533.46	1.64	76.9%	0.53	65.8%	5.15	82.5%	440.23	37.70	567
AB_539A-1&2	2.15	28.71	1,421.21	0.26	33.1%	0.71	28.4%	8.15	35.5%	504.36	48.89	275
AB_539B	0.90	12.68	557.71	0.36	42.8%	0.39	36.8%	4.66	45.9%	256.02	34.31	676
AB_540A	0.62	9.17	361.03	1.73	77.4%	0.48	66.2%	6.07	83.0%	299.63	35.24	657
AB_540B	0.45	6.49	269.42	4.69	85.0%	0.38	70.0%	4.55	85.0%	229.01	32.09	768
AB_960	0.41	5.13	284.58	0.59	57.2%	0.23	49.0%	2.52	61.3%	174.53	28.42	859
AF_116	2.17	26.38	1,577.75	1.07	71.2%	1.54	60.9%	16.06	76.3%	1,204.21	79.30	31
AF_591A	1.47	18.96	1,003.87	0.54	54.5%	0.80	46.8%	8.86	58.4%	586.55	47.96	290
AF_591B	2.20	30.66	1,367.06	0.16	22.9%	0.50	19.6%	6.00	24.6%	335.96	43.24	398
AF_591C-1&2	1.68	23.65	1,035.40	0.33	40.0%	0.67	34.3%	8.12	42.9%	443.74	44.99	350
AF_591D	1.52	20.39	989.32	1.10	71.6%	1.09	61.2%	12.48	76.7%	759.19	54.98	182
AF_595A_1&2	0.61	7.77	422.46	0.54	54.3%	0.33	46.6%	3.62	58.2%	245.77	24.40	945
AF_595B-1&2	2.11	32.44	1,142.36	0.41	46.3%	0.98	39.8%	12.90	49.6%	567.08	53.45	204
AF_694A	1.83	26.35	1,092.78	0.38	44.0%	0.81	37.8%	9.96	47.2%	515.45	41.26	445
AF_694B	0.99	12.64	690.67	0.60	57.5%	0.57	49.3%	6.23	61.6%	425.76	39.92	493
AF_698A	0.72	9.19	505.30	0.26	33.5%	0.24	28.7%	2.64	35.9%	181.19	30.31	804
AF_698B	0.42	5.64	278.99	0.85	66.5%	0.28	56.9%	3.21	71.3%	198.95	22.11	980
BB_209	0.85	10.73	591.25	1.26	73.8%	0.62	63.1%	6.77	79.1%	467.78	40.51	470
BB_211A	0.28	4.68	129.32	0.51	52.9%	0.15	45.3%	2.12	56.6%	73.24	14.66	1020
BB_211B	0.68	9.15	436.87	0.71	61.9%	0.42	53.0%	4.85	66.4%	289.94	26.20	905
BB_211C	0.10	1.13	84.87	0.97	69.4%	0.07	59.3%	0.67	74.4%	63.11	24.95	931
BB_212A	0.44	6.45	261.07	2.87	82.9%	0.37	70.0%	4.52	85.0%	221.91	16.13	1015
BB_212B	0.39	5.35	243.02	3.23	85.0%	0.33	70.0%	3.75	85.0%	206.57	15.01	1019

Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%IC	%Turf	P (in)	Rv	Water Quality Volume (CF)	Treatment Volume (CF)	Treatment Volume Sum for Projects in Series*	% Water Quality Volume Treated
BB_222	Bailey's Branch	955 South Columbia Street	Bioretention	0.48	56%	44%	1.00	0.63	1095.62	1782.00		1.63
BB_223	Bailey's Branch	990 South Columbia Street	Bioretention	2.79	47%	53%	1.00	0.56	5702.91	7803.00		1.37
BB_226	Bailey's Branch	5550 Columbia Pike	Bioretention	1.64	76%	24%	1.00	0.77	4612.54	4495.40		0.97
BB_238	Bailey's Branch	5353 Columbia Pike	Bioretention	0.53	47%	53%	1.00	0.56	1083.35	1434.15		1.32
BB_239	Bailey's Branch	851 South Frederick Street	Bioretention	0.63	66%	34%	1.00	0.70	1604.95	812.40		0.51
BB_716	Bailey's Branch	832 South Greenbrier Street	Street Bioretention	0.29	49%	51%	1.00	0.58	608.14	2068.00		3.40
BB_717	Bailey's Branch	851 South Greenbrier Street	Street Bioretention	0.88	54%	46%	1.00	0.61	1962.00	3166.00		1.61
BB_718	Bailey's Branch	871 South Greenbrier Street	Street Bioretention	1.13	42%	58%	1.00	0.53	2160.06	3354.00		1.55
CP_951	Cemetery/Pentagon	Clover Leaf off of 395 and Boundary Drive	Bioretention	2.59	26%	74%	1.00	0.41	3870.31	5288.40		1.37
CP_952	Cemetery/Pentagon	720 South Ode Street	Street Bioretention	1.09	65%	35%	1.00	0.70	2751.90	726.00		0.26
CR_100-1&2&3	Crossman Run	Williamsburg Shopping Center	Parking Lot Bioretention	0.57	95%	5%	1.00	0.91	1892.51	2495.63	2496	1.32
CR_102A	Crossman Run	Bishop O'Connell High School - Side Parking Lot	Parking Lot Bioretention	0.25	100%	0%	1.00	0.95	863.18	669.00		0.78
CR_102B	Crossman Run	Bishop O'Connell High School - Rooftop Drainage	Stormwater Planters	0.03	100%	0%	1.00	0.95	103.46	661.50		6.39
CR_102C	Crossman Run	Bishop O'Connell High School - Rooftop Drainage	Disconnection	0.03	100%	0%	1.00	0.95	103.46	103.46		1.00
CR_102N	Crossman Run	Bishop O'Connell High School - North Lot	Bioretention	0.72	54%	46%	1.00	0.61	1605.27	2309.00		1.44
CR_102S	Crossman Run	Bishop O'Connell High School - South Lot	Bioretention	0.71	51%	49%	1.00	0.59	1526.53	2201.25		1.44
CR_103-1&2&3&4&5&6	Crossman Run	Tuckahoe Elementary School	Parking Lot Bioretention	0.27	81%	19%	1.00	0.81	795.16	1269.90	1270	1.60
CR_105A	Crossman Run	Verizon Central Office - Lee Highway	Bioretention	0.63	83%	17%	1.00	0.83	1888.49	363.75		0.19
CR_106B	Crossman Run	East Falls Church Metro Station Parking Lot	Parking Lot Bioretention	0.42	88%	12%	1.00	0.86	1316.40	2772.00		2.11
CR_106C	Crossman Run	East Falls Church Metro Station Parking Lot	Parking Lot Bioretention	0.62	87%	13%	1.00	0.86	1928.99	3756.00		1.95
CR_110	Crossman Run	30th Street North at North Roosevelt Street	Street Bioretention	1.82	42%	58%	1.00	0.53	3482.80	715.75		0.21
CR_111A	Crossman Run	North Roosevelt Street and 29th Street North	Street Bioretention	1.13	53%	47%	1.00	0.61	2484.28	730.75		0.29
CR_111B	Crossman Run	North Roosevelt Street and 29th Street North	Street Bioretention	2.51	37%	63%	1.00	0.49	4463.82	518.38		0.12
CR_111C	Crossman Run	North Roosevelt Street and 29th Street North	Street Bioretention	1.14	55%	45%	1.00	0.62	2569.51	518.38		0.20
CR_112	Crossman Run	29th Street North east of North Sycamore Street	Street Bioretention	0.53	73%	27%	1.00	0.75	1454.28	1800.00		1.24
CR_113	Crossman Run	28th Street North east of North Sycamore Street	Street Bioretention	1.98	44%	56%	1.00	0.54	3919.09	1148.00		0.29
CR_116A	Crossman Run	27th Street North and North Quantico Street	Street Bioretention	0.73	68%	32%	1.00	0.72	1885.74	751.25		0.40
CR_116B	Crossman Run	27th Street North and North Quantico Street	Street Bioretention	0.80	58%	42%	1.00	0.64	1874.69	600.75		0.32
CR_117A	Crossman Run	26th Road North and North Quantico Street	Street Bioretention	2.03	38%	62%	1.00	0.50	3683.97	611.50		0.17

Site ID	Phosphorus Removal - VRRM				Phosphorus Removal - CSN				Impervious Area Acreage				Potential Utility or Site Constraints			
	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
BB_222	0.38	3.79	2.5	9.47	0.41	4.06	2.5	10.15	0.27	1.34	2	2.69	Medium	5	1.5	7.5
BB_223	1.97	19.71	2.5	49.27	2.10	21.00	2.5	52.50	1.31	6.56	2	13.11	Medium	5	1.5	7.5
BB_226	1.58	15.79	2.5	39.47	1.52	15.21	2.5	38.04	1.25	6.23	2	12.46	Medium	5	1.5	7.5
BB_238	0.37	3.74	2.5	9.36	0.40	3.97	2.5	9.93	0.25	1.25	2	2.49	Low	10	1.5	15
BB_239	0.38	3.83	2.5	9.58	0.41	4.14	2.5	10.36	0.42	2.08	2	4.16	Medium	5	1.5	7.5
BB_716	0.21	2.10	2.5	5.25	0.25	2.47	2.5	6.18	0.14	0.71	2	1.42	Medium	5	1.5	7.5
BB_717	0.68	6.78	2.5	16.95	0.73	7.28	2.5	18.19	0.48	2.38	2	4.75	High	0	1.5	0
BB_718	0.75	7.46	2.5	18.66	0.81	8.10	2.5	20.25	0.47	2.37	2	4.75	High	0	1.5	0
CP_951	1.34	13.37	2.5	33.44	1.48	14.76	2.5	36.91	0.68	3.40	2	6.80	Medium	5	1.5	7.5
CP_952	0.35	3.52	2.5	8.79	0.47	4.66	2.5	11.66	0.71	3.55	2	7.10	Medium	5	1.5	7.5
CR_100-1&2&3	0.65	6.54	2.5	16.35	0.66	6.58	2.5	16.44	0.54	2.71	2	5.42	Low	10	1.5	15
CR_102A	0.27	2.68	2.5	6.69	0.26	2.56	2.5	6.39	0.25	1.25	2	2.50	Low	10	1.5	15
CR_102B	0.04	0.36	2.5	0.89	0.04	0.41	2.5	1.03	0.03	0.15	2	0.30	Low	10	1.5	15
CR_102C	0.02	0.16	2.5	0.41	0.03	0.33	2.5	0.84	0.03	0.15	2	0.30	Low	10	1.5	15
CR_102N	0.55	5.55	2.5	13.87	0.59	5.89	2.5	14.72	0.39	1.94	2	3.89	Medium	5	1.5	7.5
CR_102S	0.53	5.28	2.5	13.19	0.56	5.62	2.5	14.06	0.36	1.81	2	3.62	Medium	5	1.5	7.5
CR_103-1&2&3&4&5&6	0.27	2.75	2.5	6.87	0.29	2.88	2.5	7.20	0.22	1.09	2	2.19	Medium	5	1.5	7.5
CR_105A	0.15	1.53	2.5	3.82	0.23	2.34	2.5	5.84	0.52	2.61	2	5.23	Low	10	1.5	15
CR_106B	0.45	4.55	2.5	11.37	0.49	4.85	2.5	12.13	0.37	1.85	2	3.70	Medium	5	1.5	7.5
CR_106C	0.67	6.67	2.5	16.66	0.71	7.09	2.5	17.72	0.54	2.71	2	5.41	Medium	5	1.5	7.5
CR_110	0.31	3.11	2.5	7.78	0.56	5.58	2.5	13.95	0.77	3.83	2	7.65	Medium	5	1.5	7.5
CR_111A	0.36	3.61	2.5	9.02	0.48	4.82	2.5	12.05	0.60	2.99	2	5.98	Medium	5	1.5	7.5
CR_111B	0.05	0.51	2.5	1.27	0.47	4.67	2.5	11.67	0.93	4.64	2	9.28	Medium	5	1.5	7.5
CR_111C	0.23	2.30	2.5	5.74	0.37	3.71	2.5	9.27	0.63	3.13	2	6.26	Medium	5	1.5	7.5
CR_112	0.50	5.03	2.5	12.56	0.51	5.09	2.5	12.73	0.39	1.94	2	3.88	Medium	5	1.5	7.5
CR_113	0.57	5.69	2.5	14.23	0.80	7.99	2.5	19.97	0.88	4.40	2	8.81	Low	10	1.5	15
CR_116A	0.38	3.75	2.5	9.38	0.42	4.21	2.5	10.52	0.49	2.47	2	4.93	Low	10	1.5	15
CR_116B	0.30	3.05	2.5	7.62	0.38	3.77	2.5	9.42	0.47	2.33	2	4.66	Low	10	1.5	15
CR_117A	0.22	2.20	2.5	5.49	0.51	5.14	2.5	12.86	0.78	3.90	2	7.80	High	0	1.5	0

Site ID	Property Ownership				Potential for Quick Implementation				Existing Drainage Problem/Hotspot				County Maintenance Burden			
	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
BB_222	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
BB_223	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
BB_226	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
BB_238	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
BB_239	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
BB_716	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
BB_717	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
BB_718	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
CP_951	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
CP_952	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
CR_100-1&2&3	Private	0	1.5	0	No	0	1	0	No	10	0.5	5	Medium	5	0.5	2.5
CR_102A	Private	0	1.5	0	No	0	1	0	No	10	0.5	5	Medium	5	0.5	2.5
CR_102B	Private	0	1.5	0	No	0	1	0	No	10	0.5	5	Low	10	0.5	5
CR_102C	Private	0	1.5	0	No	0	1	0	No	10	0.5	5	Low	10	0.5	5
CR_102N	Private	0	1.5	0	No	0	1	0	No	10	0.5	5	Medium	5	0.5	2.5
CR_102S	Private	0	1.5	0	No	0	1	0	No	10	0.5	5	Medium	5	0.5	2.5
CR_103-1&2&3&4&5&6	School	4	1.5	6	No	0	1	0	No	10	0.5	5	Medium	5	0.5	2.5
CR_105A	Private	0	1.5	0	No	0	1	0	No	10	0.5	5	Medium	5	0.5	2.5
CR_106B	Private	0	1.5	0	No	0	1	0	No	10	0.5	5	Medium	5	0.5	2.5
CR_106C	Private	0	1.5	0	No	0	1	0	No	10	0.5	5	Medium	5	0.5	2.5
CR_110	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
CR_111A	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
CR_111B	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
CR_111C	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
CR_112	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
CR_113	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
CR_116A	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
CR_116B	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
CR_117A	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0

Site ID	Educational Opportunity				Pollutant Removal - VRRM													
	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit <sup>1</sup>	Size-Adjusted N Removal Credit	Size-Adjusted N Removal Credit <sup>1</sup>	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
BB_222	Parking lot for townhomes	0	0.5	0	0.69	4.92	Bioretention	55%	64%	163%	61%	55%	71%	64%	0.38	3.15	22.15	964
BB_223	Park	8	0.5	4	3.58	25.63	Bioretention	55%	64%	137%	60%	55%	70%	64%	1.97	16.41	91.38	11
BB_226	Residential streets with Sidewalks	5	0.5	2.5	2.90	20.73	Bioretention	55%	64%	97%	54%	54%	63%	63%	1.58	13.14	64.43	56
BB_238	Residential streets with Sidewalks	5	0.5	2.5	0.68	4.87	Bioretention	55%	64%	132%	59%	55%	69%	64%	0.37	3.12	31.85	707
BB_239	Residential streets with Sidewalks	5	0.5	2.5	1.01	7.21	Bioretention	55%	64%	51%	38%	38%	44%	44%	0.38	3.19	26.23	876
BB_716	Residential streets with Sidewalks	5	0.5	2.5	0.38	2.73	Street Bioretention	55%	64%	340%	63%	55%	74%	64%	0.21	1.75	27.17	849
BB_717	Residential streets with Sidewalks	5	0.5	2.5	1.23	8.82	Street Bioretention	55%	64%	161%	61%	55%	71%	64%	0.68	5.64	34.70	597
BB_718	Residential streets with Sidewalks	5	0.5	2.5	1.36	9.71	Street Bioretention	55%	64%	155%	61%	55%	71%	64%	0.75	6.21	36.41	529
CP_951	No	0	0.5	0	2.43	17.40	Bioretention	55%	64%	137%	60%	55%	70%	64%	1.34	11.13	60.74	79
CP_952	Street with sidewalk	5	0.5	2.5	1.73	12.37	Street Bioretention	55%	64%	26%	20%	20%	24%	24%	0.35	2.93	36.39	530
CR_100-1&2&3	Shopping Center	5	0.5	2.5	1.19	8.51	Parking Lot Bioretention	55%	64%	132%	59%	55%	69%	64%	0.65	5.44	46.77	235
CR_102A	School	10	0.5	5	0.54	3.88	Parking Lot Bioretention	55%	64%	78%	49%	49%	57%	57%	0.27	2.23	36.70	515
CR_102B	School	10	0.5	5	0.07	0.47	Stormwater Planters	55%	64%	639%	63%	55%	74%	64%	0.04	0.30	31.19	733
CR_102C	School	10	0.5	5	0.07	0.47	Disconnection	25%	25%	100%	25%	25%	25%	25%	0.02	0.12	30.71	756
CR_102N	School	10	0.5	5	1.01	7.22	Bioretention	55%	64%	144%	60%	55%	70%	64%	0.55	4.62	37.76	479
CR_102S	School	10	0.5	5	0.96	6.86	Bioretention	55%	64%	144%	60%	55%	70%	64%	0.53	4.39	36.81	512
CR_103-1&2&3&4&5&6	School	10	0.5	5	0.50	3.57	Parking Lot Bioretention	55%	64%	160%	61%	55%	71%	64%	0.27	2.29	35.06	582
CR_105A	Office Space	5	0.5	2.5	1.19	8.49	Bioretention	55%	64%	19%	13%	13%	15%	15%	0.15	1.27	34.05	618
CR_106B	WMATA	5	0.5	2.5	0.83	5.92	Parking Lot Bioretention	55%	64%	211%	63%	55%	73%	64%	0.45	3.79	32.57	679
CR_106C	WMATA	5	0.5	2.5	1.21	8.67	Parking Lot Bioretention	55%	64%	195%	62%	55%	72%	64%	0.67	5.55	39.58	413
CR_110	Street w/ sidewalks	5	0.5	2.5	2.19	15.65	Street Bioretention	55%	64%	21%	14%	14%	17%	17%	0.31	2.59	40.93	371
CR_111A	Street w/ sidewalks	5	0.5	2.5	1.56	11.17	Street Bioretention	55%	64%	29%	23%	23%	27%	27%	0.36	3.00	40.50	385
CR_111B	Street w/ sidewalks	5	0.5	2.5	2.80	20.06	Street Bioretention	55%	64%	12%	2%	2%	2%	2%	0.05	0.42	36.05	544
CR_111C	Street w/ sidewalks	5	0.5	2.5	1.61	11.55	Street Bioretention	55%	64%	20%	14%	14%	17%	17%	0.23	1.91	37.50	488
CR_112	Street w/ sidewalks	5	0.5	2.5	0.91	6.54	Street Bioretention	55%	64%	124%	58%	55%	68%	64%	0.50	4.18	41.95	341
CR_113	Street w/ sidewalks	5	0.5	2.5	2.46	17.62	Street Bioretention	55%	64%	29%	23%	23%	27%	27%	0.57	4.74	56.04	108
CR_116A	Street w/ sidewalks	5	0.5	2.5	1.18	8.48	Street Bioretention	55%	64%	40%	32%	32%	37%	37%	0.38	3.12	47.31	227
CR_116B	Street w/ sidewalks	5	0.5	2.5	1.18	8.43	Street Bioretention	55%	64%	32%	26%	26%	30%	30%	0.30	2.54	45.28	273
CR_117A	Street w/ sidewalks	5	0.5	2.5	2.31	16.56	Street Bioretention	55%	64%	17%	9%	9%	11%	11%	0.22	1.83	31.29	728

Site ID	Pollutant Removal - CSN											
	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	Rank
BB_222	0.52	6.66	362.11	1.83	77.7%	0.41	66.5%	4.43	83.4%	302.08	22.83	971
BB_223	2.73	37.00	1,766.48	1.64	76.9%	2.10	65.8%	24.35	82.5%	1,457.29	94.62	15
BB_226	2.18	24.98	1,679.05	0.99	69.8%	1.52	59.6%	14.90	74.8%	1,255.53	63.00	96
BB_238	0.52	7.03	335.57	1.59	76.6%	0.40	65.5%	4.61	82.2%	275.68	32.42	750
BB_239	0.76	9.17	560.13	0.54	54.4%	0.41	46.7%	4.28	58.3%	326.64	27.02	892
BB_716	0.29	3.89	191.43	4.01	85.0%	0.25	70.0%	2.72	85.0%	162.71	28.10	867
BB_717	0.94	12.09	640.15	1.84	77.8%	0.73	66.5%	8.04	83.5%	534.26	35.95	629
BB_718	1.04	14.60	639.34	1.95	78.1%	0.81	66.8%	9.75	83.8%	535.85	38.00	558
CP_951	1.88	30.70	916.04	2.14	78.3%	1.48	67.0%	20.57	84.2%	771.11	64.21	88
CP_952	1.31	15.80	956.46	0.28	35.7%	0.47	30.6%	4.84	38.3%	365.90	39.26	520
CR_100-1&2&3	0.89	9.42	730.68	1.27	73.9%	0.66	63.2%	5.95	79.2%	578.63	46.86	314
CR_102A	0.41	4.22	337.32	0.74	63.0%	0.26	53.9%	2.28	67.5%	227.82	36.39	612
CR_102B	0.05	0.51	40.41	6.07	85.0%	0.04	70.0%	0.35	85.0%	34.35	31.33	783
CR_102C	0.05	0.51	40.41	0.95	68.9%	0.03	58.9%	0.30	73.8%	29.83	31.14	787
CR_102N	0.77	9.89	523.76	1.64	76.9%	0.59	65.8%	6.51	82.5%	431.98	38.61	539
CR_102S	0.73	9.61	487.79	1.67	77.1%	0.56	66.0%	6.34	82.7%	403.43	37.68	568
CR_103-1&2&3&4&5&6	0.38	4.20	294.62	1.60	76.7%	0.29	65.6%	2.76	82.2%	242.30	35.38	649
CR_105A	0.89	9.89	704.27	0.19	26.2%	0.23	22.4%	2.22	28.1%	197.96	36.07	624
CR_106B	0.62	6.74	498.70	2.06	78.3%	0.49	66.9%	4.51	84.1%	419.21	33.34	716
CR_106C	0.91	9.92	728.93	1.91	78.0%	0.71	66.7%	6.62	83.7%	610.23	40.63	467
CR_110	1.67	23.54	1,030.85	0.26	33.4%	0.56	28.6%	6.73	35.7%	368.38	47.10	309
CR_111A	1.19	15.41	805.12	0.34	40.7%	0.48	34.9%	5.38	43.6%	350.80	43.53	391
CR_111B	2.15	31.57	1,250.62	0.15	21.7%	0.47	18.5%	5.83	23.2%	290.53	46.45	327
CR_111C	1.22	15.72	843.86	0.23	30.3%	0.37	25.9%	4.08	32.4%	273.70	41.04	458
CR_112	0.69	8.00	523.28	1.28	74.0%	0.51	63.2%	5.06	79.3%	414.96	42.11	422
CR_113	1.88	25.97	1,186.56	0.36	42.5%	0.80	36.5%	9.47	45.5%	540.34	61.78	103
CR_116A	0.89	10.65	664.25	0.42	47.1%	0.42	40.4%	4.30	50.4%	335.09	48.45	282
CR_116B	0.89	11.24	627.16	0.36	42.2%	0.38	36.2%	4.07	45.2%	283.66	47.07	310
CR_117A	1.77	25.70	1,050.29	0.22	29.0%	0.51	24.8%	6.38	31.1%	326.14	38.65	536

Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%IC	%Turf	P (in)	Rv	Water Quality Volume (CF)	Treatment Volume (CF)	Treatment Volume Sum for Projects in Series*	% Water Quality Volume Treated
CR_121	Crossman Run	North Trinidad Street next to Bishop O'Connell High School	Street Bioretention	0.80	84%	16%	1.00	0.84	2425.74	2682.00		1.11
CR_123-1&2&3	Crossman Run	Corner of North Rockingham Street and 24th Street North	Street Bioretention	1.62	61%	39%	1.00	0.67	3912.36	1912.25	1912	0.49
CVB_229	Colonial Village Branch	Apartment complex on corner of North Rhodes Street and Key Boulevard (northwest corner)	Disconnection	1.40	93%	7%	1.00	0.90	4570.86	4570.86		1.00
CVB_230	Colonial Village Branch	Apartment complex on corner of North Veitch Street and Key Boulevard (northeast corner)	Disconnection	0.72	87%	13%	1.00	0.86	2236.48	2236.48		1.00
CVB_232	Colonial Village Branch	Apartment complex on corner of North Troy Street and Key Boulevard (southwest corner)	Disconnection	0.81	92%	8%	1.00	0.90	2631.64	2631.64		1.00
CVB_233	Colonial Village Branch	Apartment complex on corner of North Troy Street and Key Boulevard (southeast corner)	Disconnection	0.50	91%	9%	1.00	0.88	1605.00	1605.00		1.00
CVB_234	Colonial Village Branch	Apartment complexes off of North Rhodes Street between Wilson Boulevard and Key Boulevard (both sides of Rhodes)	Disconnection	3.18	92%	8%	1.00	0.89	10256.06	10256.06		1.00
CVB_235	Colonial Village Branch	Apartment complex on corner of North Troy Street and Wilson Boulevard (northwest corner)	Disconnection	1.02	90%	10%	1.00	0.87	3233.93	3233.93		1.00
CVB_723	Colonial Village Branch	2423 16th Street North	Street Bioretention	0.40	62%	38%	1.00	0.67	976.62	634.00		0.65
CVB_731A	Colonial Village Branch	North Vietch between Wilson Boulevard and Key Boulevard	Street Bioretention	0.74	94%	6%	1.00	0.91	2440.59	2444.00		1.00
CVB_731B	Colonial Village Branch	North Vietch between Wilson Boulevard and Key Boulevard	Street Bioretention	1.64	49%	51%	1.00	0.57	3419.02	3466.00		1.01
CVB_800	Colonial Village Branch	21st Street North and North Uhle	Street Bioretention	0.42	85%	15%	1.00	0.84	1284.08	1272.00		0.99
CVB_961	Colonial Village Branch	Franklin Road and North Danville Street	Bioretention	0.61	53%	47%	1.00	0.61	1351.01	1088.00		0.81
CVB_962A	Colonial Village Branch	Key Elementary School - 2300 Key Boulevard	Permeable Pavement	0.68	89%	11%	1.00	0.87	2149.77	1472.00		0.68
CVB_962B	Colonial Village Branch	Key Elementary School - 2300 Key Boulevard	Bioretention	0.38	2%	98%	1.00	0.23	324.82	67.50		0.21
CVB_965	Colonial Village Branch	North Custis Road and North Adams Street	Street Bioretention	0.83	52%	48%	1.00	0.60	1804.19	914.75		0.51
DB_101	Doctor's Branch	North Quincy Street and Mosaic Park	Bioretention	1.03	86%	14%	1.00	0.85	3168.21	4065.00		1.28
DB_102	Doctor's Branch	North Pollard Street and 5th Place North	Bioretention	0.71	89%	11%	1.00	0.87	2252.27	2841.00		1.26
DB_113	Doctor's Branch	Between North Oxford Street and North Piedmont Street off 5th Street North	Bioretention	0.26	69%	31%	1.00	0.72	668.13	200.63		0.30
DB_118	Doctor's Branch	229 to 231 North Thomas Street	Bioretention	0.89	44%	56%	1.00	0.54	1748.31	1411.88		0.81
DB_122	Doctor's Branch	Arlington Oaks Community Center, 4490 North Pershing Drive	Bioretention	1.23	50%	50%	1.00	0.59	2613.55	3186.00		1.22
DB_126	Doctor's Branch	Red Cross between North Thomas Street and North Trenton Street	Bioretention	0.35	83%	17%	1.00	0.82	1042.01	588.00		0.56
DB_127B	Doctor's Branch	Arlington Laundromat Commercial Complex (#71-89 North Glebe Road)	Bioretention	0.47	83%	17%	1.00	0.83	1424.35	426.00		0.30
DB_128A	Doctor's Branch	North Oakland Street Townhouses (#17-27) South	Bioretention	0.42	65%	35%	1.00	0.69	1056.21	475.25		0.45
DB_128B	Doctor's Branch	North Oakland Street Townhouses (#39-43) North	Bioretention	0.39	67%	33%	1.00	0.71	990.76	682.50		0.69
DB_130	Doctor's Branch	Arlington Hall Park, 290 South Taylor Street	Bioretention	3.54	23%	77%	1.00	0.38	4947.83	5593.50		1.13
DB_135A	Doctor's Branch	Thomas Jefferson Middle School (125 South Old Glebe Road) and Community Center (3501 Second Street South)	Bioretention	1.53	22%	78%	1.00	0.38	2124.96	1168.13		0.55



Site ID	Phosphorus Removal - VRRM				Phosphorus Removal - CSN				Impervious Area Acreage				Potential Utility or Site Constraints			
	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
CR_121	0.84	8.38	2.5	20.96	0.82	8.19	2.5	20.47	0.67	3.37	2	6.74	Low	10	1.5	15
CR_123-1&2&3	0.90	9.04	2.5	22.60	1.01	10.07	2.5	25.18	0.99	4.94	2	9.88	Low	10	1.5	15
CVB_229	0.72	7.18	2.5	17.95	1.49	14.89	2.5	37.22	1.30	6.52	2	13.03	Low	10	1.5	15
CVB_230	0.35	3.51	2.5	8.78	0.73	7.33	2.5	18.33	0.63	3.14	2	6.27	Low	10	1.5	15
CVB_232	0.41	4.13	2.5	10.33	0.86	8.58	2.5	21.44	0.75	3.75	2	7.49	Low	10	1.5	15
CVB_233	0.25	2.52	2.5	6.30	0.52	5.24	2.5	13.10	0.46	2.28	2	4.55	Low	10	1.5	15
CVB_234	1.61	16.11	2.5	40.27	3.35	33.46	2.5	83.64	2.91	14.56	2	29.12	Low	10	1.5	15
CVB_235	0.51	5.08	2.5	12.70	1.06	10.57	2.5	26.43	0.91	4.57	2	9.13	Low	10	1.5	15
CVB_723	0.27	2.75	2.5	6.87	0.29	2.87	2.5	7.18	0.25	1.24	2	2.48	Medium	5	1.5	7.5
CVB_731A	0.84	8.43	2.5	21.08	0.79	7.94	2.5	19.86	0.70	3.49	2	6.98	Medium	5	1.5	7.5
CVB_731B	1.18	11.81	2.5	29.54	1.19	11.95	2.5	29.87	0.80	3.98	2	7.96	Medium	5	1.5	7.5
CVB_800	0.44	4.41	2.5	11.04	0.42	4.21	2.5	10.52	0.36	1.79	2	3.58	High	0	1.5	0
CVB_961	0.43	4.26	2.5	10.66	0.44	4.40	2.5	10.99	0.33	1.63	2	3.26	Low	10	1.5	15
CVB_962A	0.67	6.68	2.5	16.71	0.61	6.13	2.5	15.32	0.61	3.03	2	6.07	Low	10	1.5	15
CVB_962B	0.03	0.29	2.5	0.73	0.13	1.30	2.5	3.25	0.01	0.04	2	0.08	Low	10	1.5	15
CVB_965	0.43	4.31	2.5	10.76	0.49	4.90	2.5	12.25	0.43	2.15	2	4.30	Medium	5	1.5	7.5
DB_101	1.09	10.95	2.5	27.37	1.10	11.03	2.5	27.57	0.89	4.43	2	8.85	Low	10	1.5	15
DB_102	0.78	7.78	2.5	19.46	0.78	7.79	2.5	19.48	0.64	3.18	2	6.36	Medium	5	1.5	7.5
DB_113	0.10	1.01	2.5	2.52	0.12	1.23	2.5	3.07	0.18	0.88	2	1.75	Medium	5	1.5	7.5
DB_118	0.55	5.52	2.5	13.80	0.59	5.85	2.5	14.63	0.39	1.96	2	3.92	Medium	5	1.5	7.5
DB_122	0.90	9.03	2.5	22.58	0.94	9.42	2.5	23.55	0.62	3.08	2	6.16	Low	10	1.5	15
DB_126	0.27	2.71	2.5	6.78	0.27	2.74	2.5	6.84	0.29	1.44	2	2.88	Medium	5	1.5	7.5
DB_127B	0.21	2.07	2.5	5.17	0.25	2.50	2.5	6.24	0.39	1.97	2	3.95	Medium	5	1.5	7.5
DB_128A	0.23	2.29	2.5	5.72	0.26	2.56	2.5	6.40	0.27	1.36	2	2.72	Medium	5	1.5	7.5
DB_128B	0.29	2.88	2.5	7.21	0.30	2.95	2.5	7.38	0.26	1.29	2	2.58	Medium	5	1.5	7.5
DB_130	1.71	17.10	2.5	42.74	1.89	18.88	2.5	47.20	0.80	4.00	2	8.00	Low	10	1.5	15
DB_135A	0.54	5.40	2.5	13.49	0.71	7.14	2.5	17.85	0.34	1.71	2	3.42	Medium	5	1.5	7.5

Site ID	Property Ownership				Potential for Quick Implementation				Existing Drainage Problem/Hotspot				County Maintenance Burden			
	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
CR_121	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
CR_123-1&2&3	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
CVB_229	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
CVB_230	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
CVB_232	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
CVB_233	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
CVB_234	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
CVB_235	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
CVB_723	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
CVB_731A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
CVB_731B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
CVB_800	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
CVB_961	Street ROW	7	1.5	10.5	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
CVB_962A	School	4	1.5	6	No	0	1	0	No	0	0.5	0	High	0	0.5	0
CVB_962B	School	4	1.5	6	Yes	10	1	10	No	0	0.5	0	Low	10	0.5	5
CVB_965	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DB_101	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
DB_102	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
DB_113	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
DB_118	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
DB_122	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
DB_126	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
DB_127B	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
DB_128A	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
DB_128B	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
DB_130	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
DB_135A	School	4	1.5	6	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5

Site ID	Educational Opportunity				Pollutant Removal - VRRM													
	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit <sup>1</sup>	Size-Adjusted N-Removal Credit	Size-Adjusted N-Removal Credit <sup>1</sup>	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
CR_121	Near school	10	0.5	5	1.52	10.90	Street Bioretention	55%	64%	111%	57%	55%	66%	64%	0.84	6.98	63.20	69
CR_123-1&2&3	Street w/ sidewalks	5	0.5	2.5	2.46	17.59	Street Bioretention	55%	64%	49%	37%	37%	43%	43%	0.90	7.52	65.48	49
CVB_229		0	0.5	0	2.87	20.54	Disconnection	25%	25%	100%	25%	25%	25%	25%	0.72	5.14	50.98	172
CVB_230		0	0.5	0	1.41	10.05	Disconnection	25%	25%	100%	25%	25%	25%	25%	0.35	2.51	35.05	584
CVB_232		0	0.5	0	1.65	11.83	Disconnection	25%	25%	100%	25%	25%	25%	25%	0.41	2.96	37.82	474
CVB_233		0	0.5	0	1.01	7.21	Disconnection	25%	25%	100%	25%	25%	25%	25%	0.25	1.80	30.85	745
CVB_234		0	0.5	0	6.44	46.10	Disconnection	25%	25%	100%	25%	25%	25%	25%	1.61	11.52	89.39	13
CVB_235		0	0.5	0	2.03	14.54	Disconnection	25%	25%	100%	25%	25%	25%	25%	0.51	3.63	41.83	347
CVB_723		5	0.5	2.5	0.61	4.39	Street Bioretention	55%	64%	65%	45%	45%	52%	52%	0.27	2.29	29.85	778
CVB_731A		10	0.5	5	1.53	10.97	Street Bioretention	55%	64%	100%	55%	55%	64%	64%	0.84	7.02	51.06	170
CVB_731B		0	0.5	0	2.15	15.37	Street Bioretention	55%	64%	101%	55%	55%	64%	64%	1.18	9.84	55.50	112
CVB_800		0	0.5	0	0.81	5.77	Street Bioretention	55%	64%	99%	55%	55%	64%	64%	0.44	3.68	25.12	910
CVB_961	Median	0	0.5	0	0.85	6.07	Bioretention	55%	64%	81%	50%	50%	58%	58%	0.43	3.55	51.92	160
CVB_962A	School	10	0.5	5	1.35	9.66	Permeable Pavement	59%	59%	68%	49%	49%	49%	49%	0.67	4.78	48.77	201
CVB_962B	School	10	0.5	5	0.20	1.46	Bioretention	55%	64%	21%	14%	14%	17%	17%	0.03	0.24	41.80	349
CVB_965	Residential street with sidewalks	5	0.5	2.5	1.13	8.11	Street Bioretention	55%	64%	51%	38%	38%	44%	44%	0.43	3.58	35.56	559
DB_101	Residential streets with Sidewalks	5	0.5	2.5	1.99	14.24	Bioretention	55%	64%	128%	59%	55%	69%	64%	1.09	9.11	81.22	24
DB_102	Park	8	0.5	4	1.42	10.12	Bioretention	55%	64%	126%	59%	55%	68%	64%	0.78	6.48	64.81	55
DB_113	Residential streets with Sidewalks	5	0.5	2.5	0.42	3.00	Bioretention	55%	64%	30%	24%	24%	28%	28%	0.10	0.84	16.78	1011
DB_118	Park-type area	8	0.5	4	1.10	7.86	Bioretention	55%	64%	81%	50%	50%	58%	58%	0.55	4.59	31.71	709
DB_122	Park-type area	8	0.5	4	1.64	11.75	Bioretention	55%	64%	122%	58%	55%	68%	64%	0.90	7.52	50.24	182
DB_126	Red Cross Building	5	0.5	2.5	0.65	4.68	Bioretention	55%	64%	56%	41%	41%	48%	48%	0.27	2.26	22.16	963
DB_127B	Business parking lot	0	0.5	0	0.89	6.40	Bioretention	55%	64%	30%	23%	23%	27%	27%	0.21	1.72	19.12	1000
DB_128A	Residential streets with Sidewalks	5	0.5	2.5	0.66	4.75	Bioretention	55%	64%	45%	35%	35%	40%	40%	0.23	1.91	20.95	981
DB_128B	Residential streets with Sidewalks	5	0.5	2.5	0.62	4.45	Bioretention	55%	64%	69%	46%	46%	54%	54%	0.29	2.40	22.28	962
DB_130	Park	8	0.5	4	3.11	22.24	Bioretention	55%	64%	113%	57%	55%	66%	64%	1.71	14.23	97.25	8
DB_135A	Schools	10	0.5	5	1.34	9.55	Bioretention	55%	64%	55%	40%	40%	47%	47%	0.54	4.49	37.91	471

Site ID	Pollutant Removal - CSN											
	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	Rank
CR_121	1.14	12.64	908.30	1.10	71.6%	0.82	61.2%	7.73	76.7%	696.74	62.71	98
CR_123-1&2&3	1.86	23.02	1,331.22	0.53	54.1%	1.01	46.4%	10.69	58.0%	772.29	68.06	63
CVB_229	2.15	22.95	1,755.30	0.97	69.2%	1.49	59.2%	13.58	74.2%	1,302.25	70.25	52
CVB_230	1.05	11.51	844.64	0.98	69.6%	0.73	59.5%	6.84	74.5%	629.63	44.60	358
CVB_232	1.24	13.24	1,008.99	0.97	69.3%	0.86	59.2%	7.84	74.2%	748.91	48.93	274
CVB_233	0.76	8.12	612.94	0.97	69.3%	0.52	59.3%	4.82	74.3%	455.46	37.65	570
CVB_234	4.83	51.80	3,922.81	0.97	69.3%	3.35	59.2%	30.69	74.3%	2,913.67	132.76	4
CVB_235	1.52	16.47	1,229.92	0.98	69.4%	1.06	59.3%	9.77	74.4%	915.01	55.56	169
CVB_723	0.46	5.71	334.09	0.70	61.9%	0.29	53.0%	3.03	66.3%	221.57	30.16	808
CVB_731A	1.15	12.19	940.29	0.96	69.2%	0.79	59.1%	7.21	74.1%	697.22	49.84	265
CVB_731B	1.64	21.92	1,072.31	1.20	73.1%	1.19	62.4%	13.69	78.3%	839.65	55.83	165
CVB_800	0.61	6.66	482.27	0.98	69.5%	0.42	59.4%	3.96	74.5%	359.11	24.60	941
CVB_961	0.64	8.36	439.16	0.92	68.2%	0.44	58.3%	4.87	73.1%	320.99	52.25	223
CVB_962A	1.01	10.96	817.03	0.67	60.5%	0.61	51.8%	5.68	64.8%	529.83	47.38	304
CVB_962B	0.17	3.89	10.37	2.41	78.6%	0.13	67.4%	2.62	84.6%	8.78	44.33	362
CVB_965	0.86	11.30	579.13	0.59	56.9%	0.49	48.7%	5.51	60.9%	352.94	37.05	594
DB_101	1.49	16.38	1,192.56	1.26	73.8%	1.10	63.1%	10.34	79.2%	944.02	81.42	29
DB_102	1.06	11.48	856.22	1.23	73.5%	0.78	62.8%	7.21	78.7%	674.12	64.83	84
DB_113	0.32	3.76	236.06	0.32	38.8%	0.12	33.3%	1.25	41.6%	98.15	17.32	1014
DB_118	0.84	11.62	527.49	0.99	69.8%	0.59	59.6%	6.93	74.8%	394.41	32.54	745
DB_122	1.25	16.55	830.32	1.42	75.4%	0.94	64.5%	10.67	80.9%	671.39	51.21	240
DB_126	0.49	5.47	388.12	0.56	55.7%	0.27	47.7%	2.61	59.7%	231.57	22.23	979
DB_127B	0.67	7.45	531.90	0.30	37.2%	0.25	31.9%	2.37	39.8%	211.79	20.19	997
DB_128A	0.50	6.07	366.93	0.48	51.1%	0.26	43.8%	2.66	54.8%	200.90	21.63	984
DB_128B	0.47	5.64	346.90	0.73	62.8%	0.30	53.8%	3.03	67.3%	233.53	22.46	975
DB_130	2.42	41.09	1,077.89	1.93	78.0%	1.89	66.7%	27.42	83.8%	902.79	101.70	9
DB_135A	1.04	17.69	460.79	0.94	68.7%	0.71	58.7%	10.39	73.6%	339.16	42.27	417

Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%IC	%Turf	P (in)	Rv	Water Quality Volume (CF)	Treatment Volume (CF)	Treatment Volume Sum for Projects in Series*	% Water Quality Volume Treated
DB_135B-1&2	Doctor's Branch	Thomas Jefferson Middle School (125 South Old Glebe Road) and Community Center (3501 Second Street South)	Bioretention	0.82	12%	88%	1.00	0.31	921.31	3579.00	3579.00	3.88
DB_135C	Doctor's Branch	Thomas Jefferson Middle School (125 South Old Glebe Road) and Community Center (3501 Second Street South)	Bioretention	0.36	80%	20%	1.00	0.80	1047.66	458.75		0.44
DB_136-1&2	Doctor's Branch	Dominion Arms Apartments, 333 South Glebe Road	Bioretention	0.35	91%	9%	1.00	0.88	1131.54	1594.00	1594.00	1.41
DB_141	Doctor's Branch	8th Street South and Glebe Road	Street Bioretention	0.50	58%	42%	1.00	0.64	1167.61	1808.75		1.55
DB_142-1&2	Doctor's Branch	Arlington Baptist Church, 714 South Monroe Street	Bioretention	1.23	57%	43%	1.00	0.63	2837.67	408.75	408.75	0.14
DB_144	Doctor's Branch	Our Savior Lutheran Church, 825 South Taylor Street	Bioretention	0.39	65%	35%	1.00	0.69	978.68	927.75		0.95
DB_146	Doctor's Branch	Wachovia bank between South George Mason Drive and South Randolph Street	Bioretention	0.94	89%	11%	1.00	0.87	2979.10	3390.00		1.14
DB_157	Doctor's Branch	South Quebec Street and Columbia Pike	Disconnection	1.10	100%	0%	1.00	0.95	3793.35	3793.35		1.00
DB_160A	Doctor's Branch	Barcroft Apartments at corner of South George Mason Drive and Columbia Pike	Dry Swale	1.12	54%	46%	1.00	0.61	2472.86	828.75		0.34
DB_160C	Doctor's Branch	Barcroft Apartments at 13th Road South & South George Mason Drive	Bioretention	1.14	56%	44%	1.00	0.63	2602.10	2581.75		0.99
DB_167	Doctor's Branch	South George Mason Drive between South Four Mile Run Drive and 12th Road South	Bioretention	0.45	56%	44%	1.00	0.63	1027.44	1596.38		1.55
DB_301-1&2	Doctor's Branch	4th Street South and South George Mason Drive	Street Bioretention	0.49	57%	43%	1.00	0.64	1142.28	826.00	826.00	0.72
DB_500	Doctor's Branch	Northwest Corner of 5th Street North and North Kenmore Street	Street Bioretention	2.27	47%	53%	1.00	0.56	4628.86	794.75		0.17
DB_503	Doctor's Branch	Northwest corner of 4th Street North and North Norwood Street	Street Bioretention	2.28	37%	63%	1.00	0.49	4093.56	1782.00		0.44
DB_504A	Doctor's Branch	Southwest corner of North Oakland Street and 4th Street North	Street Bioretention	0.56	50%	50%	1.00	0.59	1178.88	674.75		0.57
DB_504B	Doctor's Branch	Northwest corner of North Oakland Street and 4th Street North	Street Bioretention	1.58	38%	62%	1.00	0.50	2858.98	527.50		0.18
DB_505A	Doctor's Branch	North Oakland Street and 5th Street North	Street Bioretention	3.01	41%	59%	1.00	0.52	5683.40	2029.00		0.36
DB_505B	Doctor's Branch	North Oakland Street and 5th Street North	Street Bioretention	0.37	49%	51%	1.00	0.58	773.27	594.75		0.77
DB_506-1&2&3&4	Doctor's Branch	North Oxford Street, north of 5th Street North	Street Bioretention	2.30	41%	59%	1.00	0.52	4325.50	1530.75	1530.75	0.35

Site ID	Phosphorus Removal - VRRM				Phosphorus Removal - CSN				Impervious Area Acreage				Potential Utility or Site Constraints			
	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
DB_135B-1&2	0.32	3.18	2.5	7.96	0.39	3.89	2.5	9.73	0.10	0.51	2	1.02	Medium	5	1.5	7.5
DB_135C	0.22	2.23	2.5	5.59	0.24	2.40	2.5	6.00	0.29	1.44	2	2.87	Medium	5	1.5	7.5
DB_136-1&2	0.39	3.91	2.5	9.78	0.40	3.99	2.5	9.98	0.32	1.60	2	3.21	Medium	5	1.5	7.5
DB_141	0.40	4.03	2.5	10.09	0.43	4.30	2.5	10.74	0.29	1.45	2	2.90	Medium	5	1.5	7.5
DB_142-1&2	0.11	1.09	2.5	2.72	0.31	3.05	2.5	7.63	0.70	3.50	2	6.99	Medium	5	1.5	7.5
DB_144	0.33	3.31	2.5	8.26	0.33	3.26	2.5	8.15	0.25	1.26	2	2.52	Low	10	1.5	15
DB_146	1.03	10.29	2.5	25.74	1.01	10.08	2.5	25.20	0.84	4.20	2	8.40	Medium	5	1.5	7.5
DB_157	0.60	5.96	2.5	14.90	1.23	12.28	2.5	30.69	1.10	5.50	2	11.00	Low	10	1.5	15
DB_160A	0.40	3.97	2.5	9.92	0.52	5.23	2.5	13.08	0.60	2.99	2	5.97	Medium	5	1.5	7.5
DB_160C	0.89	8.95	2.5	22.37	0.89	8.91	2.5	22.27	0.64	3.19	2	6.38	Medium	5	1.5	7.5
DB_167	0.36	3.55	2.5	8.88	0.38	3.79	2.5	9.47	0.25	1.26	2	2.53	Low	10	1.5	15
DB_301-1&2	0.34	3.42	2.5	8.55	0.36	3.55	2.5	8.88	0.28	1.41	2	2.82	Medium	5	1.5	7.5
DB_500	0.31	3.12	2.5	7.80	0.62	6.18	2.5	15.44	1.06	5.31	2	10.63	Medium	5	1.5	7.5
DB_503	0.87	8.73	2.5	21.82	1.11	11.10	2.5	27.74	0.86	4.28	2	8.56	Medium	5	1.5	7.5
DB_504A	0.31	3.10	2.5	7.76	0.34	3.41	2.5	8.53	0.28	1.39	2	2.78	Medium	5	1.5	7.5
DB_504B	0.21	2.15	2.5	5.36	0.44	4.37	2.5	10.92	0.60	3.01	2	6.02	Medium	5	1.5	7.5
DB_505A	1.02	10.23	2.5	25.58	1.35	13.46	2.5	33.64	1.24	6.19	2	12.38	Medium	5	1.5	7.5
DB_505B	0.24	2.39	2.5	5.98	0.25	2.51	2.5	6.28	0.18	0.90	2	1.81	Medium	5	1.5	7.5
DB_506-1&2&3&4	0.78	7.79	2.5	19.47	1.02	10.21	2.5	25.52	0.94	4.69	2	9.39	High	0	1.5	0

Site ID	Property Ownership				Potential for Quick Implementation				Existing Drainage Problem/Hotspot				County Maintenance Burden			
	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
DB_135B-1&2	School	4	1.5	6	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
DB_135C	School	4	1.5	6	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
DB_136-1&2	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
DB_141	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DB_142-1&2	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
DB_144	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
DB_146	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
DB_157	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Low	10	0.5	5
DB_160A	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DB_160C	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
DB_167	Private & Public	5	1.5	7.5	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
DB_301-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DB_500	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DB_503	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DB_504A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DB_504B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DB_505A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DB_505B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DB_506-1&2&3&4	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0

Site ID	Educational Opportunity				Pollutant Removal - VRRM													
	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit <sup>1</sup>	Size-Adjusted N Removal Credit	Size-Adjusted N Removal Credit <sup>1</sup>	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
DB_135B-1&2	Schools	10	0.5	5	0.58	4.14	Bioretention	55%	64%	388%	63%	55%	74%	64%	0.32	2.65	29.98	776
DB_135C	Schools	10	0.5	5	0.66	4.71	Bioretention	55%	64%	44%	34%	34%	39%	39%	0.22	1.86	29.46	791
DB_136-1&2	Apartment complex	5	0.5	2.5	0.71	5.09	Bioretention	55%	64%	141%	60%	55%	70%	64%	0.39	3.26	25.48	899
DB_141	Residential streets with Sidewalks	5	0.5	2.5	0.73	5.25	Street Bioretention	55%	64%	155%	61%	55%	70%	64%	0.40	3.36	33.49	644
DB_142-1&2	Residential streets with Sidewalks	5	0.5	2.5	1.78	12.75	Bioretention	55%	64%	14%	6%	6%	7%	7%	0.11	0.90	47.21	228
DB_144	church	5	0.5	2.5	0.61	4.40	Bioretention	55%	64%	95%	54%	54%	63%	63%	0.33	2.75	30.79	750
DB_146	private site	0	0.5	0	1.87	13.39	Bioretention	55%	64%	114%	57%	55%	66%	64%	1.03	8.57	44.13	285
DB_157	Disconnection only	0	0.5	0	2.38	17.05	Disconnection	25%	25%	100%	25%	25%	25%	25%	0.60	4.26	70.90	34
DB_160A	Apartment complex	5	0.5	2.5	1.55	11.11	Dry Swale	52%	55%	34%	26%	26%	27%	27%	0.40	3.00	25.89	884
DB_160C	Apartment complex	5	0.5	2.5	1.63	11.70	Bioretention	55%	64%	99%	55%	55%	64%	64%	0.89	7.45	41.25	364
DB_167	Residential streets with Sidewalks	5	0.5	2.5	0.65	4.62	Bioretention	55%	64%	155%	61%	55%	71%	64%	0.36	2.96	38.90	441
DB_301-1&2	Residential streets with Sidewalks	5	0.5	2.5	0.72	5.13	Street Bioretention	55%	64%	72%	48%	48%	55%	55%	0.34	2.85	31.87	705
DB_500	Residential streets with Sidewalks	5	0.5	2.5	2.91	20.81	Street Bioretention	55%	64%	17%	11%	11%	12%	12%	0.31	2.60	38.93	440
DB_503	Residential streets with Sidewalks	5	0.5	2.5	2.57	18.40	Street Bioretention	55%	64%	44%	34%	34%	39%	39%	0.87	7.27	50.89	173
DB_504A	Residential streets with Sidewalks	5	0.5	2.5	0.74	5.30	Street Bioretention	55%	64%	57%	42%	42%	49%	49%	0.31	2.58	31.04	735
DB_504B	Residential streets with Sidewalks	5	0.5	2.5	1.80	12.85	Street Bioretention	55%	64%	18%	12%	12%	14%	14%	0.21	1.79	31.88	704
DB_505A	Residential streets with Sidewalks	5	0.5	2.5	3.57	25.55	Street Bioretention	55%	64%	36%	29%	29%	33%	33%	1.02	8.52	58.45	88
DB_505B	Residential streets with Sidewalks	5	0.5	2.5	0.49	3.48	Street Bioretention	55%	64%	77%	49%	49%	57%	57%	0.24	1.99	28.28	821
DB_506-1&2&3&4	Residential streets with Sidewalks	5	0.5	2.5	2.72	19.44	Street Bioretention	55%	64%	35%	29%	29%	33%	33%	0.78	6.48	41.86	344



Site ID	Pollutant Removal - CSN											
	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	Rank
DB_135B-1&2	0.46	8.91	137.22	9.68	85.0%	0.39	70.0%	6.23	85.0%	116.63	31.74	776
DB_135C	0.49	5.56	386.86	0.44	48.5%	0.24	41.6%	2.31	52.0%	200.97	29.87	816
DB_136-1&2	0.53	5.74	431.76	1.37	74.9%	0.40	64.1%	3.67	80.3%	346.86	25.68	921
DB_141	0.56	7.00	390.61	1.72	77.3%	0.43	66.1%	4.63	82.9%	323.98	34.14	683
DB_142-1&2	1.35	17.16	942.17	0.16	22.6%	0.31	19.2%	3.30	24.2%	227.87	52.12	225
DB_144	0.46	5.62	339.92	1.01	70.1%	0.33	60.0%	3.37	75.2%	255.53	30.67	798
DB_146	1.40	15.21	1,131.19	1.11	71.8%	1.01	61.4%	9.34	77.0%	870.80	43.59	389
DB_157	1.78	18.55	1,481.83	0.95	68.9%	1.23	58.9%	10.92	73.8%	1,093.88	86.69	20
DB_160A	1.18	15.28	804.37	0.38	44.3%	0.52	38.0%	5.82	47.5%	382.09	29.05	846
DB_160C	1.24	15.81	860.00	1.11	71.9%	0.89	61.4%	9.71	77.0%	662.31	41.16	452
DB_167	0.49	6.22	340.55	1.74	77.4%	0.38	66.2%	4.12	83.0%	282.82	39.50	510
DB_301-1&2	0.54	6.89	379.98	0.81	65.3%	0.36	55.8%	3.85	70.0%	265.80	32.20	763
DB_500	2.22	30.07	1,431.79	0.21	27.9%	0.62	23.8%	7.17	29.9%	427.45	46.57	323
DB_503	1.97	28.82	1,153.51	0.57	56.2%	1.11	48.2%	13.89	60.3%	695.17	56.80	156
DB_504A	0.56	7.48	373.92	0.67	60.6%	0.34	51.9%	3.88	64.9%	242.65	31.81	775
DB_504B	1.38	20.03	810.57	0.24	31.7%	0.44	27.2%	5.44	34.0%	275.31	37.43	577
DB_505A	2.73	38.72	1,667.20	0.45	49.3%	1.35	42.3%	16.36	52.8%	879.87	66.51	71
DB_505B	0.37	4.94	243.40	0.91	67.9%	0.25	58.1%	2.87	72.8%	177.14	28.59	855
DB_506-1&2&3&4	2.08	29.55	1,264.68	0.45	49.1%	1.02	42.1%	12.45	52.6%	665.24	47.91	292

Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%IC	%Turf	P (in)	Rv	Water Quality Volume (CF)	Treatment Volume (CF)	Treatment Volume Sum for Projects in Series*	% Water Quality Volume Treated
DB_511	Doctor's Branch	Buckingham Village at intersection of North Thomas Street and 4th Street North	Bioretention	0.93	63%	37%	1.00	0.68	2307.38	730.63		0.32
DB_512	Doctor's Branch	Intersection of North Thomas Street and North Pershing Drive	Bioretention	1.03	82%	18%	1.00	0.82	3065.01	786.00		0.26
DB_518	Doctor's Branch	105 North Oakland Street	Street Bioretention	0.74	56%	44%	1.00	0.63	1694.43	2163.00		1.28
DB_519	Doctor's Branch	130 North Oakland Street	Street Bioretention	0.77	38%	62%	1.00	0.50	1388.50	874.00		0.63
DB_520A	Doctor's Branch	201 North Oakland Street	Street Bioretention	0.54	48%	52%	1.00	0.57	1117.43	819.00		0.73
DB_520B-1&2	Doctor's Branch	200 North Oakland Street	Street Bioretention	1.45	31%	69%	1.00	0.45	2347.12	652.50	652.50	0.28
DB_521-1&2	Doctor's Branch	North Pershing Drive between North Oxford Street and North Oakland Street	Street Bioretention	0.52	51%	49%	1.00	0.59	1116.41	1083.75	1083.75	0.97
DB_523	Doctor's Branch	Old Glebe Road, north of Thomas Jefferson Middle School	Street Bioretention	0.92	40%	60%	1.00	0.51	1702.14	994.00		0.58
DB_527	Doctor's Branch	2nd Street South, between South Oakland Street and South Glebe Road	Bioretention	0.56	59%	41%	1.00	0.65	1314.93	651.00		0.50
DB_531	Doctor's Branch	2nd Street South, near Thomas Jefferson Middle School	Street Bioretention	1.81	14%	86%	1.00	0.32	2102.28	3903.00		1.86
DB_532	Doctor's Branch	6th Street South and South Jackson Street	Street Bioretention	0.91	47%	53%	1.00	0.57	1869.94	714.00		0.38
DB_533	Doctor's Branch	6th Street South at South Glebe Road	Street Bioretention	0.51	46%	54%	1.00	0.56	1037.58	400.13		0.39
DB_537	Doctor's Branch	6th Street South and South Quincy Street	Street Bioretention	1.93	39%	61%	1.00	0.51	3532.52	1844.00		0.52
DB_538	Doctor's Branch	South Quincy Street, between 7th Street South, and 8th Street South	Street Bioretention	2.55	39%	61%	1.00	0.50	4647.53	2541.00		0.55
DB_539	Doctor's Branch	Alcova Heights Park at 8th Street South	Street Bioretention	0.76	49%	51%	1.00	0.58	1594.72	1974.00		1.24
DB_540-1&2	Doctor's Branch	8th Street South, East of South Quincy Street	Street Bioretention	0.81	59%	41%	1.00	0.65	1923.37	615.13	615.13	0.32
DB_541A	Doctor's Branch	8th Street South, West of South Monroe Street	Street Bioretention	0.80	40%	60%	1.00	0.51	1491.32	590.00		0.40
DB_541B	Doctor's Branch	South Monroe Street, between 7th Street South, and 8th Street South	Street Bioretention	0.46	75%	25%	1.00	0.77	1269.89	808.75		0.64
DB_543	Doctor's Branch	South Oakland Street, between 8th Street South and 9th Street South	Street Bioretention	0.62	49%	51%	1.00	0.58	1298.71	496.25		0.38

Site ID	Phosphorus Removal - VRRM				Phosphorus Removal - CSN				Impervious Area Acreage				Potential Utility or Site Constraints			
	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
DB_511	0.36	3.62	2.5	9.05	0.45	4.50	2.5	11.26	0.59	2.94	2	5.89	Medium	5	1.5	7.5
DB_512	0.37	3.73	2.5	9.33	0.48	4.80	2.5	12.00	0.85	4.23	2	8.46	Medium	5	1.5	7.5
DB_518	0.59	5.86	2.5	14.64	0.61	6.10	2.5	15.24	0.42	2.08	2	4.16	Medium	5	1.5	7.5
DB_519	0.38	3.84	2.5	9.59	0.44	4.40	2.5	11.00	0.29	1.46	2	2.92	High	0	1.5	0
DB_520A	0.34	3.38	2.5	8.45	0.36	3.58	2.5	8.96	0.26	1.30	2	2.59	Medium	5	1.5	7.5
DB_520B-1&2	0.31	3.14	2.5	7.85	0.52	5.20	2.5	12.99	0.45	2.25	2	4.49	Medium	5	1.5	7.5
DB_521-1&2	0.38	3.82	2.5	9.55	0.38	3.85	2.5	9.62	0.26	1.32	2	2.64	Low	10	1.5	15
DB_523	0.45	4.53	2.5	11.33	0.52	5.20	2.5	13.01	0.36	1.82	2	3.65	Low	10	1.5	15
DB_527	0.31	3.07	2.5	7.68	0.34	3.43	2.5	8.57	0.33	1.64	2	3.29	Low	10	1.5	15
DB_531	0.73	7.26	2.5	18.16	0.89	8.86	2.5	22.14	0.25	1.25	2	2.49	Medium	5	1.5	7.5
DB_532	0.36	3.63	2.5	9.08	0.44	4.43	2.5	11.09	0.43	2.16	2	4.31	High	0	1.5	0
DB_533	0.20	2.02	2.5	5.04	0.25	2.49	2.5	6.23	0.24	1.18	2	2.37	High	0	1.5	0
DB_537	0.87	8.69	2.5	21.73	1.03	10.33	2.5	25.83	0.75	3.76	2	7.53	Medium	5	1.5	7.5
DB_538	1.18	11.80	2.5	29.50	1.39	13.91	2.5	34.78	0.98	4.92	2	9.84	High	0	1.5	0
DB_539	0.55	5.51	2.5	13.78	0.58	5.77	2.5	14.43	0.37	1.87	2	3.73	Medium	5	1.5	7.5
DB_540-1&2	0.30	3.02	2.5	7.55	0.38	3.84	2.5	9.61	0.48	2.40	2	4.80	Medium	5	1.5	7.5
DB_541A	0.30	2.97	2.5	7.42	0.38	3.78	2.5	9.44	0.32	1.60	2	3.21	High	0	1.5	0
DB_541B	0.35	3.53	2.5	8.83	0.36	3.59	2.5	8.98	0.34	1.71	2	3.42	Low	10	1.5	15
DB_543	0.25	2.52	2.5	6.31	0.31	3.06	2.5	7.65	0.30	1.51	2	3.03	Medium	5	1.5	7.5

Site ID	Property Ownership				Potential for Quick Implementation				Existing Drainage Problem/Hotspot				County Maintenance Burden			
	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
DB_511	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
DB_512	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
DB_518	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DB_519	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DB_520A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DB_520B-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DB_521-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DB_523	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DB_527	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DB_531	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DB_532	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DB_533	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DB_537	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DB_538	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DB_539	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DB_540-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DB_541A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DB_541B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DB_543	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0

Site ID	Educational Opportunity				Pollutant Removal - VRRM													
	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit <sup>1</sup>	Size-Adjusted N Removal Credit	Size-Adjusted N Removal Credit <sup>1</sup>	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
DB_511	Residential streets with Sidewalks	5	0.5	2.5	1.45	10.37	Bioretention	55%	64%	32%	25%	25%	29%	29%	0.36	3.01	27.44	842
DB_512	Residential streets with Sidewalks	5	0.5	2.5	1.93	13.78	Bioretention	55%	64%	26%	19%	19%	23%	23%	0.37	3.11	30.29	768
DB_518	Residential streets with Sidewalks	5	0.5	2.5	1.06	7.62	Street Bioretention	55%	64%	128%	59%	55%	68%	64%	0.59	4.87	39.30	425
DB_519	Residential streets with Sidewalks	5	0.5	2.5	0.87	6.24	Street Bioretention	55%	64%	63%	44%	44%	51%	51%	0.38	3.19	25.52	898
DB_520A	Residential streets with Sidewalks	5	0.5	2.5	0.70	5.02	Street Bioretention	55%	64%	73%	48%	48%	56%	56%	0.34	2.81	31.54	720
DB_520B-1&2	Residential streets with Sidewalks	5	0.5	2.5	1.47	10.55	Street Bioretention	55%	64%	28%	21%	21%	25%	25%	0.31	2.61	32.84	668
DB_521-1&2	Residential streets with Sidewalks	5	0.5	2.5	0.70	5.02	Street Bioretention	55%	64%	97%	54%	54%	63%	63%	0.38	3.18	40.19	396
DB_523	Residential streets with Sidewalks	5	0.5	2.5	1.07	7.65	Street Bioretention	55%	64%	58%	42%	42%	49%	49%	0.45	3.77	42.97	320
DB_527	Residential streets with Sidewalks	5	0.5	2.5	0.83	5.91	Bioretention	55%	64%	50%	37%	37%	43%	43%	0.31	2.56	38.97	438
DB_531	Street near school	8	0.5	4	1.32	9.45	Street Bioretention	55%	64%	186%	62%	55%	72%	64%	0.73	6.05	42.65	323
DB_532	Residential streets with Sidewalks	5	0.5	2.5	1.17	8.40	Street Bioretention	55%	64%	38%	31%	31%	36%	36%	0.36	3.02	26.40	871
DB_533	Residential streets with Sidewalks	5	0.5	2.5	0.65	4.66	Street Bioretention	55%	64%	39%	31%	31%	36%	36%	0.20	1.68	20.41	988
DB_537	Residential streets with Sidewalks	5	0.5	2.5	2.22	15.88	Street Bioretention	55%	64%	52%	39%	39%	46%	46%	0.87	7.24	49.76	190
DB_538	Residential streets with Sidewalks	5	0.5	2.5	2.92	20.89	Street Bioretention	55%	64%	55%	40%	40%	47%	47%	1.18	9.82	52.34	153
DB_539	Parks	8	0.5	4	1.00	7.17	Street Bioretention	55%	64%	124%	58%	55%	68%	64%	0.55	4.59	39.51	416
DB_540-1&2	Residential streets with Sidewalks	5	0.5	2.5	1.21	8.65	Street Bioretention	55%	64%	32%	25%	25%	29%	29%	0.30	2.51	32.85	667
DB_541A	Residential streets with Sidewalks	5	0.5	2.5	0.94	6.70	Street Bioretention	55%	64%	40%	32%	32%	37%	37%	0.30	2.47	23.63	943
DB_541B	Street near church	5	0.5	2.5	0.80	5.71	Street Bioretention	55%	64%	64%	44%	44%	52%	52%	0.35	2.94	40.25	392
DB_543	Residential streets with Sidewalks	5	0.5	2.5	0.82	5.84	Street Bioretention	55%	64%	38%	31%	31%	36%	36%	0.25	2.10	29.83	781

Site ID	Pollutant Removal - CSN											
	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	Rank
DB_511	1.10	13.41	793.44	0.34	41.1%	0.45	35.3%	4.73	44.0%	349.22	29.65	823
DB_512	1.45	16.14	1,139.00	0.26	33.2%	0.48	28.5%	4.59	35.6%	405.09	32.96	730
DB_518	0.81	10.30	560.01	1.43	75.5%	0.61	64.6%	6.65	80.9%	453.30	39.90	494
DB_519	0.67	9.73	393.66	0.82	65.8%	0.44	56.3%	5.47	70.5%	277.47	26.92	893
DB_520A	0.53	7.19	348.97	0.87	67.0%	0.36	57.3%	4.12	71.8%	250.69	32.05	770
DB_520B-1&2	1.14	17.64	605.02	0.40	45.7%	0.52	39.2%	6.91	48.9%	296.10	37.98	560
DB_521-1&2	0.53	7.05	355.78	1.13	72.1%	0.38	61.6%	4.34	77.3%	274.94	40.26	483
DB_523	0.82	11.76	491.14	0.75	63.5%	0.52	54.4%	6.39	68.1%	334.40	44.66	356
DB_527	0.63	7.83	442.76	0.55	54.8%	0.34	47.0%	3.68	58.7%	260.07	39.86	496
DB_531	1.04	19.87	335.69	4.31	85.0%	0.89	70.0%	13.91	85.0%	285.33	46.63	320
DB_532	0.90	12.09	581.16	0.46	49.5%	0.44	42.5%	5.14	53.1%	308.45	28.40	860
DB_533	0.50	6.78	319.16	0.47	50.1%	0.25	43.0%	2.91	53.7%	171.45	21.60	985
DB_537	1.70	24.50	1,014.28	0.67	60.8%	1.03	52.0%	12.75	65.1%	660.38	53.86	198
DB_538	2.24	32.40	1,325.72	0.71	62.2%	1.39	53.2%	17.24	66.6%	882.93	57.62	144
DB_539	0.76	10.18	502.53	1.46	75.7%	0.58	64.7%	6.59	81.2%	407.86	40.16	487
DB_540-1&2	0.92	11.46	647.19	0.35	42.0%	0.38	36.0%	4.13	45.0%	291.16	34.91	662
DB_541A	0.72	10.26	432.38	0.51	52.6%	0.38	45.1%	4.63	56.4%	243.87	25.65	923
DB_541B	0.60	6.91	460.52	0.65	59.8%	0.36	51.2%	3.54	64.1%	295.23	40.40	476
DB_543	0.62	8.32	407.72	0.45	49.3%	0.31	42.3%	3.52	52.8%	215.19	31.18	786

Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%IC	%Turf	P (in)	Rv	Water Quality Volume (CF)	Treatment Volume (CF)	Treatment Volume Sum for Projects in Series*	% Water Quality Volume Treated
DB_544	Doctor's Branch	South Quincy Street, between 8th Street South and 9th Street South	Street Bioretention	1.20	52%	48%	1.00	0.60	2603.02	590.00		0.23
DB_546	Doctor's Branch	9th Street South and Monroe Street	Street Bioretention	0.77	61%	39%	1.00	0.67	1868.46	579.00		0.31
DB_547	Doctor's Branch	9th Street South and South Lincoln Street	Street Bioretention	0.56	45%	55%	1.00	0.55	1116.54	894.00		0.80
DB_550	Doctor's Branch	Monroe Street, between Columbia Pike and 9th Street South	Street Bioretention	1.16	44%	56%	1.00	0.54	2267.46	1314.00		0.58
DB_552	Doctor's Branch	South Taylor Street at 9th Street South	Street Bioretention	1.17	57%	43%	1.00	0.64	2690.45	764.00		0.28
DB_554	Doctor's Branch	South Stafford Street and 7th Road South	Street Bioretention	2.02	40%	60%	1.00	0.52	3776.76	831.00		0.22
DB_555	Doctor's Branch	8th Street South and South Stafford Street	Street Bioretention	0.64	51%	49%	1.00	0.59	1370.10	490.00		0.36
DB_557A	Doctor's Branch	South Quincy Street, south of Columbia Pike	Street Bioretention	0.49	85%	15%	1.00	0.84	1480.26	1434.00		0.97
DB_557B	Doctor's Branch	South Quincy Street, south of Columbia Pike	Street Bioretention	0.33	93%	7%	1.00	0.90	1071.28	470.25		0.44
DB_559-1&2	Doctor's Branch	12th Street South between South Monroe Street and South Quincy Street	Street Bioretention	0.64	60%	40%	1.00	0.66	1528.67	2474.00	2474.00	1.62
DB_560-1&2	Doctor's Branch	12th Street South, between South Monroe Street and South Quincy Street	Street Bioretention	1.35	62%	38%	1.00	0.67	3282.88	1121.25	1121.25	0.34
DB_564-1&2&3	Doctor's Branch	16th Street South between South Oakland Street and South Nelson Street	Street Bioretention	3.51	37%	63%	1.00	0.49	6283.36	1371.25	1371.25	0.22
DB_566	Doctor's Branch	16th Street South between South Stafford Street and South Randolph Street	Street Bioretention	1.09	55%	45%	1.00	0.62	2459.43	840.00		0.34
DB_567	Doctor's Branch	16th Street South, south of Taylor Street intersection	Street Bioretention	0.28	87%	13%	1.00	0.86	883.91	524.25		0.59
DB_568A	Doctor's Branch	16th Street and South Four Mile Run Drive	Street Bioretention	1.27	60%	40%	1.00	0.66	3056.59	1683.75		0.55
DB_568B	Doctor's Branch	16th Street and South Four Mile Run Drive	Street Bioretention	0.34	65%	35%	1.00	0.70	846.70	1308.75		1.55
DB_569	Doctor's Branch	4200 Block of South Four Mile Run Drive	Street Bioretention	1.04	38%	62%	1.00	0.49	1858.27	746.25		0.40

Site ID	Phosphorus Removal - VRRM				Phosphorus Removal - CSN				Impervious Area Acreage				Potential Utility or Site Constraints			
	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
DB_544	0.27	2.70	2.5	6.74	0.42	4.20	2.5	10.50	0.62	3.10	2	6.20	High	0	1.5	0
DB_546	0.28	2.82	2.5	7.06	0.36	3.62	2.5	9.05	0.47	2.36	2	4.72	Medium	5	1.5	7.5
DB_547	0.35	3.52	2.5	8.81	0.37	3.71	2.5	9.29	0.25	1.26	2	2.53	High	0	1.5	0
DB_550	0.60	5.97	2.5	14.93	0.68	6.78	2.5	16.94	0.51	2.53	2	5.06	Medium	5	1.5	7.5
DB_552	0.38	3.78	2.5	9.45	0.50	4.99	2.5	12.48	0.66	3.32	2	6.64	High	0	1.5	0
DB_554	0.39	3.91	2.5	9.78	0.65	6.46	2.5	16.15	0.82	4.09	2	8.17	High	0	1.5	0
DB_555	0.25	2.47	2.5	6.17	0.31	3.06	2.5	7.66	0.32	1.62	2	3.25	Medium	5	1.5	7.5
DB_557A	0.50	5.05	2.5	12.62	0.48	4.82	2.5	12.05	0.41	2.06	2	4.12	Medium	5	1.5	7.5
DB_557B	0.23	2.28	2.5	5.71	0.24	2.39	2.5	5.98	0.31	1.53	2	3.05	Medium	5	1.5	7.5
DB_559-1&2	0.53	5.28	2.5	13.21	0.56	5.64	2.5	14.10	0.38	1.92	2	3.84	High	0	1.5	0
DB_560-1&2	0.57	5.70	2.5	14.26	0.68	6.78	2.5	16.96	0.83	4.16	2	8.32	Low	10	1.5	15
DB_564-1&2&3	0.60	6.02	2.5	15.05	1.10	10.99	2.5	27.48	1.31	6.56	2	13.12	Medium	5	1.5	7.5
DB_566	0.43	4.27	2.5	10.68	0.52	5.24	2.5	13.09	0.60	2.99	2	5.99	Medium	5	1.5	7.5
DB_567	0.24	2.37	2.5	5.93	0.24	2.36	2.5	5.90	0.25	1.24	2	2.48	Medium	5	1.5	7.5
DB_568A	0.79	7.88	2.5	19.70	0.84	8.38	2.5	20.96	0.77	3.85	2	7.70	High	0	1.5	0
DB_568B	0.29	2.93	2.5	7.31	0.31	3.09	2.5	7.73	0.22	1.09	2	2.18	Low	10	1.5	15
DB_569	0.38	3.77	2.5	9.43	0.48	4.83	2.5	12.07	0.39	1.94	2	3.89	Low	10	1.5	15



Site ID	Property Ownership				Potential for Quick Implementation				Existing Drainage Problem/Hotspot				County Maintenance Burden			
	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
DB_544	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DB_546	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DB_547	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DB_550	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DB_552	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DB_554	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DB_555	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DB_557A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DB_557B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DB_559-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DB_560-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DB_564-1&2&3	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DB_566	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DB_567	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DB_568A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DB_568B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DB_569	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0

Site ID	Educational Opportunity				Pollutant Removal - VRRM													
	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit <sup>1</sup>	Size-Adjusted N Removal Credit	Size-Adjusted N Removal Credit <sup>1</sup>	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
DB_544	Residential streets with Sidewalks	5	0.5	2.5	1.64	11.70	Street Bioretention	55%	64%	23%	16%	16%	19%	19%	0.27	2.24	25.95	881
DB_546	Residential streets with Sidewalks	5	0.5	2.5	1.17	8.40	Street Bioretention	55%	64%	31%	24%	24%	28%	28%	0.28	2.35	32.28	687
DB_547	Residential streets with Sidewalks	5	0.5	2.5	0.70	5.02	Street Bioretention	55%	64%	80%	50%	50%	58%	58%	0.35	2.93	24.34	925
DB_550	Residential streets with Sidewalks	5	0.5	2.5	1.42	10.19	Street Bioretention	55%	64%	58%	42%	42%	49%	49%	0.60	4.97	40.49	386
DB_552	Residential streets with Sidewalks	5	0.5	2.5	1.69	12.09	Street Bioretention	55%	64%	28%	22%	22%	26%	26%	0.38	3.15	29.09	801
DB_554	Residential streets with Sidewalks	5	0.5	2.5	2.37	16.98	Street Bioretention	55%	64%	22%	16%	16%	19%	19%	0.39	3.26	30.95	738
DB_555	Residential streets with Sidewalks	5	0.5	2.5	0.86	6.16	Street Bioretention	55%	64%	36%	29%	29%	33%	33%	0.25	2.05	29.91	777
DB_557A	Residential streets with Sidewalks	5	0.5	2.5	0.93	6.65	Street Bioretention	55%	64%	97%	54%	54%	63%	63%	0.50	4.20	37.24	495
DB_557B	Residential streets with Sidewalks	5	0.5	2.5	0.67	4.82	Street Bioretention	55%	64%	44%	34%	34%	39%	39%	0.23	1.90	29.26	796
DB_559-1&2	Residential streets with Sidewalks	5	0.5	2.5	0.96	6.87	Street Bioretention	55%	64%	162%	61%	55%	71%	64%	0.53	4.40	30.05	774
DB_560-1&2	Residential streets with Sidewalks	5	0.5	2.5	2.06	14.76	Street Bioretention	55%	64%	34%	28%	28%	32%	32%	0.57	4.75	50.58	176
DB_564-1&2&3	Residential streets with Sidewalks	5	0.5	2.5	3.95	28.24	Street Bioretention	55%	64%	22%	15%	15%	18%	18%	0.60	5.01	48.67	202
DB_566	Residential streets with Sidewalks	5	0.5	2.5	1.55	11.05	Street Bioretention	55%	64%	34%	28%	28%	32%	32%	0.43	3.56	37.17	497
DB_567	Residential streets with Sidewalks	5	0.5	2.5	0.56	3.97	Street Bioretention	55%	64%	59%	43%	43%	50%	50%	0.24	1.97	28.91	806
DB_568A	Residential streets with Sidewalks	5	0.5	2.5	1.92	13.74	Street Bioretention	55%	64%	55%	41%	41%	48%	48%	0.79	6.56	40.40	389
DB_568B	Residential streets with Sidewalks	5	0.5	2.5	0.53	3.81	Street Bioretention	55%	64%	155%	61%	55%	70%	64%	0.29	2.44	37.50	489
DB_569	Residential streets with Sidewalks	5	0.5	2.5	1.17	8.35	Street Bioretention	55%	64%	40%	32%	32%	38%	38%	0.38	3.14	41.31	361

Site ID	Pollutant Removal - CSN											
	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	Rank
DB_544	1.24	16.31	835.70	0.26	33.8%	0.42	29.0%	4.72	36.2%	302.52	29.70	821
DB_546	0.89	10.99	636.16	0.34	40.7%	0.36	35.0%	3.84	43.7%	277.72	34.27	679
DB_547	0.54	7.35	340.42	0.97	69.4%	0.37	59.3%	4.36	74.4%	253.17	24.81	938
DB_550	1.09	15.11	682.12	0.71	62.3%	0.68	53.3%	8.06	66.7%	455.24	42.50	408
DB_552	1.28	16.25	894.50	0.32	38.9%	0.50	33.4%	5.43	41.7%	373.27	32.12	766
DB_554	1.82	25.87	1,100.80	0.28	35.6%	0.65	30.5%	7.89	38.1%	419.39	37.32	583
DB_555	0.65	8.63	437.40	0.42	46.8%	0.31	40.2%	3.47	50.1%	219.33	31.41	781
DB_557A	0.70	7.69	555.28	0.96	69.1%	0.48	59.0%	4.54	74.0%	410.97	36.67	606
DB_557B	0.50	5.38	411.14	0.42	47.4%	0.24	40.7%	2.19	50.8%	208.87	29.53	830
DB_559-1&2	0.73	9.05	517.29	1.77	77.6%	0.56	66.4%	6.01	83.2%	430.44	30.94	793
DB_560-1&2	1.56	19.24	1,121.07	0.37	43.5%	0.68	37.3%	7.18	46.6%	522.11	53.28	208
DB_564-1&2&3	3.03	44.29	1,767.83	0.29	36.3%	1.10	31.1%	13.79	38.9%	687.38	61.10	109
DB_566	1.17	15.08	806.25	0.39	44.7%	0.52	38.3%	5.78	47.9%	385.81	39.58	506
DB_567	0.42	4.54	334.09	0.58	56.7%	0.24	48.6%	2.21	60.7%	202.94	28.88	850
DB_568A	1.45	18.06	1,036.61	0.60	57.7%	0.84	49.4%	8.92	61.8%	640.53	41.65	432
DB_568B	0.40	4.86	294.21	1.65	77.0%	0.31	65.9%	3.20	82.6%	242.92	37.92	561
DB_569	0.90	13.08	523.89	0.53	53.9%	0.48	46.2%	6.04	57.8%	302.55	43.96	373

Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%IC	%Turf	P (in)	Rv	Water Quality Volume (CF)	Treatment Volume (CF)	Treatment Volume Sum for Projects in Series*	% Water Quality Volume Treated
DB_570	Doctor's Branch	South Four Mile Run Drive Community Garden between South Walter Reed Drive and South George Mason Drive	Bioretention	0.46	63%	37%	1.00	0.68	1145.29	1425.63		1.24
DB_575	Doctor's Branch	13th Street South and South George Mason Drive	Bioretention	1.02	64%	36%	1.00	0.69	2541.40	898.13		0.35
DB_577	Doctor's Branch	South George Mason Drive median at 13th Road South	Bioretention	0.62	62%	38%	1.00	0.67	1516.57	1929.00		1.27
DB_580	Doctor's Branch	South Stafford Street Cul-de-Sac	Permeable Pavement	1.82	36%	64%	1.00	0.49	3207.29	3685.28		1.15
DR_101-1&2	Donaldson Run	Marymount University	Bioswale	1.16	53%	47%	1.00	0.61	2555.53	2388.00	2388.00	0.93
DR_103	Donaldson Run	County Compost Facility	Bioretention	0.66	99%	1%	1.00	0.94	2252.96	2070.00		0.92
DR_104-1&2	Donaldson Run	Missionhurst Congregation of the Immaculate Heart of Mary	Impervious Cover Removal	0.44	100%	0%	1.00	0.95	1165.96	1165.96		1.00
DR_109	Donaldson Run	Wakefield Underground Detention Retrofit	Underground Detention Retrofit	4.86	37%	63%	1.00	0.49	8646.25	N/A		N/A
DR_110A	Donaldson Run	Wakefield Water Tower	Bioretention	0.66	51%	49%	1.00	0.59	1424.07	351.00		0.25
DR_111C	Donaldson Run	Taylor Elementary School	Stormwater Planters	0.43	95%	5%	1.00	0.92	1430.65	1400.00		0.98
DR_114	Donaldson Run	Potomac Overlook Regional Park	Disconnection	0.59	72%	28%	1.00	0.75	1597.38	1597.38		1.00
DR_115	Donaldson Run	North Upshur St. - between 2712 & 2714	Street Bioretention	1.16	49%	51%	1.00	0.58	2447.42	657.00		0.27
DR_117A	Donaldson Run	26th Street North - near 4514	Street Bioretention	0.40	100%	0%	1.00	0.95	1378.87	544.00		0.39
DR_117B	Donaldson Run	27th Street North - near 4514	Bioswale	0.92	39%	61%	1.00	0.51	1691.33	344.00		0.20
DR_118B	Donaldson Run	31st Road North - near 30th Place North	Street Bioretention	3.11	35%	65%	1.00	0.48	5371.51	654.00		0.12
DR_129	Donaldson Run	Donaldson Run Nature Area - 30th Street North and North Military Road	Street Bioretention	1.90	30%	70%	1.00	0.44	3006.05	2685.00		0.89
DR_130	Donaldson Run	Zachary Taylor Nature Area	Dry Swale	1.57	14%	86%	1.00	0.32	1826.45	3883.60		2.13
DR_133-1&2	Donaldson Run	25th Street North and Vacation Lane	Impervious Cover Removal	0.02	100%	0%	1.00	0.95	35.76	35.76		1.00
DR_138	Donaldson Run	4370 24th Street North	Street Bioretention	0.56	43%	57%	1.00	0.53	1085.31	327.75		0.30
DR_141	Donaldson Run	4427 25th Street North	Street Bioretention	0.55	51%	49%	1.00	0.59	1179.08	220.50		0.19
DR_148	Donaldson Run	2756 North Wakefield St.	Street Bioretention	1.97	33%	67%	1.00	0.46	3295.94	385.50		0.12
DR_151A	Donaldson Run	31st Street North, North Thomas Street, and 26th Street North	Street Bioretention	2.20	53%	47%	1.00	0.61	4846.70	568.00		0.12
DR_152	Donaldson Run	31st Street North across from North Stuart Street	Street Bioretention	1.89	22%	78%	1.00	0.38	2622.84	713.00		0.27
FB_192A	Fairlington-Bradlee	Fairlington Mews - #4686 36th Street South	Disconnection with Compost Amendments	0.93	16%	84%	1.00	0.34	1137.00	1137.00		1.00
FB_192B	Fairlington-Bradlee	Fairlington Mews - South Wakefield Street and 34th Street South	Bioretention	0.62	24%	76%	1.00	0.40	889.44	639.70		0.72
FB_193A	Fairlington-Bradlee	4210 32nd Street, South	Bioretention	0.93	50%	50%	1.00	0.59	1974.90	1263.60		0.64

Site ID	Phosphorus Removal - VRRM				Phosphorus Removal - CSN				Impervious Area Acreage				Potential Utility or Site Constraints			
	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
DB_570	0.40	3.96	2.5	9.89	0.41	4.06	2.5	10.15	0.29	1.46	2	2.93	Medium	5	1.5	7.5
DB_575	0.46	4.58	2.5	11.44	0.53	5.33	2.5	13.31	0.65	3.26	2	6.52	Low	10	1.5	15
DB_577	0.52	5.24	2.5	13.10	0.54	5.41	2.5	13.52	0.38	1.92	2	3.85	Medium	5	1.5	7.5
DB_580	1.18	11.84	2.5	29.60	1.18	11.80	2.5	29.49	0.66	3.31	2	6.62	High	0	1.5	0
DR_101-1&2	0.63	6.34	2.5	15.84	0.87	8.68	2.5	21.69	0.61	3.07	2	6.15	Low	10	1.5	15
DR_103	0.75	7.51	2.5	18.77	0.71	7.11	2.5	17.77	0.65	3.26	2	6.51	Low	10	1.5	15
DR_104-1&2	0.73	7.34	2.5	18.35	0.45	4.48	2.5	11.19	0.44	2.20	2	4.40	Low	10	1.5	15
DR_109	0.00	0.00	2.5	0.00	0.00	0.00	2.5	0.00	1.80	8.99	2	17.98	Low	10	1.5	15
DR_110A	0.16	1.63	2.5	4.06	0.25	2.45	2.5	6.14	0.34	1.69	2	3.39	Medium	5	1.5	7.5
DR_111C	0.49	4.90	2.5	12.24	0.46	4.62	2.5	11.55	0.41	2.05	2	4.10	Low	10	1.5	15
DR_114	0.25	2.51	2.5	6.27	0.53	5.34	2.5	13.34	0.43	2.13	2	4.25	Low	10	1.5	15
DR_115	0.31	3.13	2.5	7.82	0.45	4.54	2.5	11.35	0.57	2.87	2	5.74	Medium	5	1.5	7.5
DR_117A	0.27	2.74	2.5	6.86	0.28	2.83	2.5	7.09	0.40	2.00	2	4.00	Medium	5	1.5	7.5
DR_117B	0.11	1.11	2.5	2.78	0.28	2.75	2.5	6.89	0.36	1.81	2	3.61	Medium	5	1.5	7.5
DR_118B	0.11	1.09	2.5	2.73	0.60	5.99	2.5	14.98	1.09	5.45	2	10.90	High	0	1.5	0
DR_129	0.99	9.95	2.5	24.87	1.09	10.85	2.5	27.14	0.56	2.81	2	5.62	High	0	1.5	0
DR_130	0.60	5.97	2.5	14.92	0.77	7.69	2.5	19.24	0.22	1.08	2	2.16	Medium	5	1.5	7.5
DR_133-1&2	0.03	0.25	2.5	0.63	0.01	0.15	2.5	0.36	0.02	0.08	2	0.15	Medium	5	1.5	7.5
DR_138	0.16	1.64	2.5	4.10	0.23	2.28	2.5	5.70	0.24	1.20	2	2.41	High	0	1.5	0
DR_141	0.09	0.88	2.5	2.21	0.16	1.64	2.5	4.11	0.28	1.40	2	2.79	Medium	5	1.5	7.5
DR_148	0.04	0.37	2.5	0.93	0.36	3.65	2.5	9.11	0.65	3.25	2	6.50	Low	10	1.5	15
DR_151A	0.05	0.55	2.5	1.37	0.44	4.44	2.5	11.09	1.17	5.83	2	11.66	Medium	5	1.5	7.5
DR_152	0.35	3.51	2.5	8.77	0.65	6.45	2.5	16.13	0.42	2.10	2	4.20	Medium	5	1.5	7.5
FB_192A	0.36	3.57	2.5	8.93	0.44	4.40	2.5	10.99	0.15	0.74	2	1.49	Low	10	1.5	15
FB_192B	0.26	2.64	2.5	6.60	0.32	3.16	2.5	7.91	0.15	0.74	2	1.49	Medium	5	1.5	7.5
FB_193A	0.55	5.49	2.5	13.73	0.60	5.99	2.5	14.98	0.47	2.33	2	4.65	Medium	5	1.5	7.5

Site ID	Property Ownership				Potential for Quick Implementation				Existing Drainage Problem/Hotspot				County Maintenance Burden			
	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
DB_570	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
DB_575	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
DB_577	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
DB_580	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DR_101-1&2	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
DR_103	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
DR_104-1&2	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
DR_109	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DR_110A	Public	10	1.5	15	Yes	10	1	10	Yes	10	0.5	5	Medium	5	0.5	2.5
DR_111C	School	4	1.5	6	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
DR_114	Public*	4	1.5	6	Yes	10	1	10	No	0	0.5	0	Low	10	0.5	5
DR_115	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DR_117A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DR_117B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DR_118B	Street ROW	7	1.5	10.5	No	0	1	0	Yes	10	0.5	5	High	0	0.5	0
DR_129	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DR_130	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DR_133-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
DR_138	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DR_141	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DR_148	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DR_151A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DR_152	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FB_192A	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
FB_192B	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FB_193A	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5

Site ID	Educational Opportunity				Pollutant Removal - VRRM													
	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit <sup>1</sup>	Size-Adjusted N Removal Credit	Size-Adjusted N Removal Credit <sup>1</sup>	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
DB_570	Community Garden	8	0.5	4	0.72	5.15	Bioretention	55%	64%	124%	59%	55%	68%	64%	0.40	3.29	41.82	348
DB_575	Residential streets with Sidewalks	5	0.5	2.5	1.60	11.42	Bioretention	55%	64%	35%	29%	29%	33%	33%	0.46	3.81	37.95	470
DB_577	Residential streets with Sidewalks	5	0.5	2.5	0.95	6.82	Bioretention	55%	64%	127%	59%	55%	68%	64%	0.52	4.36	39.95	404
DB_580	Permeable pavement only	0	0.5	0	2.02	14.42	Permeable Pavement	59%	59%	115%	61%	59%	61%	59%	1.18	8.47	46.72	238
DR_101-1&2	School	5	0.5	2.5	1.61	11.49	Bioswale	41%	44%	93%	39%	39%	43%	43%	0.63	4.93	41.99	339
DR_103	Mulch facility	5	0.5	2.5	1.42	10.13	Bioretention	55%	64%	92%	53%	53%	62%	62%	0.75	6.25	70.28	35
DR_104-1&2	Church	5	0.5	2.5	0.95	6.82	Impervious Cover Removal	77%	77%	100%	77%	77%	77%	77%	0.73	5.25	45.25	274
DR_109	Private - Residential	0	0.5	0	5.43	38.86	Underground Detention Retrofit	15%	0%	0%	0%	0%	0%	0%	0.00	0.00	32.98	660
DR_110A	Salt storage facility	5	0.5	2.5	0.89	6.40	Bioretention	55%	64%	25%	18%	18%	21%	21%	0.16	1.35	49.95	186
DR_111C	School	10	0.5	5	0.90	6.43	Stormwater Planters	55%	64%	98%	54%	54%	63%	63%	0.49	4.08	47.34	226
DR_114	Park	8	0.5	4	1.00	7.18	Disconnection	25%	25%	100%	25%	25%	25%	25%	0.25	1.79	50.52	178
DR_115	Street w/ sidewalks	5	0.5	2.5	1.54	11.00	Street Bioretention	55%	64%	27%	20%	20%	24%	24%	0.31	2.60	34.06	617
DR_117A	Street w/o sidewalks	0	0.5	0	0.87	6.20	Street Bioretention	55%	64%	39%	32%	32%	37%	37%	0.27	2.28	28.86	808
DR_117B	Street w/ sidewalks	5	0.5	2.5	1.06	7.60	Bioswale	41%	44%	20%	10%	10%	11%	11%	0.11	0.86	26.89	859
DR_118B	Street w/ sidewalks	5	0.5	2.5	3.37	24.14	Street Bioretention	55%	64%	12%	3%	3%	4%	4%	0.11	0.91	31.63	717
DR_129	Near park	8	0.5	4	1.89	13.51	Street Bioretention	55%	64%	89%	53%	53%	61%	61%	0.99	8.28	44.99	276
DR_130	Arterial Rd.	0	0.5	0	1.15	8.21	Dry Swale	52%	55%	213%	59%	52%	63%	55%	0.60	4.52	35.08	580
DR_133-1&2	Street w/ sidewalks	5	0.5	2.5	0.03	0.23	Impervious Cover Removal	77%	77%	100%	77%	77%	77%	77%	0.03	0.18	26.28	874
DR_138	Street w/ sidewalks	5	0.5	2.5	0.68	4.88	Street Bioretention	55%	64%	30%	24%	24%	28%	28%	0.16	1.37	19.51	995
DR_141	Street w/o sidewalks	0	0.5	0	0.74	5.30	Street Bioretention	55%	64%	19%	12%	12%	14%	14%	0.09	0.74	23.00	955
DR_148	Street w/ sidewalks	5	0.5	2.5	2.07	14.81	Street Bioretention	55%	64%	12%	2%	2%	2%	2%	0.04	0.31	35.44	563
DR_151A	Street w/ sidewalks	5	0.5	2.5	3.05	21.78	Street Bioretention	55%	64%	12%	2%	2%	2%	2%	0.05	0.46	33.53	641
DR_152	Street w/ sidewalks	5	0.5	2.5	1.65	11.79	Street Bioretention	55%	64%	27%	21%	21%	25%	25%	0.35	2.92	33.47	645
FB_192A	Private backyards	0	0.5	0	0.71	5.11	Disconnection with Compost Amendments	50%	50%	100%	50%	50%	50%	50%	0.36	2.56	30.42	764
FB_192B	Private backyards	0	0.5	0	0.56	4.00	Bioretention	55%	64%	72%	47%	47%	55%	55%	0.26	2.20	18.09	1006
FB_193A	Residential streets with Sidewalks	5	0.5	2.5	1.24	8.88	Bioretention	55%	64%	64%	44%	44%	52%	52%	0.55	4.57	30.88	742

Site ID	Pollutant Removal - CSN											
	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	Rank
DB_570	0.54	6.65	394.44	1.34	74.7%	0.41	63.8%	4.24	80.0%	315.69	42.08	423
DB_575	1.21	14.70	877.92	0.38	44.1%	0.53	37.9%	5.57	47.3%	415.07	39.83	498
DB_577	0.72	8.88	518.10	1.38	75.0%	0.54	64.2%	5.70	80.5%	416.83	40.37	479
DB_580	1.55	22.81	891.93	1.53	76.3%	1.18	65.2%	14.88	81.8%	729.37	46.61	321
DR_101-1&2	1.22	15.86	828.21	1.07	71.2%	0.87	60.8%	9.64	76.3%	631.58	47.84	295
DR_103	1.06	11.07	877.38	0.88	67.2%	0.71	57.4%	6.36	72.0%	631.38	69.29	59
DR_104-1&2	0.71	7.42	592.73	0.73	62.8%	0.45	53.8%	3.99	67.3%	399.00	38.09	555
DR_109	4.17	61.15	2,422.39	0.00	0.0%	0.00	0.0%	0.00	0.0%	0.00	32.98	728
DR_110A	0.68	8.94	456.00	0.29	36.1%	0.25	31.0%	2.77	38.7%	176.29	52.02	228
DR_111C	0.67	7.12	552.72	0.94	68.7%	0.46	58.7%	4.18	73.6%	406.73	46.65	318
DR_114	0.76	8.83	572.53	1.04	70.6%	0.53	60.3%	5.32	75.6%	432.92	57.59	145
DR_115	1.17	15.58	773.25	0.32	38.8%	0.45	33.3%	5.19	41.6%	321.46	37.59	572
DR_117A	0.65	6.74	538.58	0.37	43.8%	0.28	37.6%	2.53	46.9%	252.49	29.08	843
DR_117B	0.81	11.72	486.31	0.26	33.8%	0.28	29.0%	3.40	36.3%	176.31	31.00	789
DR_118B	2.59	38.72	1,468.09	0.17	23.1%	0.60	19.7%	7.63	24.8%	363.40	43.88	374
DR_129	1.46	22.95	756.81	1.32	74.4%	1.09	63.6%	14.60	79.8%	603.67	47.25	308
DR_130	0.91	17.28	291.11	4.95	85.0%	0.77	70.0%	12.09	85.0%	247.45	39.40	516
DR_133-1&2	0.02	0.25	20.21	0.66	60.0%	0.01	51.4%	0.13	64.3%	13.00	26.01	915
DR_138	0.52	7.27	324.39	0.37	43.8%	0.23	37.6%	2.73	46.9%	152.10	21.11	991
DR_141	0.56	7.43	376.12	0.22	29.1%	0.16	25.0%	1.86	31.2%	117.45	24.90	935
DR_148	1.59	24.25	875.76	0.16	22.9%	0.36	19.5%	4.73	24.5%	214.52	43.62	388
DR_151A	2.31	30.07	1,570.74	0.13	19.2%	0.44	16.3%	4.90	20.5%	322.74	43.25	397
DR_152	1.28	21.89	566.06	0.47	50.3%	0.65	43.1%	9.44	53.9%	304.92	40.83	462
FB_192A	0.56	10.38	200.45	2.11	78.3%	0.44	67.0%	6.95	84.1%	168.63	32.48	748
FB_192B	0.43	7.25	200.45	1.18	72.9%	0.32	62.3%	4.52	78.1%	156.53	19.40	1003
FB_193A	0.94	12.52	626.41	0.75	63.5%	0.60	54.3%	6.80	68.0%	425.94	32.13	765



Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%C	%Turf	P (in)	Rv	Water Quality Volume (CF)	Treatment Volume (CF)	Treatment Volume Sum for Projects in Series*	% Water Quality Volume Treated
FB_193F	Fairlington-Bradlee	4470 36th Street, South	Street Bioretention	3.07	44%	56%	1.00	0.54	6031.19	1736.40		0.29
FB_193G	Fairlington-Bradlee	4421 36th Street, South	Street Bioretention	0.46	77%	23%	1.00	0.78	1305.95	2766.00		2.12
FB_193H	Fairlington-Bradlee	4470 36th Street, South	Street Bioretention	0.37	78%	22%	1.00	0.79	1060.24	1606.80		1.52
FB_193I	Fairlington-Bradlee	3371 34th Street, South	Bioretention	1.11	46%	54%	1.00	0.56	2239.48	1053.00		0.47
FB_193M	Fairlington-Bradlee	Fairlington Arbor - #3522 South Utah Street	Dry Swale	0.89	27%	73%	1.00	0.42	1347.52	1147.95		0.85
FB_195	Fairlington-Bradlee	3191 South Utah Street	Bioretention	0.98	15%	85%	1.00	0.33	1172.16	2242.20		1.91
FB_663A-1&2	Fairlington-Bradlee	31st Street South and South Buchanan Street	Street Bioretention	2.24	70%	30%	1.00	0.73	5956.25	3003.00	3003.00	0.50
FB_663B	Fairlington-Bradlee	31st Street South and South Buchanan Street	Street Bioretention	0.82	62%	38%	1.00	0.67	1982.74	509.20		0.26
FB_663C	Fairlington-Bradlee	31st Street South and South Buchanan Street	Street Bioretention	0.45	59%	41%	1.00	0.65	1049.80	1214.00		1.16
FB_666B	Fairlington-Bradlee	4202 31st Street South	Street Bioretention	0.33	41%	59%	1.00	0.52	611.74	704.00		1.15
FB_666C	Fairlington-Bradlee	South Randolph Street and 31st Street South	Street Bioretention	0.37	59%	41%	1.00	0.65	876.36	1002.00		1.14
FB_667	Fairlington-Bradlee	3191 Utah Street, South	Street Bioretention	1.87	7%	93%	1.00	0.27	1840.25	2956.00		1.61
FB_668A	Fairlington-Bradlee	4236 32nd Street, South	Street Bioretention	2.54	50%	50%	1.00	0.59	5393.82	5396.00		1.00
FB_673	Fairlington-Bradlee	3362 Utah Street	Street Bioretention	0.84	42%	58%	1.00	0.53	1605.71	945.60		0.59
FB_674	Fairlington-Bradlee	3242 Utah Street, South	Street Bioretention	0.71	59%	41%	1.00	0.65	1677.05	946.00		0.56
FB_675	Fairlington-Bradlee	3349 Wakefield Street, South	Street Bioretention	0.47	50%	50%	1.00	0.59	998.07	1974.00		1.98
FB_676	Fairlington-Bradlee	3300A Wakefield Street, South	Street Bioretention	2.20	28%	72%	1.00	0.42	3389.26	2189.20		0.65
FB_678A	Fairlington-Bradlee	4513 34th Street, South	Street Bioretention	0.48	67%	33%	1.00	0.71	1235.54	1779.00		1.44
FB_678B	Fairlington-Bradlee	4513 34th Street, South	Street Bioretention	0.65	60%	40%	1.00	0.66	1552.55	1422.60		0.92

Site ID	Phosphorus Removal - VRRM				Phosphorus Removal - CSN				Impervious Area Acreage				Potential Utility or Site Constraints			
	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
FB_193F	0.85	8.48	2.5	21.19	1.22	12.18	2.5	30.45	1.35	6.75	2	13.51	High	0	1.5	0
FB_193G	0.45	4.51	2.5	11.28	0.48	4.84	2.5	12.09	0.35	1.77	2	3.54	High	0	1.5	0
FB_193H	0.37	3.66	2.5	9.16	0.38	3.82	2.5	9.55	0.29	1.44	2	2.89	High	0	1.5	0
FB_193I	0.51	5.09	2.5	12.73	0.60	6.01	2.5	15.02	0.51	2.55	2	5.11	Medium	5	1.5	7.5
FB_193M	0.41	4.13	2.5	10.32	0.49	4.88	2.5	12.20	0.24	1.20	2	2.40	Medium	5	1.5	7.5
FB_195	0.41	4.05	2.5	10.13	0.49	4.93	2.5	12.32	0.15	0.74	2	1.47	Low	10	1.5	15
FB_663A-1&2	1.42	14.22	2.5	35.54	1.52	15.16	2.5	37.90	1.57	7.87	2	15.73	Medium	5	1.5	7.5
FB_663B	0.24	2.41	2.5	6.04	0.33	3.34	2.5	8.35	0.50	2.51	2	5.03	Medium	5	1.5	7.5
FB_663C	0.36	3.63	2.5	9.07	0.37	3.70	2.5	9.24	0.26	1.31	2	2.62	Medium	5	1.5	7.5
FB_666B	0.21	2.11	2.5	5.28	0.22	2.23	2.5	5.57	0.13	0.66	2	1.33	Medium	5	1.5	7.5
FB_666C	0.30	3.03	2.5	7.57	0.31	3.08	2.5	7.70	0.22	1.09	2	2.19	Medium	5	1.5	7.5
FB_667	0.64	6.36	2.5	15.90	0.79	7.86	2.5	19.66	0.13	0.65	2	1.31	Medium	5	1.5	7.5
FB_668A	1.86	18.64	2.5	46.60	1.87	18.73	2.5	46.84	1.27	6.35	2	12.70	High	0	1.5	0
FB_673	0.43	4.27	2.5	10.69	0.49	4.87	2.5	12.17	0.35	1.76	2	3.53	High	0	1.5	0
FB_674	0.44	4.37	2.5	10.92	0.47	4.67	2.5	11.68	0.42	2.09	2	4.19	High	0	1.5	0
FB_675	0.34	3.45	2.5	8.62	0.37	3.74	2.5	9.36	0.24	1.18	2	2.35	Medium	5	1.5	7.5
FB_676	0.95	9.54	2.5	23.85	1.14	11.45	2.5	28.62	0.62	3.08	2	6.16	Medium	5	1.5	7.5
FB_678A	0.43	4.27	2.5	10.67	0.45	4.46	2.5	11.16	0.32	1.61	2	3.22	Medium	5	1.5	7.5
FB_678B	0.52	5.17	2.5	12.94	0.52	5.17	2.5	12.92	0.39	1.95	2	3.90	High	0	1.5	0

Site ID	Property Ownership				Potential for Quick Implementation				Existing Drainage Problem/Hotspot				County Maintenance Burden			
	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
FB_193F	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FB_193G	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FB_193H	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FB_193I	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FB_193M	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FB_195	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
FB_663A-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FB_663B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FB_663C	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FB_666B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FB_666C	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FB_667	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FB_668A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FB_673	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FB_674	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FB_675	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FB_676	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FB_678A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FB_678B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0

Site ID	Educational Opportunity				Pollutant Removal - VRRM													
	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit <sup>1</sup>	Size-Adjusted N Removal Credit	Size-Adjusted N Removal Credit <sup>1</sup>	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
FB_193F	Residential streets with Sidewalks	5	0.5	2.5	3.79	27.11	Street Bioretention	55%	64%	29%	22%	22%	26%	26%	0.85	7.06	47.70	221
FB_193G	Residential streets with Sidewalks	5	0.5	2.5	0.82	5.87	Street Bioretention	55%	64%	212%	63%	55%	73%	64%	0.45	3.76	27.82	835
FB_193H	Residential streets with Sidewalks	5	0.5	2.5	0.67	4.77	Street Bioretention	55%	64%	152%	60%	55%	70%	64%	0.37	3.05	25.05	911
FB_193I	Residential streets with Sidewalks	5	0.5	2.5	1.41	10.07	Bioretention	55%	64%	47%	36%	36%	42%	42%	0.51	4.24	30.33	766
FB_193M	Backyards, adjacent to walking path	5	0.5	2.5	0.85	6.06	Dry Swale	52%	55%	85%	49%	49%	52%	52%	0.41	3.12	25.23	906
FB_195	Park	8	0.5	4	0.74	5.27	Bioretention	55%	64%	191%	62%	55%	72%	64%	0.41	3.37	58.10	91
FB_663A-1&2	Residential streets with sidewalks	5	0.5	2.5	3.74	26.77	Street Bioretention	55%	64%	50%	38%	38%	44%	44%	1.42	11.83	71.77	33
FB_663B	Residential streets with Sidewalks	5	0.5	2.5	1.25	8.91	Street Bioretention	55%	64%	26%	19%	19%	23%	23%	0.24	2.01	31.56	719
FB_663C	Residential streets with Sidewalks	5	0.5	2.5	0.66	4.72	Street Bioretention	55%	64%	116%	57%	55%	67%	64%	0.36	3.02	32.18	689
FB_666B	Arterial Street with parking	5	0.5	2.5	0.38	2.75	Street Bioretention	55%	64%	115%	57%	55%	67%	64%	0.21	1.76	27.11	852
FB_666C	Arterial Street with parking	5	0.5	2.5	0.55	3.94	Street Bioretention	55%	64%	114%	57%	55%	67%	64%	0.30	2.52	30.26	770
FB_667	Residential streets with Sidewalks	5	0.5	2.5	1.16	8.27	Street Bioretention	55%	64%	161%	61%	55%	71%	64%	0.64	5.29	37.71	483
FB_668A	Residential streets with Sidewalks	5	0.5	2.5	3.39	24.24	Street Bioretention	55%	64%	100%	55%	55%	64%	64%	1.86	15.52	72.30	32
FB_673	Residential streets with Sidewalks	5	0.5	2.5	1.01	7.22	Street Bioretention	55%	64%	59%	42%	42%	49%	49%	0.43	3.56	27.21	846
FB_674	Residential streets with Sidewalks	5	0.5	2.5	1.05	7.54	Street Bioretention	55%	64%	56%	41%	41%	48%	48%	0.44	3.63	28.10	827
FB_675	Residential streets with Sidewalks	5	0.5	2.5	0.63	4.49	Street Bioretention	55%	64%	198%	62%	55%	72%	64%	0.34	2.87	31.47	723
FB_676	Residential streets with Sidewalks	5	0.5	2.5	2.13	15.23	Street Bioretention	55%	64%	65%	45%	45%	52%	52%	0.95	7.94	50.51	179
FB_678A	Residential streets with Sidewalks	5	0.5	2.5	0.78	5.55	Street Bioretention	55%	64%	144%	60%	55%	70%	64%	0.43	3.55	34.39	606
FB_678B	Residential streets with Sidewalks	5	0.5	2.5	0.98	6.98	Street Bioretention	55%	64%	92%	53%	53%	62%	62%	0.52	4.31	29.84	780

Site ID	Pollutant Removal - CSN											
	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	Rank
FB_193F	2.89	40.09	1,819.69	0.35	42.1%	1.22	36.1%	14.49	45.1%	820.87	56.96	153
FB_193G	0.62	7.04	477.15	2.15	78.3%	0.48	67.0%	4.72	84.2%	401.71	28.63	854
FB_193H	0.50	5.69	388.78	1.53	76.3%	0.38	65.2%	3.71	81.8%	317.93	25.44	925
FB_193I	1.07	14.64	687.84	0.57	56.0%	0.60	48.0%	7.03	60.0%	412.61	32.62	742
FB_193M	0.66	10.59	323.71	1.32	74.4%	0.49	63.6%	6.74	79.8%	258.19	27.10	890
FB_195	0.58	10.87	198.03	4.20	85.0%	0.49	70.0%	7.61	85.0%	168.32	60.29	119
FB_663A-1&2	2.82	33.22	2,119.56	0.53	53.7%	1.52	46.1%	15.31	57.6%	1,220.49	74.14	42
FB_663B	0.94	11.62	677.06	0.28	35.5%	0.33	30.4%	3.53	38.0%	257.22	33.88	695
FB_663C	0.50	6.28	352.27	1.28	74.0%	0.37	63.3%	3.97	79.3%	279.45	32.36	752
FB_666B	0.29	4.18	178.76	1.46	75.7%	0.22	64.8%	2.71	81.2%	145.14	27.39	884
FB_666C	0.42	5.23	294.48	1.26	73.8%	0.31	63.1%	3.30	79.1%	233.03	30.38	802
FB_667	0.93	19.72	176.34	6.22	85.0%	0.79	70.0%	13.80	85.0%	149.89	41.47	438
FB_668A	2.58	34.20	1,710.84	1.17	72.7%	1.87	62.1%	21.24	77.9%	1,332.54	72.54	45
FB_673	0.77	10.85	475.26	0.74	63.1%	0.49	54.0%	5.86	67.6%	321.40	28.70	853
FB_674	0.80	9.99	564.31	0.62	58.6%	0.47	50.2%	5.01	62.7%	354.03	28.87	851
FB_675	0.48	6.33	316.57	2.31	78.5%	0.37	67.2%	4.25	84.4%	267.18	32.21	761
FB_676	1.65	26.34	829.83	0.98	69.5%	1.14	59.4%	15.64	74.5%	617.94	55.28	173
FB_678A	0.59	7.02	433.23	1.52	76.2%	0.45	65.2%	4.57	81.7%	353.96	34.88	663
FB_678B	0.74	9.19	525.38	1.00	70.0%	0.52	59.8%	5.50	75.0%	394.09	29.82	817

Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%C	%Turf	P (in)	Rv	Water Quality Volume (CF)	Treatment Volume (CF)	Treatment Volume Sum for Projects in Series*	% Water Quality Volume Treated
FB_679	Fairlington-Bradlee	4400 34th Street, South	Street Bioretention	0.76	61%	39%	1.00	0.67	1835.43	1887.00		1.03
FB_682A	Fairlington-Bradlee	Fairlington Mews - #3408 South Wakefield Street	Street Bioretention	0.86	66%	34%	1.00	0.70	2190.88	1147.60		0.52
FB_682B	Fairlington-Bradlee	Fairlington Arbor - #3497 South Wakefield Street	Street Bioretention	1.96	56%	44%	1.00	0.63	4473.79	2122.00		0.47
FB_682C	Fairlington-Bradlee	Fairlington Arbor - #3407 South Wakefield Street	Street Bioretention	0.69	52%	48%	1.00	0.60	1501.82	1069.20		0.71
FB_683	Fairlington-Bradlee	#4632A 36th Street South	Street Bioretention	0.98	65%	35%	1.00	0.69	2470.61	2741.70		1.11
FB_685	Fairlington-Bradlee	Fairlington Mews - #4667 A/B 36th Street South	Street Bioretention	1.27	55%	45%	1.00	0.62	2865.18	1551.60		0.54
FB_690	Fairlington-Bradlee	34479 South Stafford St	Street Bioretention	0.76	25%	75%	1.00	0.40	1110.42	786.00		0.71
FB_692	Fairlington-Bradlee	#1667 North Quaker Lane	Street Bioretention	1.59	43%	57%	1.00	0.53	3081.51	1314.00		0.43
FMR1_103	Four Mile Run Mainstem 1	Charles A. Stewart Park - 2400 North Underwood Street	Dry Swale	1.14	47%	53%	1.00	0.56	2330.22	2428.00		1.04
FMR1_105A	Four Mile Run Mainstem 1	Falls Station Townhomes on Fairfax Drive - between Little Falls Road and Lee Highway	Filtering Practice	3.70	68%	32%	1.00	0.72	9621.97	4500.00		0.62
FMR1_105B	Four Mile Run Mainstem 1	L.E. Auto #6970 North Fairfax Drive	Street Bioretention	0.31	90%	10%	1.00	0.88	986.89	390.00		0.40
FMR1_105C	Four Mile Run Mainstem 1	Falls Station Townhomes on Little Falls Road	Bioretention	0.35	60%	40%	1.00	0.66	835.99	376.72		0.45
FMR1_106	Four Mile Run Mainstem 1	Washington and Old Dominion bike path	Dry Swale	1.72	35%	65%	1.00	0.48	2968.83	28844.40		9.72
FMR1_107A	Four Mile Run Mainstem 1	Falls Church Fire Station #6 - Lee Highway	Permeable Pavement	0.62	55%	45%	1.00	0.62	1398.75	3310.40		2.37
FMR1_107B	Four Mile Run Mainstem 1	Falls Church Fire Station #6 - Lee Highway	Rainwater Harvesting (cistern)	0.05	100%	0%	1.00	0.95	172.43	334.20		1.94
FMR1_108	Four Mile Run Mainstem 1	Suburban Animal Hospital - #6879 Lee Highway	Filtering Practice	0.32	84%	16%	1.00	0.83	967.85	700.00		0.96
FMR1_110	Four Mile Run Mainstem 1	Fairfax Drive and Lee Highway - property adjacent to Econolodge	Permeable Pavement	0.47	89%	11%	1.00	0.87	1483.80	2940.00		1.98
FMR1_112	Four Mile Run Mainstem 1	Suntrust Bank - 6711 Lee Highway	Street Bioretention	1.06	85%	15%	1.00	0.84	3234.08	3204.81		0.99
FMR1_113	Four Mile Run Mainstem 1	Exxon Gas Station - Lee Highway and Washington Boulevard	Filtering Practice	0.53	96%	4%	1.00	0.92	1771.53	1200.00		0.90
FMR1_116A	Four Mile Run Mainstem 1	East Falls Church Park - north	Bioretention	2.18	33%	67%	1.00	0.46	3647.29	1609.20		0.44
FMR1_116B	Four Mile Run Mainstem 1	East Falls Church Park - south	Sheetflow to Conservation Area	1.12	5%	95%	1.00	0.26	1042.83	1042.83		1.00
FMR1_117	Four Mile Run Mainstem 1	Benjamin Banneker Dog Exercise Area	Bioretention	0.50	57%	43%	1.00	0.64	1154.52	1196.95		1.04
FMR1_118A	Four Mile Run Mainstem 1	Madison Manor Park: 12th Road North and North Quantico Street	Disconnection with Compost Amendments	0.31	34%	66%	1.00	0.47	526.87	526.87		1.00
FMR1_118B	Four Mile Run Mainstem 1	Madison Manor Park: North Powhatan Street and Foot trail	Bioretention	1.86	11%	89%	1.00	0.30	2027.57	2403.00		1.19
FMR1_119A	Four Mile Run Mainstem 1	McKinley Elementary School, 1310 NORTH MCKINLEY ROAD	Disconnection with Compost Amendments	0.18	16%	84%	1.00	0.34	220.07	4008.85		18.22

Site ID	Phosphorus Removal - VRRM				Phosphorus Removal - CSN				Impervious Area Acreage				Potential Utility or Site Constraints			
	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
FB_679	0.63	6.34	2.5	15.86	0.63	6.28	2.5	15.70	0.46	2.32	2	4.64	High	0	1.5	0
FB_682A	0.54	5.39	2.5	13.48	0.58	5.76	2.5	14.40	0.57	2.84	2	5.68	Medium	5	1.5	7.5
FB_682B	1.02	10.17	2.5	25.43	1.15	11.54	2.5	28.84	1.10	5.49	2	10.98	Medium	5	1.5	7.5
FB_682C	0.45	4.46	2.5	11.15	0.47	4.71	2.5	11.78	0.36	1.79	2	3.59	Medium	5	1.5	7.5
FB_683	0.85	8.54	2.5	21.34	0.85	8.54	2.5	21.36	0.64	3.19	2	6.37	Medium	5	1.5	7.5
FB_685	0.73	7.27	2.5	18.19	0.79	7.93	2.5	19.84	0.70	3.49	2	6.99	Medium	5	1.5	7.5
FB_690	0.33	3.28	2.5	8.19	0.39	3.91	2.5	9.78	0.19	0.95	2	1.90	High	0	1.5	0
FB_692	0.65	6.47	2.5	16.19	0.80	7.98	2.5	19.95	0.68	3.42	2	6.84	Medium	5	1.5	7.5
FMR1_103	0.76	7.61	2.5	19.03	0.82	8.22	2.5	20.54	0.54	2.68	2	5.36	Medium	5	1.5	7.5
FMR1_105A	2.90	29.01	2.5	72.53	2.36	23.64	2.5	59.11	2.52	12.58	2	25.16	Low	10	1.5	15
FMR1_105B	0.20	1.96	2.5	4.91	0.21	2.07	2.5	5.17	0.28	1.40	2	2.79	Medium	5	1.5	7.5
FMR1_105C	0.18	1.84	2.5	4.60	0.21	2.06	2.5	5.16	0.21	1.05	2	2.10	Low	10	1.5	15
FMR1_106	0.97	9.70	2.5	24.25	1.22	12.19	2.5	30.46	0.60	3.01	2	6.02	Medium	5	1.5	7.5
FMR1_107A	0.52	5.16	2.5	12.91	0.53	5.33	2.5	13.32	0.34	1.71	2	3.41	Low	10	1.5	15
FMR1_107B	0.04	0.43	2.5	1.08	0.06	0.63	2.5	1.58	0.05	0.25	2	0.50	Low	10	1.5	15
FMR1_108	0.36	3.60	2.5	9.00	0.28	2.85	2.5	7.12	0.27	1.34	2	2.69	Low	10	1.5	15
FMR1_110	0.55	5.48	2.5	13.69	0.55	5.45	2.5	13.64	0.42	2.09	2	4.18	High	0	1.5	0
FMR1_112	1.11	11.12	2.5	27.80	1.06	10.60	2.5	26.50	0.90	4.51	2	9.01	Low	10	1.5	15
FMR1_113	0.64	6.41	2.5	16.04	0.50	4.98	2.5	12.44	0.51	2.54	2	5.09	Medium	5	1.5	7.5
FMR1_116A	0.79	7.91	2.5	19.77	1.03	10.28	2.5	25.71	0.72	3.60	2	7.19	Medium	5	1.5	7.5
FMR1_116B	0.33	3.28	2.5	8.19	0.45	4.48	2.5	11.20	0.06	0.28	2	0.56	Low	10	1.5	15
FMR1_117	0.40	3.99	2.5	9.97	0.40	3.99	2.5	9.96	0.29	1.43	2	2.85	Low	10	1.5	15
FMR1_118A	0.17	1.66	2.5	4.14	0.19	1.91	2.5	4.77	0.11	0.53	2	1.05	Low	10	1.5	15
FMR1_118B	0.70	7.01	2.5	17.52	0.86	8.59	2.5	21.47	0.20	1.02	2	2.05	Medium	5	1.5	7.5
FMR1_119A	0.07	0.69	2.5	1.73	0.09	0.92	2.5	2.31	0.03	0.14	2	0.29	Low	10	1.5	15

Site ID	Property Ownership				Potential for Quick Implementation				Existing Drainage Problem/Hotspot				County Maintenance Burden			
	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
FB_679	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FB_682A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FB_682B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FB_682C	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FB_683	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FB_685	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FB_690	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FB_692	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_103	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
FMR1_105A	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FMR1_105B	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_105C	Private	0	1.5	0	No	0	1	0	Yes	10	0.5	5	Medium	5	0.5	2.5
FMR1_106	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
FMR1_107A	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_107B	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FMR1_108	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FMR1_110	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_112	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_113	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FMR1_116A	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
FMR1_116B	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Low	10	0.5	5
FMR1_117	Public	10	1.5	15	Yes	10	1	10	Yes	10	0.5	5	Medium	5	0.5	2.5
FMR1_118A	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Low	10	0.5	5
FMR1_118B	Public	10	1.5	15	Yes	10	1	10	Yes	10	0.5	5	Medium	5	0.5	2.5
FMR1_119A	Public	10	1.5	15	Yes	10	1	10	Yes	10	0.5	5	Medium	5	0.5	2.5



Site ID	Educational Opportunity				Pollutant Removal - VRRM													
	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit <sup>1</sup>	Size-Adjusted N Removal Credit	Size-Adjusted N Removal Credit <sup>1</sup>	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
FB_679	Residential streets with Sidewalks	5	0.5	2.5	1.15	8.25	Street Bioretention	55%	64%	103%	56%	55%	65%	64%	0.63	5.28	33.49	643
FB_682A	Residential streets with Sidewalks	5	0.5	2.5	1.38	9.85	Street Bioretention	55%	64%	52%	39%	39%	46%	46%	0.54	4.49	39.65	411
FB_682B	Residential streets with Sidewalks	5	0.5	2.5	2.81	20.11	Street Bioretention	55%	64%	47%	36%	36%	42%	42%	1.02	8.47	56.90	101
FB_682C	Residential streets with Sidewalks	5	0.5	2.5	0.94	6.75	Street Bioretention	55%	64%	71%	47%	47%	55%	55%	0.45	3.71	35.24	574
FB_683	Residential streets with Sidewalks	5	0.5	2.5	1.55	11.10	Street Bioretention	55%	64%	111%	57%	55%	66%	64%	0.85	7.11	48.21	210
FB_685	Residential streets with Sidewalks	5	0.5	2.5	1.80	12.88	Street Bioretention	55%	64%	54%	40%	40%	47%	47%	0.73	6.06	45.67	264
FB_690	Residential streets with Sidewalks	5	0.5	2.5	0.70	4.99	Street Bioretention	55%	64%	71%	47%	47%	55%	55%	0.33	2.73	23.09	951
FB_692	Arterial Street with parking	5	0.5	2.5	1.94	13.85	Street Bioretention	55%	64%	43%	33%	33%	39%	39%	0.65	5.39	43.52	305
FMR1_103	Park	8	0.5	4	1.46	10.47	Dry Swale	52%	55%	104%	53%	52%	56%	55%	0.76	5.76	63.39	67
FMR1_105A	Existing dry pond	0	0.5	0	6.05	43.25	Filtering Practice	60%	30%	62%	48%	48%	24%	24%	2.90	10.38	115.19	5
FMR1_105B	Private property	0	0.5	0	0.62	4.44	Street Bioretention	55%	64%	40%	32%	32%	37%	37%	0.20	1.63	15.20	1014
FMR1_105C	Residential area	5	0.5	2.5	0.53	3.76	Bioretention	55%	64%	45%	35%	35%	41%	41%	0.18	1.53	31.70	711
FMR1_106	Park	8	0.5	4	1.87	13.34	Dry Swale	52%	55%	972%	60%	52%	63%	55%	0.97	7.34	69.27	39
FMR1_107A	Fire station	5	0.5	2.5	0.88	6.29	Permeable Pavement	59%	59%	237%	67%	59%	67%	59%	0.52	3.69	48.82	199
FMR1_107B	Fire station	5	0.5	2.5	0.11	0.78	Rainwater Harvesting (cistern)	40%	40%	194%	45%	40%	45%	40%	0.04	0.31	36.58	522
FMR1_108	Animal Hospital	5	0.5	2.5	0.61	4.35	Filtering Practice	60%	30%	96%	59%	59%	30%	30%	0.36	1.29	31.69	714
FMR1_110	Adjacent to trail Parking	5	0.5	2.5	0.93	6.67	Permeable Pavement	59%	59%	198%	67%	59%	67%	59%	0.55	3.92	35.38	569
FMR1_112	Private bank property, frequented by customers	5	0.5	2.5	2.03	14.54	Street Bioretention	55%	64%	99%	55%	55%	64%	64%	1.11	9.26	54.31	128
FMR1_113	Gas Station	5	0.5	2.5	1.11	7.96	Filtering Practice	60%	30%	90%	58%	58%	29%	29%	0.64	2.29	33.62	636
FMR1_116A	Park	8	0.5	4	2.29	16.39	Bioretention	55%	64%	44%	35%	35%	40%	40%	0.79	6.58	65.96	47
FMR1_116B	Park/Trail	8	0.5	4	0.66	4.69	Sheetflow to Conservation Area	50%	50%	100%	50%	50%	50%	50%	0.33	2.34	57.75	95
FMR1_117	Park	8	0.5	4	0.73	5.19	Bioretention	55%	64%	104%	56%	55%	65%	64%	0.40	3.32	64.32	57
FMR1_118A	Park	8	0.5	4	0.33	2.37	Disconnection with Compost Amendments	50%	50%	100%	50%	50%	50%	50%	0.17	1.18	54.19	130
FMR1_118B	Park	8	0.5	4	1.27	9.11	Bioretention	55%	64%	119%	58%	55%	67%	64%	0.70	5.83	63.56	63
FMR1_119A	Schools	10	0.5	5	0.14	0.99	Disconnection with Compost Amendments	50%	50%	1822%	58%	50%	58%	50%	0.07	0.49	54.52	122

Site ID	Pollutant Removal - CSN											
	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	Rank
FB_679	0.87	10.80	624.52	1.12	72.0%	0.63	61.5%	6.64	77.1%	481.70	33.33	717
FB_682A	1.04	12.51	764.63	0.56	55.4%	0.58	47.5%	5.94	59.4%	454.01	40.58	468
FB_682B	2.13	27.19	1,478.60	0.53	54.1%	1.15	46.4%	12.62	58.0%	857.36	60.32	117
FB_682C	0.72	9.38	483.35	0.82	65.7%	0.47	56.2%	5.27	70.4%	340.24	35.86	631
FB_683	1.17	14.19	858.12	1.19	72.9%	0.85	62.3%	8.84	78.1%	670.26	48.23	286
FB_685	1.37	17.53	940.96	0.61	58.1%	0.79	49.8%	8.73	62.2%	585.69	47.32	306
FB_690	0.54	8.94	255.95	1.14	72.2%	0.39	61.7%	5.52	77.4%	198.16	24.68	939
FB_692	1.48	20.65	921.03	0.53	53.9%	0.80	46.3%	9.55	57.8%	532.35	47.29	307
FMR1_103	1.12	15.12	721.79	1.25	73.7%	0.82	63.0%	9.52	79.0%	569.86	64.90	82
FMR1_105A	4.56	54.34	3,389.35	0.49	51.8%	2.36	44.5%	24.16	55.5%	1,882.34	101.77	8
FMR1_105B	0.46	5.02	375.85	0.39	44.5%	0.21	38.2%	1.92	47.7%	179.37	15.46	1016
FMR1_105C	0.40	4.95	282.90	0.49	51.9%	0.21	44.5%	2.20	55.6%	157.38	32.26	757
FMR1_106	1.43	21.41	810.97	13.20	85.0%	1.22	70.0%	14.99	85.0%	689.32	75.48	39
FMR1_107A	0.67	8.56	459.37	2.67	79.9%	0.53	69.2%	5.92	85.0%	390.46	49.23	272
FMR1_107B	0.08	0.84	67.36	1.84	77.8%	0.06	66.5%	0.56	83.5%	56.23	37.08	591
FMR1_108	0.46	5.05	362.11	0.72	62.4%	0.28	53.4%	2.70	66.8%	242.02	29.81	819
FMR1_110	0.70	7.57	563.50	1.94	78.0%	0.55	66.8%	5.06	83.8%	472.13	35.32	654
FMR1_112	1.52	16.79	1,213.76	0.98	69.5%	1.06	59.4%	9.98	74.5%	904.06	53.01	212
FMR1_113	0.83	8.79	685.41	0.65	59.7%	0.50	51.2%	4.50	64.0%	438.78	30.03	810
FMR1_116A	1.76	26.84	969.12	0.62	58.3%	1.03	49.9%	13.40	62.5%	605.24	71.90	48
FMR1_116B	0.53	11.66	75.44	5.13	85.0%	0.45	70.0%	8.16	85.0%	64.12	60.76	111
FMR1_117	0.55	6.97	383.93	1.16	72.5%	0.40	62.0%	4.32	77.7%	298.26	64.31	87
FMR1_118A	0.25	3.84	141.99	1.38	75.0%	0.19	64.1%	2.46	80.4%	114.17	54.83	186
FMR1_118B	1.01	20.12	275.62	3.24	85.0%	0.86	70.0%	14.08	85.0%	234.28	67.51	67
FMR1_119A	0.11	2.01	38.80	38.35	85.0%	0.09	70.0%	1.41	85.0%	32.98	55.10	178

Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%IC	%Turf	P (in)	Rv	Water Quality Volume (CF)	Treatment Volume (CF)	Treatment Volume Sum for Projects in Series*	% Water Quality Volume Treated
FMR1_119B-1&2	Four Mile Run Mainstem 1	McKinley Elementary School, 1310 NORTH MCKINLEY ROAD	Bioretention	0.75	23%	77%	1.00	0.39	1056.06	1868.40	1868.40	1.77
FMR1_119C	Four Mile Run Mainstem 1	McKinley Elementary School, 1310 NORTH MCKINLEY ROAD	Bioretention	0.41	1%	99%	1.00	0.23	338.29	1038.78		3.07
FMR1_121	Four Mile Run Mainstem 1	Cavalier Club Apartments - 6200 Wilson Blvd	Street Bioretention	1.01	47%	53%	1.00	0.56	2064.49	3508.50		1.70
FMR1_581-1&2	Four Mile Run Mainstem 1	6536 36th street North	Street Bioretention	2.79	33%	67%	1.00	0.46	4667.86	1097.10	1097.10	0.24
FMR1_584	Four Mile Run Mainstem 1	3201 North Tacoma Street	Street Bioretention	0.54	68%	32%	1.00	0.72	1404.29	647.42		0.46
FMR1_585-1&2	Four Mile Run Mainstem 1	3224 North Rochester street	Street Bioretention	1.70	48%	52%	1.00	0.57	3519.94	643.77	643.77	0.18
FMR1_588A	Four Mile Run Mainstem 1	North Trinidad Street and 31st Street North	Street Bioretention	0.64	66%	34%	1.00	0.70	1630.42	1743.25		1.07
FMR1_588B-1&2	Four Mile Run Mainstem 1	North Trinidad Street and 31st Street North	Street Bioretention	2.71	50%	65%	1.00	0.62	6079.45	2154.60	2154.60	0.35
FMR1_589A	Four Mile Run Mainstem 1	North Tuckahoe Street near Williamsburg Boulevard	Street Bioretention	1.12	40%	60%	1.00	0.51	2081.59	662.64		0.32
FMR1_589B-1&2	Four Mile Run Mainstem 1	North Tuckahoe Street near Williamsburg Boulevard	Street Bioretention	2.16	34%	66%	1.00	0.47	3671.06	1369.44	1369.44	0.37
FMR1_590A-1&2	Four Mile Run Mainstem 1	2875 North Trinidad Street	Street Bioretention	2.08	43%	57%	1.00	0.53	4031.16	1580.35	1580.35	0.39
FMR1_590B-1&2	Four Mile Run Mainstem 1	6598 29th Street North	Street Bioretention	2.03	39%	61%	1.00	0.50	3719.08	918.73	918.73	0.25
FMR1_590C-1&2	Four Mile Run Mainstem 1	6599 29th Street North	Street Bioretention	0.55	72%	28%	1.00	0.75	1488.59	868.95	868.95	0.58
FMR1_591A-1&2	Four Mile Run Mainstem 1	6613 29th Street	Street Bioretention	1.30	52%	48%	1.00	0.60	2829.51	769.96	769.96	0.27
FMR1_591B	Four Mile Run Mainstem 1	6630 29th Street	Street Bioretention	0.93	41%	59%	1.00	0.52	1753.10	541.45		0.31
FMR1_592-1&2	Four Mile Run Mainstem 1	#6690 Williamsburg Boulevard	Street Bioretention	2.79	34%	66%	1.00	0.47	4741.79	1366.50	1366.50	0.29
FMR1_593-1&2	Four Mile Run Mainstem 1	#6623 Williamsburg Boulevard	Street Bioretention	0.92	59%	41%	1.00	0.65	2173.08	1507.72	1507.72	0.69
FMR1_594	Four Mile Run Mainstem 1	#6719 Williamsburg Boulevard	Street Bioretention	1.98	41%	59%	1.00	0.52	3732.42	1392.70		0.37
FMR1_595A-1&2	Four Mile Run Mainstem 1	#6830 Williamsburg Boulevard	Street Bioretention	3.32	35%	65%	1.00	0.48	5730.54	1700.46	1700.46	0.30

Site ID	Phosphorus Removal - VRRM				Phosphorus Removal - CSN				Impervious Area Acreage				Potential Utility or Site Constraints			
	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
FMR1_119B-1&2	0.36	3.65	2.5	9.12	0.44	4.39	2.5	10.97	0.17	0.86	2	1.73	Low	10	1.5	15
FMR1_119C	0.12	1.17	2.5	2.92	0.15	1.47	2.5	3.68	0.00	0.02	2	0.04	Low	10	1.5	15
FMR1_121	0.71	7.13	2.5	17.84	0.77	7.73	2.5	19.33	0.47	2.37	2	4.75	Medium	5	1.5	7.5
FMR1_581-1&2	0.51	5.09	2.5	12.73	0.90	9.02	2.5	22.54	0.92	4.60	2	9.21	Low	10	1.5	15
FMR1_584	0.32	3.16	2.5	7.90	0.34	3.42	2.5	8.56		0.00	2	0.00	Medium	5	1.5	7.5
FMR1_585-1&2	0.26	2.64	2.5	6.61	0.49	4.91	2.5	12.26	0.82	4.08	2	8.16	Medium	5	1.5	7.5
FMR1_588A	0.56	5.63	2.5	14.09	0.56	5.58	2.5	13.96	0.42	2.11	2	4.22	Low	10	1.5	15
FMR1_588B-1&2	1.09	10.94	2.5	27.36	1.41	14.11	2.5	35.26	1.36	6.78	2	13.55	Medium	5	1.5	7.5
FMR1_589A	0.33	3.27	2.5	8.17	0.46	4.63	2.5	11.57	0.45	2.24	2	4.48	Low	10	1.5	15
FMR1_589B-1&2	0.70	6.97	2.5	17.42	0.94	9.41	2.5	23.54	0.73	3.67	2	7.34	Low	10	1.5	15
FMR1_590A-1&2	0.80	8.02	2.5	20.05	1.00	9.96	2.5	24.90	0.89	4.47	2	8.94	Medium	5	1.5	7.5
FMR1_590B-1&2	0.42	4.25	2.5	10.61	0.70	7.02	2.5	17.54	0.79	3.96	2	7.92	Medium	5	1.5	7.5
FMR1_590C-1&2	0.40	3.96	2.5	9.91	0.41	4.07	2.5	10.17	0.40	1.98	2	3.96	Medium	5	1.5	7.5
FMR1_591A-1&2	0.38	3.78	2.5	9.46	0.52	5.22	2.5	13.06	0.68	3.38	2	6.76	Medium	5	1.5	7.5
FMR1_591B	0.26	2.65	2.5	6.62	0.38	3.79	2.5	9.48	0.38	1.91	2	3.81	Low	10	1.5	15
FMR1_592-1&2	0.67	6.66	2.5	16.66	1.04	10.41	2.5	26.03	0.95	4.74	2	9.49	Medium	5	1.5	7.5
FMR1_593-1&2	0.64	6.37	2.5	15.92	0.66	6.62	2.5	16.54	0.54	2.71	2	5.43	Medium	5	1.5	7.5
FMR1_594	0.71	7.08	2.5	17.71	0.91	9.08	2.5	22.70	0.81	4.06	2	8.12	Medium	5	1.5	7.5
FMR1_595A-1&2	0.83	8.32	2.5	20.81	1.27	12.70	2.5	31.75	1.16	5.81	2	11.62	Low	10	1.5	15

Site ID	Property Ownership				Potential for Quick Implementation				Existing Drainage Problem/Hotspot				County Maintenance Burden			
	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
FMR1_119B-1&2	Public	10	1.5	15	Yes	10	1	10	Yes	10	0.5	5	Medium	5	0.5	2.5
FMR1_119C	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
FMR1_121	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_581-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_584	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_585-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_588A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_588B-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_589A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_589B-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_590A-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_590B-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_590C-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_591A-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_591B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_592-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_593-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_594	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_595A-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0

Site ID	Educational Opportunity				Pollutant Removal - VRRM													
	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit <sup>1</sup>	Size-Adjusted N Removal Credit	Size-Adjusted N Removal Credit <sup>1</sup>	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
FMR1_119B-1&2	Schools	10	0.5	5	0.66	4.75	Bioretention	55%	64%	177%	62%	55%	72%	64%	0.36	3.04	63.35	68
FMR1_119C	Schools	10	0.5	5	0.21	1.52	Bioretention	55%	64%	307%	63%	55%	74%	64%	0.12	0.97	50.46	180
FMR1_121	Residential area	5	0.5	2.5	1.30	9.28	Street Bioretention	55%	64%	170%	61%	55%	71%	64%	0.71	5.94	32.58	677
FMR1_581-1&2	Residential streets with Sidewalks	5	0.5	2.5	2.93	20.98	Street Bioretention	55%	64%	24%	17%	17%	20%	20%	0.51	4.24	49.93	187
FMR1_584	Residential streets with Sidewalks	5	0.5	2.5	0.88	6.31	Street Bioretention	55%	64%	46%	36%	36%	42%	42%	0.32	2.63	28.40	819
FMR1_585-1&2	Residential streets with Sidewalks	5	0.5	2.5	2.21	15.82	Street Bioretention	55%	64%	18%	12%	12%	14%	14%	0.26	2.20	35.27	571
FMR1_588A	Residential streets with Sidewalks	5	0.5	2.5	1.02	7.33	Street Bioretention	55%	64%	107%	56%	55%	65%	64%	0.56	4.69	46.31	250
FMR1_588B-1&2	Residential streets with Sidewalks	5	0.5	2.5	3.82	27.33	Street Bioretention	55%	64%	35%	29%	29%	33%	33%	1.09	9.11	61.41	76
FMR1_589A	Residential streets with Sidewalks	5	0.5	2.5	1.31	9.36	Street Bioretention	55%	64%	32%	25%	25%	29%	29%	0.33	2.72	40.65	382
FMR1_589B-1&2	Residential streets with Sidewalks	5	0.5	2.5	2.31	16.50	Street Bioretention	55%	64%	37%	30%	30%	35%	35%	0.70	5.80	52.76	147
FMR1_590A-1&2	Residential streets with Sidewalks	5	0.5	2.5	2.53	18.12	Street Bioretention	55%	64%	39%	32%	32%	37%	37%	0.80	6.68	49.50	194
FMR1_590B-1&2	Residential streets with Sidewalks	5	0.5	2.5	2.34	16.72	Street Bioretention	55%	64%	25%	18%	18%	21%	21%	0.42	3.53	39.03	436
FMR1_590C-1&2	Residential streets with Sidewalks	5	0.5	2.5	0.94	6.69	Street Bioretention	55%	64%	58%	42%	42%	49%	49%	0.40	3.30	34.37	608
FMR1_591A-1&2	Residential streets with Sidewalks	5	0.5	2.5	1.78	12.72	Street Bioretention	55%	64%	27%	21%	21%	25%	25%	0.38	3.15	36.72	514
FMR1_591B	Residential streets with Sidewalks	5	0.5	2.5	1.10	7.88	Street Bioretention	55%	64%	31%	24%	24%	28%	28%	0.26	2.21	38.44	455
FMR1_592-1&2	Residential streets with Sidewalks	5	0.5	2.5	2.98	21.31	Street Bioretention	55%	64%	29%	22%	22%	26%	26%	0.67	5.55	46.65	239
FMR1_593-1&2	Residential streets with Sidewalks	5	0.5	2.5	1.37	9.77	Street Bioretention	55%	64%	69%	47%	47%	54%	54%	0.64	5.30	41.85	345
FMR1_594	Residential streets with Sidewalks	5	0.5	2.5	2.35	16.78	Street Bioretention	55%	64%	37%	30%	30%	35%	35%	0.71	5.90	46.33	249
FMR1_595A-1&2	Residential streets with Sidewalks	5	0.5	2.5	3.60	25.76	Street Bioretention	55%	64%	30%	23%	23%	27%	27%	0.83	6.93	60.43	80

Site ID	Pollutant Removal - CSN											
	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	Rank
FMR1_119B-1&2	0.52	8.72	232.38	2.98	85.0%	0.44	70.0%	6.11	85.0%	197.52	65.19	79
FMR1_119C	0.17	4.16	5.52	69.80	85.0%	0.15	70.0%	2.91	85.0%	4.69	51.22	239
FMR1_121	0.99	13.39	639.48	2.04	78.2%	0.77	66.9%	8.96	84.0%	537.24	34.08	688
FMR1_581-1&2	2.26	34.35	1,240.29	0.33	39.9%	0.90	34.3%	11.77	42.8%	530.68	59.75	123
FMR1_584	0.67	7.93	494.66	0.49	51.4%	0.34	44.1%	3.50	55.1%	272.48	29.06	844
FMR1_585-1&2	1.68	22.66	1,099.25	0.22	29.1%	0.49	24.9%	5.65	31.2%	342.98	40.92	461
FMR1_588A	0.77	9.31	569.02	1.14	72.2%	0.56	61.7%	5.75	77.4%	440.30	46.18	331
FMR1_588B-1&2	2.92	40.58	1,825.35	0.44	48.4%	1.41	41.5%	16.84	51.8%	945.60	69.31	58
FMR1_589A	1.00	14.32	603.51	0.41	46.2%	0.46	39.7%	5.68	49.5%	298.78	44.05	371
FMR1_589B-1&2	1.77	26.74	989.32	0.51	53.1%	0.94	45.5%	12.17	56.9%	562.45	58.88	129
FMR1_590A-1&2	1.94	27.02	1,204.86	0.49	51.5%	1.00	44.2%	11.93	55.2%	664.51	54.35	190
FMR1_590B-1&2	1.79	25.82	1,066.51	0.32	39.2%	0.70	33.6%	8.68	42.0%	447.79	45.96	334
FMR1_590C-1&2	0.70	8.23	533.46	0.60	57.7%	0.41	49.5%	4.07	61.9%	330.08	34.63	669
FMR1_591A-1&2	1.35	17.68	910.65	0.31	38.7%	0.52	33.2%	5.87	41.4%	377.24	40.32	481
FMR1_591B	0.84	11.95	513.66	0.39	45.0%	0.38	38.6%	4.62	48.2%	247.69	41.29	443
FMR1_592-1&2	2.29	34.54	1,277.88	0.40	45.4%	1.04	39.0%	13.46	48.7%	621.98	56.01	163
FMR1_593-1&2	1.03	12.95	731.22	0.77	64.0%	0.66	54.8%	7.09	68.6%	501.48	42.47	411
FMR1_594	1.79	25.45	1,093.59	0.47	50.6%	0.91	43.4%	11.05	54.2%	592.91	51.31	237
FMR1_595A-1&2	2.77	41.32	1,565.35	0.40	45.9%	1.27	39.4%	16.27	49.2%	769.68	71.37	51

Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%IC	%Turf	P (in)	Rv	Water Quality Volume (CF)	Treatment Volume (CF)	Treatment Volume Sum for Projects in Series*	% Water Quality Volume Treated
FMR1_595C-1&2	Four Mile Run Mainstem 1	#6825 Williamsburg Boulevard	Street Bioretention	2.23	32%	68%	1.00	0.45	3671.85	1799.60	1799.60	0.49
FMR1_596	Four Mile Run Mainstem 1	North Yucatan Street and Williamsburg Boulevard	Street Bioretention	1.69	32%	68%	1.00	0.45	2782.70	769.75		0.28
FMR1_597	Four Mile Run Mainstem 1	#2815 North Van Buren Street	Street Bioretention	1.47	39%	61%	1.00	0.50	2693.13	667.20		0.25
FMR1_598	Four Mile Run Mainstem 1	#2710 North Wyoming Street	Street Bioretention	1.96	42%	58%	1.00	0.53	3746.65	1104.20		0.29
FMR1_599A	Four Mile Run Mainstem 1	27th Street North and 26th Street North	Street Bioretention	0.98	59%	41%	1.00	0.65	2314.80	1336.00		0.58
FMR1_599B	Four Mile Run Mainstem 1	27th Street North and 26th Street North	Street Bioretention	3.07	32%	68%	1.00	0.45	5054.96	1275.00		0.25
FMR1_601A-1&2	Four Mile Run Mainstem 1	North Westmoreland Street and 19th Road North	Street Bioretention	0.52	56%	66%	1.00	0.68	1278.28	914.04	914.04	0.72
FMR1_601B	Four Mile Run Mainstem 1	North Westmoreland Street and 19th Road North	Street Bioretention	0.67	60%	40%	1.00	0.66	1600.32	554.00		0.35
FMR1_602	Four Mile Run Mainstem 1	#6712 19th Road North	Street Bioretention	0.78	36%	64%	1.00	0.48	1367.00	455.50		0.33
FMR1_603	Four Mile Run Mainstem 1	North Van Buren Street and 19th Street North	Street Bioretention	1.88	44%	56%	1.00	0.54	3693.37	657.00		0.18
FMR1_605	Four Mile Run Mainstem 1	#6315 22nd Street North	Street Bioretention	1.51	48%	52%	1.00	0.57	3126.53	719.20		0.23
FMR1_606A	Four Mile Run Mainstem 1	North Potomac Street and North Pocomoke Street	Street Bioretention	0.94	51%	49%	1.00	0.59	2021.05	1098.00		0.54
FMR1_606B	Four Mile Run Mainstem 1	North Potomac Street and North Pocomoke Street	Street Bioretention	1.15	35%	65%	1.00	0.48	1984.97	817.60		0.41
FMR1_606C	Four Mile Run Mainstem 1	North Potomac Street and North Pocomoke Street	Street Bioretention	0.42	57%	43%	1.00	0.64	969.80	1414.00		1.46
FMR1_607A	Four Mile Run Mainstem 1	12th Road North between North Quantico Street and North Powhatan Street	Street Bioretention	0.72	49%	51%	1.00	0.58	1509.88	2115.50		1.40
FMR1_607B	Four Mile Run Mainstem 1	12th Road North between North Quantico Street and North Powhatan Street	Street Bioretention	1.10	36%	64%	1.00	0.48	1927.82	635.50		0.33
FMR1_608A	Four Mile Run Mainstem 1	#1212 North Quantico Street	Street Bioretention	1.67	45%	55%	1.00	0.55	3325.06	902.50		0.27
FMR1_608B	Four Mile Run Mainstem 1	#1215 North Quantico Street	Street Bioretention	0.83	60%	40%	1.00	0.66	1982.49	718.13		0.36



Site ID	Phosphorus Removal - VRRM				Phosphorus Removal - CSN				Impervious Area Acreage				Potential Utility or Site Constraints			
	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
FMR1_595C-1&2	0.86	8.58	2.5	21.46	1.09	10.94	2.5	27.35	0.71	3.57	2	7.14	Medium	5	1.5	7.5
FMR1_596	0.37	3.72	2.5	9.30	0.61	6.07	2.5	15.18	0.54	2.70	2	5.41	Medium	5	1.5	7.5
FMR1_597	0.31	3.07	2.5	7.69	0.51	5.09	2.5	12.73	0.57	2.87	2	5.73	Low	10	1.5	15
FMR1_598	0.54	5.44	2.5	13.60	0.78	7.80	2.5	19.50	0.82	4.12	2	8.23	Medium	5	1.5	7.5
FMR1_599A	0.61	6.09	2.5	15.24	0.65	6.52	2.5	16.30	0.58	2.89	2	5.78	Medium	5	1.5	7.5
FMR1_599B	0.62	6.16	2.5	15.39	1.04	10.37	2.5	25.93	0.98	4.91	2	9.82	Low	10	1.5	15
FMR1_601A-1&2	0.38	3.80	2.5	9.49	0.41	4.10	2.5	10.24	0.29	1.46	2	2.91	High	0	1.5	0
FMR1_601B	0.28	2.78	2.5	6.95	0.34	3.36	2.5	8.40	0.40	2.01	2	4.02	Medium	5	1.5	7.5
FMR1_602	0.23	2.32	2.5	5.80	0.32	3.23	2.5	8.07	0.28	1.40	2	2.81	High	0	1.5	0
FMR1_603	0.25	2.49	2.5	6.23	0.52	5.19	2.5	12.97	0.83	4.14	2	8.27	High	0	1.5	0
FMR1_605	0.34	3.41	2.5	8.53	0.52	5.22	2.5	13.06	0.72	3.62	2	7.25	Medium	5	1.5	7.5
FMR1_606A	0.51	5.13	2.5	12.83	0.57	5.69	2.5	14.23	0.48	2.40	2	4.79	Medium	5	1.5	7.5
FMR1_606B	0.41	4.09	2.5	10.23	0.53	5.32	2.5	13.31	0.40	2.01	2	4.03	Medium	5	1.5	7.5
FMR1_606C	0.34	3.35	2.5	8.38	0.35	3.55	2.5	8.87	0.24	1.20	2	2.39	Low	10	1.5	15
FMR1_607A	0.52	5.22	2.5	13.04	0.56	5.56	2.5	13.90	0.35	1.76	2	3.53	Medium	5	1.5	7.5
FMR1_607B	0.31	3.14	2.5	7.84	0.45	4.52	2.5	11.31	0.40	1.98	2	3.96	Medium	5	1.5	7.5
FMR1_608A	0.44	4.45	2.5	11.11	0.64	6.40	2.5	16.00	0.75	3.76	2	7.52	Low	10	1.5	15
FMR1_608B	0.37	3.67	2.5	9.16	0.43	4.29	2.5	10.72	0.50	2.49	2	4.98	Medium	5	1.5	7.5

Site ID	Property Ownership				Potential for Quick Implementation				Existing Drainage Problem/Hotspot				County Maintenance Burden			
	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
FMR1_595C-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_596	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_597	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_598	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_599A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_599B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_601A-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_601B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_602	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_603	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_605	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_606A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_606B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_606C	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_607A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_607B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_608A	Street ROW	7	1.5	10.5	No	0	1	0	Yes	10	0.5	5	High	0	0.5	0
FMR1_608B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0

Site ID	Educational Opportunity				Pollutant Removal - VRRM													
	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit <sup>1</sup>	Size-Adjusted N Removal Credit	Size-Adjusted N Removal Credit <sup>1</sup>	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
FMR1_595C-1&2	Residential streets with Sidewalks	5	0.5	2.5	2.31	16.50	Street Bioretention	55%	64%	49%	37%	37%	43%	43%	0.86	7.15	49.10	198
FMR1_596	Residential streets with Sidewalks	5	0.5	2.5	1.75	12.51	Street Bioretention	55%	64%	28%	21%	21%	25%	25%	0.37	3.10	35.21	575
FMR1_597	Residential streets with Sidewalks	5	0.5	2.5	1.69	12.10	Street Bioretention	55%	64%	25%	18%	18%	21%	21%	0.31	2.56	41.42	359
FMR1_598	Residential streets with Sidewalks	5	0.5	2.5	2.35	16.84	Street Bioretention	55%	64%	29%	23%	23%	27%	27%	0.54	4.53	42.34	333
FMR1_599A	Residential streets with Sidewalks	5	0.5	2.5	1.45	10.40	Street Bioretention	55%	64%	58%	42%	42%	49%	49%	0.61	5.07	41.52	356
FMR1_599B	Residential streets with Sidewalks	5	0.5	2.5	3.18	22.72	Street Bioretention	55%	64%	25%	19%	19%	23%	23%	0.62	5.12	53.21	142
FMR1_601A-1&2	Residential streets with Sidewalks	5	0.5	2.5	0.80	5.75	Street Bioretention	55%	64%	72%	47%	47%	55%	55%	0.38	3.16	25.40	903
FMR1_601B	Residential streets with Sidewalks	5	0.5	2.5	1.01	7.19	Street Bioretention	55%	64%	35%	28%	28%	32%	32%	0.28	2.31	31.47	724
FMR1_602	Residential streets with Sidewalks	5	0.5	2.5	0.86	6.14	Street Bioretention	55%	64%	33%	27%	27%	31%	31%	0.23	1.93	21.61	972
FMR1_603	Residential streets with Sidewalks	5	0.5	2.5	2.32	16.60	Street Bioretention	55%	64%	18%	11%	11%	12%	12%	0.25	2.07	27.50	841
FMR1_605	Residential streets with Sidewalks	5	0.5	2.5	1.96	14.05	Street Bioretention	55%	64%	23%	17%	17%	20%	20%	0.34	2.84	36.27	534
FMR1_606A	Residential streets with Sidewalks	5	0.5	2.5	1.27	9.08	Street Bioretention	55%	64%	54%	40%	40%	47%	47%	0.51	4.27	38.12	460
FMR1_606B	Residential streets with Sidewalks	5	0.5	2.5	1.25	8.92	Street Bioretention	55%	64%	41%	33%	33%	38%	38%	0.41	3.41	34.76	594
FMR1_606C	Residential streets with Sidewalks	5	0.5	2.5	0.61	4.36	Street Bioretention	55%	64%	146%	60%	55%	70%	64%	0.34	2.79	38.77	447
FMR1_607A	Next to Park	8	0.5	4	0.95	6.79	Street Bioretention	55%	64%	140%	60%	55%	70%	64%	0.52	4.34	38.57	453
FMR1_607B	Next to Park	8	0.5	4	1.21	8.67	Street Bioretention	55%	64%	33%	26%	26%	30%	30%	0.31	2.61	33.80	625
FMR1_608A	Residential streets with Sidewalks	5	0.5	2.5	2.09	14.95	Street Bioretention	55%	64%	27%	21%	21%	25%	25%	0.44	3.70	51.63	164
FMR1_608B	Residential streets with Sidewalks	5	0.5	2.5	1.25	8.91	Street Bioretention	55%	64%	36%	29%	29%	34%	34%	0.37	3.05	34.64	600

Site ID	Pollutant Removal - CSN											
	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	Rank
FMR1_595C-1&2	1.78	27.30	961.30	0.69	61.5%	1.09	52.7%	14.38	65.9%	633.88	54.99	181
FMR1_596	1.35	20.69	728.52	0.39	45.1%	0.61	38.7%	8.00	48.3%	351.83	41.09	457
FMR1_597	1.30	18.70	772.30	0.32	39.3%	0.51	33.7%	6.30	42.1%	324.93	46.46	326
FMR1_598	1.80	25.33	1,108.95	0.37	43.3%	0.78	37.2%	9.42	46.4%	514.92	48.23	287
FMR1_599A	1.10	13.79	778.90	0.64	59.2%	0.65	50.7%	6.99	63.4%	493.95	42.58	406
FMR1_599B	2.45	37.59	1,323.41	0.36	42.4%	1.04	36.4%	13.67	45.4%	600.93	63.76	91
FMR1_601A-1&2	0.61	8.37	392.28	0.86	66.9%	0.41	57.2%	4.78	71.7%	281.13	26.15	908
FMR1_601B	0.76	9.48	541.54	0.38	44.1%	0.34	37.9%	3.59	47.3%	256.04	32.92	732
FMR1_602	0.66	9.76	378.27	0.45	48.9%	0.32	42.0%	4.10	52.4%	198.36	23.88	957
FMR1_603	1.77	24.55	1,114.34	0.22	29.3%	0.52	25.1%	6.15	31.4%	349.60	34.24	680
FMR1_605	1.50	20.13	976.39	0.27	34.9%	0.52	29.9%	6.02	37.4%	365.13	40.80	463
FMR1_606A	0.97	12.72	645.81	0.63	58.9%	0.57	50.5%	6.42	63.2%	407.86	39.52	509
FMR1_606B	0.96	14.31	542.22	0.56	55.6%	0.53	47.6%	6.82	59.5%	322.73	37.84	562
FMR1_606C	0.46	5.85	322.50	1.63	76.8%	0.35	65.7%	3.85	82.4%	265.81	39.27	519
FMR1_607A	0.72	9.65	475.26	1.65	77.0%	0.56	65.9%	6.35	82.6%	392.44	39.43	513
FMR1_607B	0.93	13.77	533.46	0.44	48.6%	0.45	41.7%	5.74	52.1%	277.91	37.27	585
FMR1_608A	1.59	21.92	1,012.36	0.33	40.2%	0.64	34.5%	7.55	43.0%	435.55	56.52	158
FMR1_608B	0.94	11.74	670.87	0.40	45.5%	0.43	39.0%	4.58	48.7%	326.75	36.20	621

Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%IC	%Turf	P (in)	Rv	Water Quality Volume (CF)	Treatment Volume (CF)	Treatment Volume Sum for Projects in Series*	% Water Quality Volume Treated
FMR1_610	Four Mile Run Mainstem 1	#6209 12th Street North	Street Bioretention	1.27	55%	45%	1.00	0.62	2865.18	1081.50		0.38
FMR1_611	Four Mile Run Mainstem 1	12th Street North - east of North Powhatan Street	Street Bioretention	0.89	42%	58%	1.00	0.53	1701.29	800.40		0.47
FMR1_612-1&2	Four Mile Run Mainstem 1	North Ohio Street and 12th Road North	Street Bioretention	0.30	97%	65%	1.00	1.06	1159.24	1764.00	1764.00	1.52
FMR1_613	Four Mile Run Mainstem 1	North Sycamore Street and 16th Street North	Street Bioretention	0.57	51%	49%	1.00	0.59	1225.53	1063.20		0.87
FMR1_615	Four Mile Run Mainstem 1	12th Place North and North Rochester Street	Street Bioretention	0.91	44%	56%	1.00	0.54	1787.75	645.84		0.36
FMR1_619	Four Mile Run Mainstem 1	11th Road North and North Rockingham Street	Street Bioretention	0.55	64%	36%	1.00	0.69	1371.99	1064.75		0.78
FMR1_620A	Four Mile Run Mainstem 1	#1109 North Rochester Street	Street Bioretention	0.83	59%	41%	1.00	0.65	1960.49	658.31		0.34
FMR1_620B	Four Mile Run Mainstem 1	West side of North Rochester Street	Street Bioretention	0.50	50%	50%	1.00	0.59	1061.78	1348.05		1.27
FMR1_621	Four Mile Run Mainstem 1	11th Road North between North Quintana Street and North Rochester Street	Street Bioretention	1.38	57%	43%	1.00	0.64	3186.48	1074.30		0.34
FMR1_622A-1&2	Four Mile Run Mainstem 1	North Rochester Street and 11th Road North	Street Bioretention	0.69	35%	66%	1.00	0.48	1196.50	1354.30	1354.30	1.13
FMR1_622B-1&2	Four Mile Run Mainstem 1	North Rochester Street and 11th Road North	Street Bioretention	0.60	40%	66%	1.00	0.53	1143.89	1165.50	1165.50	1.02
FMR1_623A-1&2	Four Mile Run Mainstem 1	North Rochester Street between 11th Road North and North Quesada Street	Street Bioretention	2.40	25%	66%	1.00	0.38	3334.08	1162.76	1162.76	0.35
FMR1_623B-1&2	Four Mile Run Mainstem 1	North Rochester Street between 11th Road North and North Quesada Street	Street Bioretention	1.79	27%	66%	1.00	0.40	2610.13	1279.10	1279.10	0.49
FMR1_624	Four Mile Run Mainstem 1	11th Road North between Quantico and North Quintana Street	Street Bioretention	1.58	54%	46%	1.00	0.61	3522.68	1414.00		0.40
FMR1_625A	Four Mile Run Mainstem 1	East side of North Powhatan Street, north of 11th Road North	Street Bioretention	1.01	42%	58%	1.00	0.53	1930.67	1359.75		0.70
FMR1_625B	Four Mile Run Mainstem 1	East side of North Powhatan Street, south of 11th Road North	Street Bioretention	2.29	38%	62%	1.00	0.50	4134.74	766.80		0.19
FMR1_625C	Four Mile Run Mainstem 1	West side of North Powhatan Street, south of 11th Road North	Street Bioretention	1.96	33%	67%	1.00	0.46	3279.21	658.56		0.20

Site ID	Phosphorus Removal - VRRM				Phosphorus Removal - CSN				Impervious Area Acreage				Potential Utility or Site Constraints			
	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
FMR1_610	0.54	5.44	2.5	13.59	0.65	6.50	2.5	16.24	0.70	3.49	2	6.99	Medium	5	1.5	7.5
FMR1_611	0.39	3.87	2.5	9.67	0.47	4.66	2.5	11.66	0.37	1.87	2	3.74	Medium	5	1.5	7.5
FMR1_612-1&2	0.40	4.01	2.5	10.01	0.42	4.25	2.5	10.62	0.29	1.46	2	2.91	Low	10	1.5	15
FMR1_613	0.40	3.99	2.5	9.97	0.41	4.10	2.5	10.25	0.29	1.45	2	2.91	High	0	1.5	0
FMR1_615	0.33	3.31	2.5	8.26	0.42	4.18	2.5	10.46	0.40	2.00	2	4.00	Medium	5	1.5	7.5
FMR1_619	0.43	4.26	2.5	10.64	0.43	4.30	2.5	10.75	0.35	1.76	2	3.52	Low	10	1.5	15
FMR1_620A	0.33	3.33	2.5	8.32	0.40	4.05	2.5	10.12	0.49	2.45	2	4.90	Medium	5	1.5	7.5
FMR1_620B	0.37	3.67	2.5	9.17	0.39	3.85	2.5	9.63	0.25	1.25	2	2.50	Medium	5	1.5	7.5
FMR1_621	0.54	5.41	2.5	13.52	0.67	6.66	2.5	16.64	0.79	3.93	2	7.87	Medium	5	1.5	7.5
FMR1_622A-1&2	0.41	4.13	2.5	10.34	0.44	4.41	2.5	11.03	0.24	1.21	2	2.42	Low	10	1.5	15
FMR1_622B-1&2	0.40	3.95	2.5	9.88	0.41	4.11	2.5	10.28	0.24	1.20	2	2.40	Low	10	1.5	15
FMR1_623A-1&2	0.58	5.79	2.5	14.48	0.88	8.79	2.5	21.97	0.60	3.00	2	6.00	Low	10	1.5	15
FMR1_623B-1&2	0.61	6.10	2.5	15.25	0.80	7.96	2.5	19.89	0.48	2.42	2	4.83	Low	10	1.5	15
FMR1_624	0.71	7.15	2.5	17.87	0.83	8.33	2.5	20.82	0.85	4.27	2	8.53	Low	10	1.5	15
FMR1_625A	0.57	5.70	2.5	14.25	0.62	6.25	2.5	15.61	0.42	2.12	2	4.24	Low	10	1.5	15
FMR1_625B	0.31	3.10	2.5	7.76	0.63	6.34	2.5	15.85	0.87	4.35	2	8.70	High	0	1.5	0
FMR1_625C	0.29	2.93	2.5	7.32	0.56	5.65	2.5	14.11	0.65	3.23	2	6.47	Low	10	1.5	15

Site ID	Property Ownership				Potential for Quick Implementation				Existing Drainage Problem/Hotspot				County Maintenance Burden			
	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
FMR1_610	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_611	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_612-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_613	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_615	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_619	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_620A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_620B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_621	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_622A-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_622B-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_623A-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_623B-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_624	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_625A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_625B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_625C	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0

Site ID	Educational Opportunity				Pollutant Removal - VRRM													
	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit <sup>1</sup>	Size-Adjusted N Removal Credit	Size-Adjusted N Removal Credit <sup>1</sup>	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
FMR1_610	Residential streets with Sidewalks	5	0.5	2.5	1.80	12.88	Street Bioretention	55%	64%	38%	30%	30%	35%	35%	0.54	4.53	41.08	367
FMR1_611	Residential streets with Sidewalks	5	0.5	2.5	1.07	7.65	Street Bioretention	55%	64%	47%	36%	36%	42%	42%	0.39	3.22	33.91	622
FMR1_612-1&2	Residential streets with Sidewalks	5	0.5	2.5	0.73	5.21	Street Bioretention	55%	64%	152%	60%	55%	70%	64%	0.40	3.33	40.92	373
FMR1_613	Residential streets with Sidewalks	5	0.5	2.5	0.77	5.51	Street Bioretention	55%	64%	87%	52%	52%	60%	60%	0.40	3.32	25.87	885
FMR1_615	Residential streets with Sidewalks	5	0.5	2.5	1.12	8.04	Street Bioretention	55%	64%	36%	29%	29%	34%	34%	0.33	2.75	32.77	670
FMR1_619	Residential streets with Sidewalks	5	0.5	2.5	0.86	6.17	Street Bioretention	55%	64%	78%	49%	49%	57%	57%	0.43	3.54	42.16	336
FMR1_620A	Residential streets with Sidewalks	5	0.5	2.5	1.23	8.81	Street Bioretention	55%	64%	34%	27%	27%	31%	31%	0.33	2.77	33.71	631
FMR1_620B	Residential streets with Sidewalks	5	0.5	2.5	0.67	4.77	Street Bioretention	55%	64%	127%	59%	55%	68%	64%	0.37	3.05	32.17	690
FMR1_621	Residential streets with Sidewalks	5	0.5	2.5	2.00	14.32	Street Bioretention	55%	64%	34%	27%	27%	31%	31%	0.54	4.50	41.88	343
FMR1_622A-1&2	Residential streets with Sidewalks	5	0.5	2.5	0.75	5.38	Street Bioretention	55%	64%	113%	57%	55%	66%	64%	0.41	3.44	40.75	380
FMR1_622B-1&2	Residential streets with Sidewalks	5	0.5	2.5	0.72	5.14	Street Bioretention	55%	64%	102%	55%	55%	64%	64%	0.40	3.29	40.28	390
FMR1_623A-1&2	Residential streets with Sidewalks	5	0.5	2.5	2.09	14.99	Street Bioretention	55%	64%	35%	28%	28%	32%	32%	0.58	4.82	48.48	208
FMR1_623B-1&2	Residential streets with Sidewalks	5	0.5	2.5	1.64	11.73	Street Bioretention	55%	64%	49%	37%	37%	43%	43%	0.61	5.08	48.09	213
FMR1_624	Residential streets with Sidewalks	5	0.5	2.5	2.21	15.83	Street Bioretention	55%	64%	40%	32%	32%	38%	38%	0.71	5.95	54.40	124
FMR1_625A	Residential streets with Sidewalks	5	0.5	2.5	1.21	8.68	Street Bioretention	55%	64%	70%	47%	47%	55%	55%	0.57	4.74	46.49	245
FMR1_625B	Residential streets with Sidewalks	5	0.5	2.5	2.60	18.58	Street Bioretention	55%	64%	19%	12%	12%	14%	14%	0.31	2.58	29.46	790
FMR1_625C	Residential streets with Sidewalks	5	0.5	2.5	2.06	14.74	Street Bioretention	55%	64%	20%	14%	14%	17%	17%	0.29	2.44	41.79	350



Site ID	Pollutant Removal - CSN											
	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	Rank
FMR1_610	1.37	17.53	940.96	0.43	47.6%	0.65	40.8%	7.15	51.0%	479.49	43.73	382
FMR1_611	0.82	11.50	503.55	0.59	57.1%	0.47	48.9%	5.62	61.1%	307.85	35.89	630
FMR1_612-1&2	0.55	6.87	392.01	1.67	77.1%	0.42	65.9%	4.53	82.7%	324.11	41.53	436
FMR1_613	0.59	7.71	391.61	1.01	70.0%	0.41	59.9%	4.62	75.1%	293.96	26.16	907
FMR1_615	0.86	11.88	539.39	0.44	48.8%	0.42	41.8%	4.97	52.3%	281.87	34.96	661
FMR1_619	0.65	7.93	474.19	0.83	66.0%	0.43	56.5%	4.48	70.8%	335.56	42.27	416
FMR1_620A	0.93	11.68	659.68	0.37	43.4%	0.40	37.2%	4.35	46.5%	306.77	35.52	643
FMR1_620B	0.51	6.73	336.78	1.49	75.9%	0.39	64.9%	4.37	81.4%	274.12	32.63	741
FMR1_621	1.52	19.24	1,059.64	0.38	43.9%	0.67	37.6%	7.24	47.0%	498.00	45.01	349
FMR1_622A-1&2	0.58	8.66	325.33	1.54	76.3%	0.44	65.3%	5.65	81.9%	266.32	41.44	440
FMR1_622B-1&2	0.55	8.03	323.31	1.34	74.6%	0.41	63.8%	5.13	80.0%	258.64	40.68	466
FMR1_623A-1&2	1.62	26.07	808.27	0.53	54.2%	0.88	46.5%	12.11	58.1%	469.28	55.97	164
FMR1_623B-1&2	1.27	20.05	651.06	0.73	62.8%	0.80	53.7%	10.77	67.3%	438.04	52.73	217
FMR1_624	1.68	21.70	1,149.36	0.46	49.6%	0.83	42.5%	9.23	53.1%	610.53	57.36	148
FMR1_625A	0.93	13.05	571.45	0.88	67.3%	0.62	57.6%	7.52	72.2%	412.37	47.85	294
FMR1_625B	1.99	28.97	1,172.26	0.24	31.8%	0.63	27.3%	7.90	34.1%	399.78	37.55	573
FMR1_625C	1.59	24.13	871.32	0.28	35.6%	0.56	30.5%	7.37	38.1%	332.26	48.58	280

Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%C	%Turf	P (in)	Rv	Water Quality Volume (CF)	Treatment Volume (CF)	Treatment Volume Sum for Projects in Series*	% Water Quality Volume Treated
FMR1_627A	Four Mile Run Mainstem 1	North Potomac Street and North Powhatan Street	Street Bioretention	0.36	58%	42%	1.00	0.64	840.80	1343.00		1.60
FMR1_627B-1&2&3	Four Mile Run Mainstem 1	North Potomac Street near North Powhatan Street	Street Bioretention	1.65	38%	62%	1.00	0.50	2979.18	1299.40	1299.40	0.44
FMR1_628	Four Mile Run Mainstem 1	North Quantico Street and North Potomac Street	Street Bioretention	0.91	57%	43%	1.00	0.64	2101.23	933.68		0.44
FMR1_630-1&2	Four Mile Run Mainstem 1	#891-#895 North Ohio Street	Street Bioretention	2.85	43%	66%	1.00	0.55	5728.30	1348.00	1348.00	0.24
FMR1_631-1&2	Four Mile Run Mainstem 1	#891 North Nottingham Street	Street Bioretention	0.95	49%	66%	1.00	0.61	2106.00	1572.00	1572.00	0.75
FMR1_632	Four Mile Run Mainstem 1	10th Road North and McKinley Road	Street Bioretention	1.34	58%	42%	1.00	0.64	3129.63	1828.00		0.58
FMR1_800	Four Mile Run Mainstem 1	Benjamin Banneker Park/Playground	Bioretention	0.59	51%	49%	1.00	0.59	1268.53	2314.35		1.82
FMR1_801	Four Mile Run Mainstem 1	#6615 19th Street North - between Tuckahoe and Underwood	Street Bioretention	1.11	49%	51%	1.00	0.58	2327.73	570.80		0.25
FMR1_815	Four Mile Run Mainstem 1	#1228 North Powhatan Street	Bioretention	0.91	64%	36%	1.00	0.69	2270.03	4229.40		1.86
FMR2_124	Four Mile Run Mainstem 2	1198 North Patrick Henry Drive	Bioretention	1.07	91%	9%	1.00	0.88	3424.91	3337.20		0.97
FMR2_125 A	Four Mile Run Mainstem 2	1001 North Kennebec Street	Bioretention	1.49	6%	94%	1.00	0.26	1428.41	1530.60		1.07
FMR2_125 B	Four Mile Run Mainstem 2	1001 North Kennebec Street	Dry Swale	0.42	5%	95%	1.00	0.25	388.41	396.60		1.02
FMR2_125 C	Four Mile Run Mainstem 2	1001 North Kennebec Street	Dry Swale	1.01	0%	100%	1.00	0.22	806.59	1490.10		1.85
FMR2_125 D	Four Mile Run Mainstem 2	1001 North Kennebec Street	Bioretention	1.12	3%	97%	1.00	0.24	973.93	2899.20		2.98
FMR2_129	Four Mile Run Mainstem 2	Bluemont Park Soccer Field near Bluemont Historical Railroad Junction	Dry Swale	1.45	10%	90%	1.00	0.29	1528.96	934.80		0.61
FMR2_132 A	Four Mile Run Mainstem 2	Trail near 617 North Greenbrier St	Bioretention	1.10	14%	86%	1.00	0.32	1275.95	3513.00		2.75
FMR2_132 B	Four Mile Run Mainstem 2	Trail near 808 Harrison Street	Bioretention	0.45	11%	89%	1.00	0.30	491.87	1194.20		2.43
FMR2_132 C	Four Mile Run Mainstem 2	Trail near 808 Harrison Street	Bioretention	2.82	28%	72%	1.00	0.42	4345.47	9317.40		2.14
FMR2_132 D	Four Mile Run Mainstem 2	Trail between North Greenbrier Street and North Harrison Cul-de-sacs	Bioretention	3.31	29%	71%	1.00	0.43	5187.27	7081.20		1.37
FMR2_134	Four Mile Run Mainstem 2	Bluemont Park parking lot and tennis courts	Bioretention	1.74	34%	66%	1.00	0.47	2953.01	2277.20		0.77
FMR2_136	Four Mile Run Mainstem 2	5950 8th Rd., South	Bioretention	3.13	3%	97%	1.00	0.24	2748.44	3305.70		1.20
FMR2_137	Four Mile Run Mainstem 2	Bluemont Park Tennis Courts	Grass Channel	1.27	3%	97%	1.00	0.24	1120.22	337.50		0.30
FMR2_139	Four Mile Run Mainstem 2	601 North Livingston Street	Bioretention	0.74	85%	15%	1.00	0.84	2260.40	1041.60		0.46
FMR2_141	Four Mile Run Mainstem 2	Ocean Dunes Water Park	Bioretention	3.95	33%	67%	1.00	0.46	6572.84	6337.50		0.96
FMR2_142	Four Mile Run Mainstem 2	Arlington Church of the Brethren	Bioretention	0.65	38%	62%	1.00	0.50	1181.57	3468.40		2.94
FMR2_144A	Four Mile Run Mainstem 2	5995 5th Rd., South	Bioretention	0.43	6%	94%	1.00	0.26	411.77	5139.00		12.48
FMR2_144B	Four Mile Run Mainstem 2	200 S. Carlin Springs Rd	Bioretention	0.92	54%	46%	1.00	0.61	2051.18	2562.90		1.25
FMR2_144C	Four Mile Run Mainstem 2	200 S. Carlin Springs Rd	Bioretention	0.56	77%	23%	1.00	0.78	1589.85	1362.40		0.86
FMR2_150	Four Mile Run Mainstem 2	855 North Lexington Street	Bioretention	0.50	84%	16%	1.00	0.83	1512.26	1436.40		0.95
FMR2_502	Four Mile Run Mainstem 2	6636 15th Street North	Street Bioretention	0.95	35%	65%	1.00	0.47	1633.14	1427.63		0.87
FMR2_503 A	Four Mile Run Mainstem 2	1423 North Ivanhoe Street	Street Bioretention	3.15	33%	67%	1.00	0.46	5271.49	954.00		0.18
FMR2_503 B	Four Mile Run Mainstem 2	1568 North Ivanhoe Street	Street Bioretention	1.49	32%	68%	1.00	0.45	2435.37	644.63		0.26
FMR2_504	Four Mile Run Mainstem 2	1584 North Jefferson Street	Street Bioretention	0.80	30%	70%	1.00	0.44	1274.86	778.00		0.61
FMR2_506	Four Mile Run Mainstem 2	1411 North Inglewood Street	Street Bioretention	2.25	33%	67%	1.00	0.46	3757.78	1114.00		0.30
FMR2_507	Four Mile Run Mainstem 2	1310 North Illinois Street	Street Bioretention	2.28	33%	67%	1.00	0.46	3834.73	1418.25		0.37

Site ID	Phosphorus Removal - VRRM				Phosphorus Removal - CSN				Impervious Area Acreage				Potential Utility or Site Constraints			
	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
FMR1_627A	0.29	2.91	2.5	7.26	0.31	3.10	2.5	7.76	0.21	1.04	2	2.09	Medium	5	1.5	7.5
FMR1_627B-1&2&3	0.64	6.35	2.5	15.88	0.81	8.06	2.5	20.14	0.63	3.14	2	6.27	High	0	1.5	0
FMR1_628	0.46	4.55	2.5	11.39	0.52	5.21	2.5	13.02	0.52	2.59	2	5.19	Medium	5	1.5	7.5
FMR1_630-1&2	0.62	6.25	2.5	15.62	1.04	10.39	2.5	25.98	1.23	6.13	2	12.26	Low	10	1.5	15
FMR1_631-1&2	0.64	6.41	2.5	16.03	0.69	6.92	2.5	17.30	0.47	2.33	2	4.66	Medium	5	1.5	7.5
FMR1_632	0.83	8.33	2.5	20.83	0.89	8.89	2.5	22.22	0.78	3.89	2	7.77	Medium	5	1.5	7.5
FMR1_800	0.44	4.38	2.5	10.96	0.47	4.75	2.5	11.87	0.30	1.50	2	3.01	Low	10	1.5	15
FMR1_801	0.27	2.66	2.5	6.64	0.41	4.05	2.5	10.13	0.54	2.72	2	5.44	Medium	5	1.5	7.5
FMR1_815	0.78	7.84	2.5	19.61	0.84	8.43	2.5	21.06	0.58	2.91	2	5.82	High	0	1.5	0
FMR2_124	1.17	11.72	2.5	29.30	1.11	11.10	2.5	27.75	0.97	4.85	2	9.70	Medium	5	1.5	7.5
FMR2_125 A	0.49	4.94	2.5	12.34	0.61	6.12	2.5	15.30	0.09	0.45	2	0.90	Medium	5	1.5	7.5
FMR2_125 B	0.13	1.27	2.5	3.17	0.17	1.67	2.5	4.17	0.02	0.10	2	0.20	Medium	5	1.5	7.5
FMR2_125 C	0.26	2.64	2.5	6.59	0.00	0.00	2.5	0.00	0.00	0.00	2	0.00	Medium	5	1.5	7.5
FMR2_125 D	0.34	3.37	2.5	8.41	0.42	4.21	2.5	10.53	0.03	0.15	2	0.30	Medium	5	1.5	7.5
FMR2_129	0.39	3.95	2.5	9.87	0.59	5.94	2.5	14.85	0.14	0.70	2	1.40	Low	10	1.5	15
FMR2_132 A	0.44	4.41	2.5	11.02	0.54	5.38	2.5	13.44	0.15	0.75	2	1.50	Low	10	1.5	15
FMR2_132 B	0.17	1.70	2.5	4.25	0.21	2.08	2.5	5.21	0.05	0.25	2	0.50	Low	10	1.5	15
FMR2_132 C	1.50	15.02	2.5	37.54	1.80	17.95	2.5	44.88	0.79	3.95	2	7.90	Low	10	1.5	15
FMR2_132 D	1.79	17.93	2.5	44.81	1.97	19.70	2.5	49.25	0.96	4.80	2	9.60	Medium	5	1.5	7.5
FMR2_134	0.92	9.16	2.5	22.90	1.01	10.14	2.5	25.35	0.59	2.95	2	5.90	Medium	5	1.5	7.5
FMR2_136	1.04	10.36	2.5	25.90	1.19	11.87	2.5	29.68	0.09	0.47	2	0.94	Medium	5	1.5	7.5
FMR2_137	0.12	1.25	2.5	3.12	0.45	4.47	2.5	11.16	0.04	0.20	2	0.40	Low	10	1.5	15
FMR2_139	0.51	5.09	2.5	12.71	0.53	5.28	2.5	13.19	0.63	3.15	2	6.30	Low	10	1.5	15
FMR2_141	2.24	22.41	2.5	56.02	2.38	23.78	2.5	59.45	1.29	6.45	2	12.90	Low	10	1.5	15
FMR2_142	0.41	4.08	2.5	10.21	0.48	4.84	2.5	12.09	0.25	1.25	2	2.50	Low	10	1.5	15
FMR2_144A	0.16	1.55	3.5	5.43	0.18	1.76	3.5	6.17	0.03	0.13	2	0.26	Medium	5	1.5	7.5
FMR2_144B	0.77	7.73	4.5	34.80	0.74	7.38	4.5	33.19	0.50	2.48	2	4.97	Medium	5	1.5	7.5
FMR2_144C	0.56	5.62	5.5	30.91	0.50	5.04	5.5	27.70	0.43	2.16	2	4.31	Medium	5	1.5	7.5
FMR2_150	0.51	5.11	2.5	12.77	0.49	4.90	2.5	12.25	0.42	2.10	2	4.20	Low	10	1.5	15
FMR2_502	0.53	5.34	2.5	13.36	0.58	5.75	2.5	14.39	0.33	1.65	2	3.30	Medium	5	1.5	7.5
FMR2_503 A	0.40	3.96	2.5	9.89	0.84	8.38	2.5	20.94	1.04	5.20	2	10.40	High	0	1.5	0
FMR2_503 B	0.31	3.11	2.5	7.78	0.52	5.19	2.5	12.97	0.47	2.35	2	4.70	High	0	1.5	0
FMR2_504	0.35	3.48	2.5	8.70	0.42	4.18	2.5	10.45	0.24	1.20	2	2.40	Medium	5	1.5	7.5
FMR2_506	0.55	5.46	2.5	13.64	0.85	8.49	2.5	21.24	0.74	3.70	2	7.40	Medium	5	1.5	7.5
FMR2_507	0.71	7.09	2.5	17.73	0.98	9.84	2.5	24.61	0.76	3.80	2	7.60	Medium	5	1.5	7.5

Site ID	Property Ownership				Potential for Quick Implementation				Existing Drainage Problem/Hotspot				County Maintenance Burden			
	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
FMR1_627A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_627B-1&2&3	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_628	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_630-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_631-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_632	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_800	Public	10	1.5	15	Yes	10	1	10	Yes	10	0.5	5	Medium	5	0.5	2.5
FMR1_801	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_815	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
FMR2_124	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FMR2_125 A	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
FMR2_125 B	Public	10	1.5	15	No	0	1	0	Yes	10	0.5	5	Medium	5	0.5	2.5
FMR2_125 C	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FMR2_125 D	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
FMR2_129	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
FMR2_132 A	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
FMR2_132 B	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
FMR2_132 C	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
FMR2_132 D	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
FMR2_134	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
FMR2_136	School	4	1.5	6	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FMR2_137	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Low	10	0.5	5
FMR2_139	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FMR2_141	Public	10	1.5	15	Yes	10	1	10	Yes	10	0.5	5	Medium	5	0.5	2.5
FMR2_142	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FMR2_144A	School	4	1.5	6	No	0	1	0	Yes	10	0.5	5	Medium	5	0.5	2.5
FMR2_144B	School	4	1.5	6	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FMR2_144C	School	4	1.5	6	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FMR2_150	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FMR2_502	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_503 A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_503 B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_504	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_506	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_507	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0

Site ID	Educational Opportunity				Pollutant Removal - VRRM													
	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit <sup>1</sup>	Size-Adjusted N-Removal Credit	Size-Adjusted N-Removal Credit <sup>1</sup>	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
FMR1_627A	Residential streets with Sidewalks	5	0.5	2.5	0.53	3.78	Street Bioretention	55%	64%	160%	61%	55%	71%	64%	0.29	2.42	29.85	779
FMR1_627B-1&2&3	Residential streets with Sidewalks	5	0.5	2.5	1.87	13.39	Street Bioretention	55%	64%	44%	34%	34%	39%	39%	0.64	5.29	35.15	578
FMR1_628	Residential streets with Sidewalks	5	0.5	2.5	1.32	9.44	Street Bioretention	55%	64%	44%	35%	35%	40%	40%	0.46	3.79	37.07	501
FMR1_630-1&2	Residential streets with Sidewalks	5	0.5	2.5	3.60	25.75	Street Bioretention	55%	64%	24%	17%	17%	20%	20%	0.62	5.20	55.87	109
FMR1_631-1&2	Residential streets with Sidewalks	5	0.5	2.5	1.32	9.47	Street Bioretention	55%	64%	75%	48%	48%	56%	56%	0.64	5.34	41.19	365
FMR1_632	Residential streets with Sidewalks	5	0.5	2.5	1.97	14.07	Street Bioretention	55%	64%	58%	42%	42%	49%	49%	0.83	6.94	49.10	197
FMR1_800	Park	8	0.5	4	0.80	5.70	Bioretention	55%	64%	182%	62%	55%	72%	64%	0.44	3.65	65.47	50
FMR1_801	Residential streets with Sidewalks	5	0.5	2.5	1.46	10.46	Street Bioretention	55%	64%	25%	18%	18%	21%	21%	0.27	2.21	32.58	678
FMR1_815	Park	8	0.5	4	1.43	10.20	Bioretention	55%	64%	186%	62%	55%	72%	64%	0.78	6.53	56.93	99
FMR2_124	Church	5	0.5	2.5	2.15	15.39	Bioretention	55%	64%	97%	54%	54%	63%	63%	1.17	9.76	51.50	167
FMR2_125 A	Park	8	0.5	4	0.90	6.42	Bioretention	55%	64%	107%	56%	55%	66%	64%	0.49	4.11	52.24	157
FMR2_125 B	Park	8	0.5	4	0.24	1.75	Dry Swale	52%	55%	102%	53%	52%	56%	55%	0.13	0.96	37.37	494
FMR2_125 C	Park	8	0.5	4	0.51	3.63	Dry Swale	52%	55%	185%	59%	52%	62%	55%	0.26	1.99	35.59	557
FMR2_125 D	Park	8	0.5	4	0.61	4.38	Bioretention	55%	64%	298%	63%	55%	74%	64%	0.34	2.80	47.71	220
FMR2_129	Park	8	0.5	4	0.96	6.87	Dry Swale	52%	55%	61%	41%	41%	43%	43%	0.39	2.99	57.77	94
FMR2_132 A	Park	8	0.5	4	0.80	5.74	Bioretention	55%	64%	275%	63%	55%	74%	64%	0.44	3.67	59.02	84
FMR2_132 B	Park	8	0.5	4	0.31	2.21	Bioretention	55%	64%	243%	63%	55%	73%	64%	0.17	1.41	51.25	169
FMR2_132 C	Park	8	0.5	4	2.73	19.53	Bioretention	55%	64%	214%	63%	55%	73%	64%	1.50	12.50	91.94	10
FMR2_132 D	Park	8	0.5	4	3.26	23.32	Bioretention	55%	64%	137%	60%	55%	70%	64%	1.79	14.92	93.41	9
FMR2_134	Park	8	0.5	4	1.86	13.27	Bioretention	55%	64%	77%	49%	49%	57%	57%	0.92	7.63	67.80	40
FMR2_136	School	10	0.5	5	1.73	12.35	Filtering Practice	60%	30%	120%	63%	60%	32%	30%	1.04	3.71	47.84	216
FMR2_137	Park	8	0.5	4	0.70	5.04	Grass Channel	41%	44%	30%	18%	18%	19%	19%	0.12	0.97	52.52	149
FMR2_139	Church	5	0.5	2.5	1.42	10.16	Bioretention	55%	64%	46%	36%	36%	42%	42%	0.51	4.23	39.01	437
FMR2_141	Park	8	0.5	4	4.13	29.54	Bioretention	55%	64%	96%	54%	54%	63%	63%	2.24	18.65	120.42	3
FMR2_142	Church	5	0.5	2.5	0.74	5.31	Bioretention	55%	64%	294%	63%	55%	74%	64%	0.41	3.40	32.71	673
FMR2_144A	School	10	0.5	5	0.26	1.85	Filtering Practice	60%	30%	1248%	69%	60%	35%	30%	0.16	0.56	31.69	713
FMR2_144B	School	10	0.5	5	1.29	9.22	Filtering Practice	60%	30%	125%	64%	60%	32%	30%	0.77	2.77	60.76	78
FMR2_144C	School	10	0.5	5	1.00	7.15	Filtering Practice	60%	30%	86%	56%	56%	28%	28%	0.56	2.01	56.23	106
FMR2_150	Park	8	0.5	4	0.95	6.80	Bioretention	55%	64%	95%	54%	54%	63%	63%	0.51	4.25	53.47	138
FMR2_502	Residential streets with Sidewalks	5	0.5	2.5	1.03	7.34	Street Bioretention	55%	64%	87%	52%	52%	61%	61%	0.53	4.45	37.16	498
FMR2_503 A	All other streets	0	0.5	0	3.31	23.69	Street Bioretention	55%	64%	18%	12%	12%	14%	14%	0.40	3.29	30.79	749
FMR2_503 B	All other streets	0	0.5	0	1.53	10.95	Street Bioretention	55%	64%	26%	20%	20%	24%	24%	0.31	2.59	22.98	956
FMR2_504	All other streets	0	0.5	0	0.80	5.73	Street Bioretention	55%	64%	61%	43%	43%	51%	51%	0.35	2.90	29.10	800
FMR2_506	All other streets	0	0.5	0	2.36	16.89	Street Bioretention	55%	64%	30%	23%	23%	27%	27%	0.55	4.54	39.04	434
FMR2_507	All other streets	0	0.5	0	2.41	17.24	Street Bioretention	55%	64%	37%	29%	29%	34%	34%	0.71	5.90	43.33	316

Site ID	Pollutant Removal - CSN											Rank
	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	
FMR1_627A	0.40	5.04	281.28	1.77	77.5%	0.31	66.3%	3.35	83.2%	234.02	30.35	803
FMR1_627B-1&2&3	1.44	20.87	844.64	0.57	56.1%	0.81	48.1%	10.04	60.1%	507.95	39.41	515
FMR1_628	1.00	12.69	698.75	0.50	52.0%	0.52	44.6%	5.66	55.7%	389.48	38.70	533
FMR1_630-1&2	2.76	39.60	1,650.90	0.30	37.7%	1.04	32.3%	12.81	40.4%	666.76	66.23	74
FMR1_631-1&2	1.01	14.16	627.08	0.93	68.5%	0.69	58.5%	8.29	73.4%	460.01	42.46	412
FMR1_632	1.49	18.77	1,046.98	0.65	59.7%	0.89	51.1%	9.59	63.9%	669.41	50.50	250
FMR1_800	0.61	7.98	405.35	2.12	78.3%	0.47	67.0%	5.35	84.1%	341.09	66.37	72
FMR1_801	1.11	14.87	732.70	0.29	36.4%	0.41	31.2%	4.64	39.0%	285.81	36.07	623
FMR1_815	1.08	13.12	784.56	2.00	78.2%	0.84	66.9%	8.77	83.9%	658.57	58.39	135
FMR2_124	1.61	17.36	1,306.71	0.95	68.8%	1.11	58.8%	10.22	73.8%	963.93	49.95	262
FMR2_125 A	0.72	15.62	121.24	4.69	85.0%	0.61	70.0%	10.93	85.0%	103.05	55.20	175
FMR2_125 B	0.20	4.37	26.94	5.46	85.0%	0.17	70.0%	3.06	85.0%	22.90	38.37	545
FMR2_125 C	0.41	10.17	0.00	0.00	0.0%	0.00	0.0%	0.00	0.0%	0.00	29.00	847
FMR2_125 D	0.50	11.48	40.41	26.62	85.0%	0.42	70.0%	8.04	85.0%	34.35	49.83	266
FMR2_129	0.76	15.55	188.60	1.84	77.8%	0.59	66.5%	10.35	83.5%	157.43	62.75	97
FMR2_132 A	0.63	12.10	202.07	6.45	85.0%	0.54	70.0%	8.47	85.0%	171.76	61.44	107
FMR2_132 B	0.25	4.87	67.36	6.58	85.0%	0.21	70.0%	3.41	85.0%	57.25	52.21	224
FMR2_132 C	2.11	33.76	1,064.22	3.25	85.0%	1.80	70.0%	23.63	85.0%	904.59	99.28	10
FMR2_132 D	2.52	39.85	1,293.24	2.03	78.2%	1.97	66.9%	26.66	84.0%	1,086.38	97.85	11
FMR2_134	1.43	21.53	794.80	1.06	71.0%	1.01	60.7%	13.07	76.1%	605.13	70.25	54
FMR2_136	1.40	32.16	126.49	9.70	85.0%	1.19	70.0%	22.51	85.0%	107.52	51.62	235
FMR2_137	0.57	13.06	53.88	2.32	78.5%	0.45	67.2%	8.77	84.4%	45.49	60.56	116
FMR2_139	1.07	11.73	848.69	0.46	49.5%	0.53	42.5%	4.98	53.0%	450.17	39.49	511
FMR2_141	3.18	48.54	1,737.78	1.35	74.8%	2.38	63.9%	31.03	80.2%	1,393.07	123.85	5
FMR2_142	0.57	8.24	336.78	3.82	85.0%	0.48	70.0%	5.77	85.0%	286.26	34.59	670
FMR2_144A	0.21	4.51	34.76	54.87	85.0%	0.18	70.0%	3.15	85.0%	29.54	32.43	749
FMR2_144B	0.98	12.64	669.25	1.42	75.4%	0.74	64.5%	8.15	80.8%	540.97	59.16	126
FMR2_144C	0.75	8.57	580.88	0.87	67.0%	0.50	57.3%	4.91	71.8%	417.20	53.01	211
FMR2_150	0.71	7.89	565.79	0.94	68.7%	0.49	58.7%	4.63	73.6%	416.63	52.95	213
FMR2_502	0.79	11.81	444.55	1.19	73.0%	0.58	62.4%	7.36	78.2%	347.61	38.19	552
FMR2_503 A	2.55	38.78	1,401.00	0.25	32.9%	0.84	28.2%	10.92	35.2%	493.12	41.84	427
FMR2_503 B	1.18	18.20	633.15	0.38	44.0%	0.52	37.8%	6.87	47.1%	298.40	28.17	866
FMR2_504	0.62	9.69	323.31	0.89	67.6%	0.42	57.8%	5.60	72.4%	234.16	30.85	795
FMR2_506	1.82	27.68	996.87	0.41	46.7%	0.85	40.1%	11.10	50.1%	499.09	46.64	319
FMR2_507	1.85	28.12	1,023.81	0.51	53.1%	0.98	45.5%	12.80	56.9%	582.30	50.21	255

Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%IC	%Turf	P (in)	Rv	Water Quality Volume (CF)	Treatment Volume (CF)	Treatment Volume Sum for Projects in Series*	% Water Quality Volume Treated
FMR2_509	Four Mile Run Mainstem 2	1150 North Ivanhoe Street	Street Bioretention	1.56	52%	48%	1.00	0.60	3392.24	1241.25		0.37
FMR2_511 A	Four Mile Run Mainstem 2	1401 North Kenilworth Street	Street Bioretention	1.67	41%	59%	1.00	0.52	3135.59	1091.60		0.35
FMR2_511 B	Four Mile Run Mainstem 2	5703 Washington Boulevard	Street Bioretention	3.72	40%	60%	1.00	0.51	6945.64	4874.00		0.70
FMR2_512	Four Mile Run Mainstem 2	5790 Washington Boulevard	Street Bioretention	0.53	94%	6%	1.00	0.91	1748.21	811.40		0.46
FMR2_514	Four Mile Run Mainstem 2	1116 North Kentucky Street	Street Bioretention	2.56	32%	68%	1.00	0.46	4243.83	800.40		0.19
FMR2_515-1&2	Four Mile Run Mainstem 2	1118 North Kenilworth Street	Street Bioretention	2.12	38%	62%	1.00	0.50	3827.79	2779.20	2779.20	0.73
FMR2_516 A	Four Mile Run Mainstem 2	1124 N. Kennebec Street	Street Bioretention	0.67	69%	31%	1.00	0.72	1754.02	1683.80		0.96
FMR2_516 B	Four Mile Run Mainstem 2	5701 11th Road North	Street Bioretention	1.27	32%	68%	1.00	0.46	2100.68	1710.00		0.81
FMR2_517	Four Mile Run Mainstem 2	1131 North Kensington Street	Street Bioretention	3.43	40%	60%	1.00	0.51	6343.06	1697.40		0.27
FMR2_518 A	Four Mile Run Mainstem 2	5700 North Kennebec	Street Bioretention	2.16	39%	61%	1.00	0.51	3977.39	1503.60		0.38
FMR2_518 B	Four Mile Run Mainstem 2	5730 11th Street North	Street Bioretention	2.30	34%	66%	1.00	0.47	3930.20	1629.20		0.41
FMR2_520 A	Four Mile Run Mainstem 2	5537 North Jefferson Street	Street Bioretention	4.36	43%	57%	1.00	0.53	8449.93	1868.40		0.22
FMR2_520 B-1&2	Four Mile Run Mainstem 2	5537 North Jefferson Street	Street Bioretention	1.93	40%	60%	1.00	0.51	3587.02	1394.00	1394.00	0.39
FMR2_521	Four Mile Run Mainstem 2	5504 10th Street North	Street Bioretention	0.33	76%	24%	1.00	0.77	926.01	945.40		1.02
FMR2_522 A	Four Mile Run Mainstem 2	1400 North McKinney Road	Street Bioretention	2.62	34%	66%	1.00	0.47	4450.74	1002.00		0.23
FMR2_522 B	Four Mile Run Mainstem 2	1400 North McKinney Road	Street Bioretention	1.45	19%	81%	1.00	0.36	1873.44	666.00		0.36
FMR2_523-1&2	Four Mile Run Mainstem 2	5933 10th Street North	Street Bioretention	3.49	40%	60%	1.00	0.51	6486.37	1079.80	1079.80	0.17

Site ID	Phosphorus Removal - VRRM				Phosphorus Removal - CSN				Impervious Area Acreage				Potential Utility or Site Constraints			
	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
FMR2_509	0.63	6.27	2.5	15.68	0.77	7.65	2.5	19.13	0.81	4.05	2	8.10	Low	10	1.5	15
FMR2_511 A	0.54	5.45	2.5	13.62	0.73	7.33	2.5	18.33	0.68	3.40	2	6.80	Medium	5	1.5	7.5
FMR2_511 B	2.05	20.50	2.5	51.25	2.26	22.59	2.5	56.48	1.50	7.50	2	15.00	Medium	5	1.5	7.5
FMR2_512	0.39	3.93	2.5	9.83	0.40	4.03	2.5	10.06	0.50	2.50	2	5.00	Medium	5	1.5	7.5
FMR2_514	0.32	3.19	2.5	7.96	0.70	7.01	2.5	17.54	0.83	4.15	2	8.30	High	0	1.5	0
FMR2_515-1&2	1.15	11.45	2.5	28.64	1.27	12.70	2.5	31.76	0.81	4.03	2	8.06	Medium	5	1.5	7.5
FMR2_516 A	0.59	5.94	2.5	14.85	0.58	5.82	2.5	14.56	0.46	2.30	2	4.60	Medium	5	1.5	7.5
FMR2_516 B	0.67	6.66	2.5	16.66	0.74	7.36	2.5	18.40	0.41	2.05	2	4.10	High	0	1.5	0
FMR2_517	0.81	8.11	2.5	20.27	1.26	12.59	2.5	31.48	1.36	6.80	2	13.60	High	0	1.5	0
FMR2_518 A	0.75	7.55	2.5	18.87	0.99	9.86	2.5	24.65	0.85	4.25	2	8.50	Medium	5	1.5	7.5
FMR2_518 B	0.81	8.10	2.5	20.26	1.06	10.63	2.5	26.58	0.79	3.95	2	7.90	Medium	5	1.5	7.5
FMR2_520 A	0.88	8.75	2.5	21.88	1.42	14.20	2.5	35.51	1.87	9.37	2	18.75	High	0	1.5	0
FMR2_520 B-1&2	0.70	6.97	2.5	17.42	0.90	8.99	2.5	22.48	0.77	3.86	2	7.72	High	0	1.5	0
FMR2_521	0.32	3.20	2.5	8.00	0.31	3.09	2.5	7.73	0.25	1.25	2	2.50	Medium	5	1.5	7.5
FMR2_522 A	0.46	4.61	2.5	11.53	0.82	8.25	2.5	20.62	0.89	4.45	2	8.90	Medium	5	1.5	7.5
FMR2_522 B	0.34	3.37	2.5	8.43	0.56	5.62	2.5	14.04	0.27	1.35	2	2.70	Medium	5	1.5	7.5
FMR2_523-1&2	0.39	3.87	2.5	9.67	0.89	8.94	2.5	22.35	1.40	6.98	2	13.96	High	0	1.5	0



Site ID	Property Ownership				Potential for Quick Implementation				Existing Drainage Problem/Hotspot				County Maintenance Burden			
	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
FMR2_509	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_511 A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_511 B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_512	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_514	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_515-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_516 A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_516 B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_517	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_518 A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_518 B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_520 A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_520 B-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_521	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_522 A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_522 B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_523-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0

Site ID	Educational Opportunity				Pollutant Removal - VRRM													
	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit <sup>1</sup>	Size-Adjusted N Removal Credit	Size-Adjusted N Removal Credit <sup>1</sup>	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
FMR2_509	Residential streets with sidewalks	5	0.5	2.5	2.13	15.25	Street Bioretention	55%	64%	37%	29%	29%	34%	34%	0.63	5.22	51.78	161
FMR2_511 A	Residential streets with sidewalks	5	0.5	2.5	1.97	14.09	Street Bioretention	55%	64%	35%	28%	28%	32%	32%	0.54	4.54	40.92	374
FMR2_511 B	Residential streets with sidewalks	5	0.5	2.5	4.36	31.22	Street Bioretention	55%	64%	70%	47%	47%	55%	55%	2.05	17.07	86.75	15
FMR2_512	Residential streets with sidewalks	5	0.5	2.5	1.10	7.86	Street Bioretention	55%	64%	46%	36%	36%	42%	42%	0.39	3.27	35.33	570
FMR2_514	Residential streets with sidewalks	5	0.5	2.5	2.67	19.07	Street Bioretention	55%	64%	19%	12%	12%	14%	14%	0.32	2.65	29.26	795
FMR2_515-1&2	Residential streets with sidewalks	5	0.5	2.5	2.40	17.20	Street Bioretention	55%	64%	73%	48%	48%	55%	55%	1.15	9.54	57.19	98
FMR2_516 A	Residential streets with Sidewalks	5	0.5	2.5	1.10	7.88	Street Bioretention	55%	64%	96%	54%	54%	63%	63%	0.59	4.95	39.95	403
FMR2_516 B	Residential streets with Sidewalks	5	0.5	2.5	1.32	9.44	Street Bioretention	55%	64%	81%	50%	50%	59%	59%	0.67	5.55	33.76	628
FMR2_517	Residential streets with Sidewalks	5	0.5	2.5	3.99	28.51	Street Bioretention	55%	64%	27%	20%	20%	24%	24%	0.81	6.75	46.87	234
FMR2_518 A	Residential streets with sidewalks	5	0.5	2.5	2.50	17.88	Street Bioretention	55%	64%	38%	30%	30%	35%	35%	0.75	6.28	47.87	215
FMR2_518 B	Residential streets with sidewalks	5	0.5	2.5	2.47	17.67	Street Bioretention	55%	64%	41%	33%	33%	38%	38%	0.81	6.75	48.66	203
FMR2_520 A	Residential streets with sidewalks	5	0.5	2.5	5.31	37.98	Street Bioretention	55%	64%	22%	16%	16%	19%	19%	0.88	7.29	53.63	135
FMR2_520 B-1&2	Residential streets with sidewalks	5	0.5	2.5	2.25	16.12	Street Bioretention	55%	64%	39%	31%	31%	36%	36%	0.70	5.80	38.14	459
FMR2_521	Residential streets with Sidewalks	5	0.5	2.5	0.58	4.16	Street Bioretention	55%	64%	102%	56%	55%	65%	64%	0.32	2.66	31.00	736
FMR2_522 A	Residential streets with Sidewalks	5	0.5	2.5	2.80	20.00	Street Bioretention	55%	64%	23%	16%	16%	19%	19%	0.46	3.84	40.93	372
FMR2_522 B	Residential streets with Sidewalks	5	0.5	2.5	1.18	8.42	Street Bioretention	55%	64%	36%	29%	29%	33%	33%	0.34	2.81	31.63	716
FMR2_523-1&2	Residential streets with sidewalks	5	0.5	2.5	4.08	29.15	Street Bioretention	55%	64%	17%	9%	9%	11%	11%	0.39	3.22	36.63	519

Site ID	Pollutant Removal - CSN											
	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	Rank
FMR2_509	1.62	21.21	1,091.17	0.42	47.3%	0.77	40.5%	8.60	50.6%	552.45	55.23	174
FMR2_511 A	1.51	21.43	916.04	0.44	48.6%	0.73	41.7%	8.94	52.1%	477.31	45.63	337
FMR2_511 B	3.34	47.65	2,020.68	0.90	67.6%	2.26	57.8%	27.56	72.5%	1,464.59	91.98	18
FMR2_512	0.82	8.73	673.56	0.45	49.0%	0.40	42.0%	3.67	52.5%	353.29	35.56	639
FMR2_514	2.05	31.41	1,118.11	0.27	34.2%	0.70	29.3%	9.20	36.6%	409.10	38.84	529
FMR2_515-1&2	1.84	26.82	1,085.24	0.95	68.9%	1.27	58.9%	15.79	73.8%	801.21	60.32	118
FMR2_516 A	0.83	9.87	619.68	1.01	70.1%	0.58	59.9%	5.91	75.1%	465.26	39.66	503
FMR2_516 B	1.02	15.57	552.32	1.15	72.4%	0.74	61.9%	9.63	77.6%	428.41	35.50	644
FMR2_517	3.05	43.77	1,832.08	0.34	41.3%	1.26	35.4%	15.50	44.2%	809.80	58.08	140
FMR2_518 A	1.91	27.52	1,145.05	0.49	51.5%	0.99	44.2%	12.16	55.2%	631.93	53.65	200
FMR2_518 B	1.90	28.53	1,064.22	0.57	56.0%	1.06	48.0%	13.69	60.0%	638.40	54.98	183
FMR2_520 A	4.06	56.64	2,525.58	0.27	35.0%	1.42	30.0%	17.01	37.5%	947.59	67.26	68
FMR2_520 B-1&2	1.73	24.68	1,039.98	0.50	52.1%	0.90	44.7%	11.03	55.8%	580.71	43.20	399
FMR2_521	0.44	5.02	336.78	1.04	70.7%	0.31	60.4%	3.03	75.7%	255.07	30.73	796
FMR2_522 A	2.15	32.43	1,198.94	0.31	38.3%	0.82	32.9%	10.67	41.1%	492.51	50.02	260
FMR2_522 B	0.92	16.43	363.72	0.68	61.0%	0.56	52.2%	8.58	65.3%	237.56	37.24	586
FMR2_523-1&2	3.12	44.62	1,880.58	0.21	28.7%	0.89	24.5%	10.95	30.7%	577.34	49.31	271

Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%IC	%Turf	P (in)	Rv	Water Quality Volume (CF)	Treatment Volume (CF)	Treatment Volume Sum for Projects in Series*	% Water Quality Volume Treated
FMR2_524-1&2	Four Mile Run Mainstem 2	5928 10th Road North	Street Bioretention	3.15	32%	68%	1.00	0.45	5186.69	2663.60	2663.60	0.51
FMR2_525 A	Four Mile Run Mainstem 2	1051 North Liberty Street	Bioretention	1.76	45%	55%	1.00	0.55	3525.46	5542.40		1.57
FMR2_525 B	Four Mile Run Mainstem 2	5900 10th Road North	Street Bioretention	4.25	20%	80%	1.00	0.37	5672.96	1282.00		0.23
FMR2_527	Four Mile Run Mainstem 2	922 North Longfellow Street	Street Bioretention	2.51	25%	75%	1.00	0.40	3647.42	579.60		0.16
FMR2_528-1&2&3	Four Mile Run Mainstem 2	6014 9th Road North	Street Bioretention	4.51	37%	63%	1.00	0.49	8023.57	2390.80	2390.80	0.30
FMR2_529 A-1&2	Four Mile Run Mainstem 2	915 North Liberty Street	Street Bioretention	1.21	47%	53%	1.00	0.56	2473.30	1747.70	1747.70	2.17
FMR2_529 B-1&2	Four Mile Run Mainstem 2	915 North Liberty Street	Street Bioretention	0.77	30%	70%	1.00	0.44	1227.05	1343.60	1343.60	1.09
FMR2_530 A	Four Mile Run Mainstem 2	5975 9th Street North	Street Bioretention	2.60	35%	65%	1.00	0.48	4514.27	1721.22		0.38
FMR2_530 B	Four Mile Run Mainstem 2	868 9th Street North	Street Bioretention	2.97	33%	67%	1.00	0.46	4942.25	2227.35		0.45
FMR2_531 A	Four Mile Run Mainstem 2	5723 9th Street North	Street Bioretention	1.54	39%	61%	1.00	0.50	2819.78	989.68		0.35
FMR2_531 B	Four Mile Run Mainstem 2	5723 9th Street North	Street Bioretention	0.68	46%	54%	1.00	0.55	1364.52	1802.80		1.32
FMR2_532	Four Mile Run Mainstem 2	889 North Kensington Street	Street Bioretention	4.04	37%	63%	1.00	0.49	7187.41	2431.33		0.34
FMR2_533-1&2&3	Four Mile Run Mainstem 2	886 North Lexington Street	Street Bioretention	2.34	32%	68%	1.00	0.45	3852.97	2591.18	2591.18	0.67
FMR2_536	Four Mile Run Mainstem 2	837 North Lexington Street	Street Bioretention	0.85	26%	74%	1.00	0.41	1261.79	728.40		0.58
FMR2_543	Four Mile Run Mainstem 2	613 North Jefferson Street	Street Bioretention	0.65	66%	34%	1.00	0.70	1658.55	468.25		0.28
FMR2_544	Four Mile Run Mainstem 2	5651 6th Street North	Street Bioretention	1.01	37%	63%	1.00	0.49	1787.05	1330.20		0.74
FMR2_554	Four Mile Run Mainstem 2	205 North Galveston Street	Street Bioretention	0.98	56%	44%	1.00	0.63	2240.07	1128.60		0.50
FMR2_558	Four Mile Run Mainstem 2	5900 1st Street North	Street Bioretention	2.12	47%	53%	1.00	0.56	4316.43	2743.45		0.64
FMR2_560 A	Four Mile Run Mainstem 2	5916 3rd Street South	Street Bioretention	3.37	42%	58%	1.00	0.52	6401.14	1182.00		0.18
FMR2_560 B	Four Mile Run Mainstem 2	5919 3rd Street South	Street Bioretention	0.53	87%	13%	1.00	0.85	1642.21	1261.20		0.77
FMR2_561	Four Mile Run Mainstem 2	320 North Manchester Street	Bioretention	2.32	49%	51%	1.00	0.58	4847.14	4765.50		0.98

Site ID	Phosphorus Removal - VRRM				Phosphorus Removal - CSN				Impervious Area Acreage				Potential Utility or Site Constraints			
	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
FMR2_524-1&2	1.25	12.54	2.5	31.35	1.58	15.76	2.5	39.39	1.01	5.04	2	10.08	High	0	1.5	0
FMR2_525 A	1.22	12.18	2.5	30.46	1.32	13.18	2.5	32.94	0.80	4.00	2	8.00	High	0	1.5	0
FMR2_525 B	0.59	5.88	2.5	14.69	1.29	12.92	2.5	32.31	0.86	4.30	2	8.60	Medium	5	1.5	7.5
FMR2_527	0.19	1.88	2.5	4.69	0.59	5.93	2.5	14.83	0.62	3.10	2	6.20	High	0	1.5	0
FMR2_528-1&2&3	1.17	11.65	2.5	29.13	1.75	17.51	2.5	43.78	1.67	8.34	2	16.69	Medium	5	1.5	7.5
FMR2_529 A-1&2	0.85	8.55	2.5	21.37	0.79	7.86	2.5	19.66	0.57	2.84	2	5.69	Medium	5	1.5	7.5
FMR2_529 B-1&2	0.42	4.24	2.5	10.60	0.46	4.57	2.5	11.41	0.23	1.16	2	2.31	Medium	5	1.5	7.5
FMR2_530 A	0.88	8.77	2.5	21.93	1.16	11.58	2.5	28.96	0.92	4.60	2	9.20	High	0	1.5	0
FMR2_530 B	1.09	10.88	2.5	27.19	1.41	14.11	2.5	35.28	0.97	4.85	2	9.70	High	0	1.5	0
FMR2_531 A	0.51	5.08	2.5	12.69	0.67	6.71	2.5	16.78	0.60	3.00	2	6.00	Medium	5	1.5	7.5
FMR2_531 B	0.47	4.72	2.5	11.79	0.50	5.02	2.5	12.54	0.31	1.55	2	3.10	Medium	5	1.5	7.5
FMR2_532	1.22	12.19	2.5	30.49	1.70	16.99	2.5	42.47	1.49	7.47	2	14.95	Medium	5	1.5	7.5
FMR2_533-1&2&3	1.11	11.06	2.5	27.66	1.29	12.86	2.5	32.16	0.75	3.74	2	7.49	Medium	5	1.5	7.5
FMR2_536	0.33	3.32	2.5	8.31	0.42	4.18	2.5	10.46	0.22	1.10	2	2.20	High	0	1.5	0
FMR2_543	0.23	2.33	2.5	5.83	0.29	2.94	2.5	7.36	0.43	2.15	2	4.30	Medium	5	1.5	7.5
FMR2_544	0.54	5.44	2.5	13.61	0.60	6.01	2.5	15.02	0.37	1.85	2	3.70	Medium	5	1.5	7.5
FMR2_554	0.53	5.35	2.5	13.37	0.60	5.96	2.5	14.90	0.55	2.75	2	5.50	High	0	1.5	0
FMR2_558	1.20	12.01	2.5	30.01	1.32	13.22	2.5	33.05	0.99	4.95	2	9.90	Medium	5	1.5	7.5
FMR2_560 A	0.48	4.80	2.5	12.01	0.95	9.46	2.5	23.66	1.40	7.00	2	14.00	Medium	5	1.5	7.5
FMR2_560 B	0.51	5.08	2.5	12.70	0.49	4.93	2.5	12.32	0.46	2.30	2	4.60	Medium	5	1.5	7.5
FMR2_561	1.66	16.62	2.5	41.55	1.68	16.82	2.5	42.05	1.13	5.65	2	11.30	Medium	5	1.5	7.5

Site ID	Property Ownership				Potential for Quick Implementation				Existing Drainage Problem/Hotspot				County Maintenance Burden			
	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
FMR2_524-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_525 A	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
FMR2_525 B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_527	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_528-1&2&3	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_529 A-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_529 B-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_530 A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_530 B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_531 A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_531 B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_532	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_533-1&2&3	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_536	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_543	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_544	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_554	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_558	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_560 A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_560 B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_561	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5

Site ID	Educational Opportunity				Pollutant Removal - VRRM													
	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit <sup>1</sup>	Size-Adjusted N Removal Credit	Size-Adjusted N Removal Credit <sup>1</sup>	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
FMR2_524-1&2	Residential streets with Sidewalks	5	0.5	2.5	3.26	23.31	Street Bioretention	55%	64%	51%	38%	38%	45%	45%	1.25	10.44	54.43	123
FMR2_525 A	Park	8	0.5	4	2.22	15.85	Bioretention	55%	64%	157%	61%	55%	71%	64%	1.22	10.14	69.96	36
FMR2_525 B	Residential streets with sidewalks	5	0.5	2.5	3.56	25.50	Street Bioretention	55%	64%	23%	16%	16%	19%	19%	0.59	4.89	43.79	294
FMR2_527	Residential streets with sidewalks	5	0.5	2.5	2.29	16.39	Street Bioretention	55%	64%	16%	8%	8%	10%	10%	0.19	1.56	23.89	937
FMR2_528-1&2&3	Residential streets with sidewalks	5	0.5	2.5	5.04	36.06	Street Bioretention	55%	64%	30%	23%	23%	27%	27%	1.17	9.70	66.32	45
FMR2_529 A-1&2	Residential streets with sidewalks	5	0.5	2.5	1.55	11.12	Street Bioretention	55%	64%	217%	63%	55%	73%	64%	0.85	7.11	47.55	223
FMR2_529 B-1&2	Residential streets with sidewalks	5	0.5	2.5	0.77	5.52	Street Bioretention	55%	64%	109%	56%	55%	66%	64%	0.42	3.53	33.41	646
FMR2_530 A	Residential streets with sidewalks	5	0.5	2.5	2.84	20.29	Street Bioretention	55%	64%	38%	31%	31%	36%	36%	0.88	7.30	44.13	286
FMR2_530 B	Residential streets with sidewalks	5	0.5	2.5	3.11	22.21	Street Bioretention	55%	64%	45%	35%	35%	41%	41%	1.09	9.05	49.89	188
FMR2_531 A	All other streets	0	0.5	0	1.77	12.67	Street Bioretention	55%	64%	35%	29%	29%	33%	33%	0.51	4.23	36.69	517
FMR2_531 B	All other streets	0	0.5	0	0.86	6.13	Street Bioretention	55%	64%	132%	59%	55%	69%	64%	0.47	3.93	32.89	664
FMR2_532	Residential streets with Sidewalks	5	0.5	2.5	4.52	32.31	Street Bioretention	55%	64%	34%	27%	27%	31%	31%	1.22	10.15	65.93	48
FMR2_533-1&2&3	Residential streets with sidewalks	5	0.5	2.5	2.42	17.32	Street Bioretention	55%	64%	67%	46%	46%	53%	53%	1.11	9.21	55.65	111
FMR2_536	All other streets	0	0.5	0	0.79	5.67	Street Bioretention	55%	64%	58%	42%	42%	49%	49%	0.33	2.77	21.01	979
FMR2_543	Residential streets with sidewalks	5	0.5	2.5	1.04	7.45	Street Bioretention	55%	64%	28%	22%	22%	26%	26%	0.23	1.94	30.63	759
FMR2_544	Residential streets with sidewalks	5	0.5	2.5	1.12	8.03	Street Bioretention	55%	64%	74%	48%	48%	56%	56%	0.54	4.53	37.81	475
FMR2_554	Residential streets with sidewalks	5	0.5	2.5	1.41	10.07	Street Bioretention	55%	64%	50%	38%	38%	44%	44%	0.53	4.45	31.87	706
FMR2_558	Residential streets with Sidewalks	5	0.5	2.5	2.71	19.40	Street Bioretention	55%	64%	64%	44%	44%	52%	52%	1.20	9.99	60.41	81
FMR2_560 A	Residential streets with Sidewalks	5	0.5	2.5	4.02	28.77	Street Bioretention	55%	64%	18%	12%	12%	14%	14%	0.48	4.00	46.51	243
FMR2_560 B	Residential streets with Sidewalks	5	0.5	2.5	1.03	7.38	Street Bioretention	55%	64%	77%	49%	49%	57%	57%	0.51	4.23	37.80	476
FMR2_561	Park	8	0.5	4	3.05	21.79	Bioretention	55%	64%	98%	55%	55%	63%	63%	1.66	13.83	81.85	22

Site ID	Pollutant Removal - CSN											
	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	Rank
FMR2_524-1&2	2.51	38.56	1,357.90	0.73	62.8%	1.58	53.7%	20.71	67.2%	913.02	62.47	100
FMR2_525 A	1.69	23.16	1,077.70	1.91	78.0%	1.32	66.7%	15.45	83.7%	902.09	72.44	46
FMR2_525 B	2.78	48.64	1,158.52	0.41	46.4%	1.29	39.8%	19.38	49.8%	576.42	61.41	108
FMR2_527	1.78	29.49	835.21	0.26	33.3%	0.59	28.6%	8.43	35.7%	298.34	34.03	692
FMR2_528-1&2&3	3.87	56.75	2,247.94	0.39	45.3%	1.75	38.8%	22.05	48.5%	1,090.28	80.96	30
FMR2_529 A-1&2	1.18	16.05	766.11	0.85	66.4%	0.79	56.8%	9.11	71.2%	545.12	45.85	336
FMR2_529 B-1&2	0.60	9.32	311.18	1.60	76.7%	0.46	65.6%	6.12	82.3%	255.99	34.22	681
FMR2_530 A	2.18	32.43	1,239.35	0.52	53.2%	1.16	45.6%	14.78	57.0%	705.88	51.16	241
FMR2_530 B	2.39	36.49	1,306.71	0.63	59.0%	1.41	50.6%	18.45	63.2%	826.25	57.98	142
FMR2_531 A	1.36	19.58	808.27	0.45	49.4%	0.67	42.4%	8.31	53.0%	428.13	40.78	464
FMR2_531 B	0.65	8.95	417.61	1.60	76.7%	0.50	65.6%	5.87	82.3%	343.52	33.64	705
FMR2_532	3.47	50.83	2,013.67	0.45	49.0%	1.70	42.1%	21.38	52.5%	1,057.65	77.91	33
FMR2_533-1&2&3	1.87	28.65	1,008.72	0.95	69.0%	1.29	58.9%	16.89	73.9%	745.39	60.15	120
FMR2_536	0.61	10.05	296.37	0.91	68.0%	0.42	58.2%	5.85	72.9%	216.08	23.16	968
FMR2_543	0.79	9.47	579.26	0.30	37.4%	0.29	32.1%	3.04	40.1%	232.23	32.16	764
FMR2_544	0.86	12.68	498.43	0.99	69.7%	0.60	59.6%	7.56	74.7%	372.38	39.22	524
FMR2_554	1.07	13.60	740.92	0.57	55.8%	0.60	47.9%	6.51	59.8%	443.31	33.40	715
FMR2_558	2.07	28.07	1,333.65	0.76	63.9%	1.32	54.7%	15.36	68.5%	913.81	63.45	93
FMR2_560 A	3.08	43.44	1,885.97	0.23	30.8%	0.95	26.4%	11.45	33.0%	621.64	58.16	139
FMR2_560 B	0.77	8.46	619.68	0.76	63.7%	0.49	54.5%	4.61	68.2%	422.84	37.42	578
FMR2_561	2.32	31.04	1,522.25	1.16	72.5%	1.68	62.0%	19.25	77.8%	1,183.69	82.35	28



Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%C	%Turf	P (in)	Rv	Water Quality Volume (CF)	Treatment Volume (CF)	Treatment Volume Sum for Projects in Series*	% Water Quality Volume Treated
FMR2_562 A	Four Mile Run Mainstem 2	511 North Manchester Street	Street Bioretention	0.37	97%	3%	1.00	0.93	1249.45	3018.60		2.42
FMR2_564	Four Mile Run Mainstem 2	206 2nd Street North next to Arlington Church of the Brethren	Street Bioretention	0.64	41%	59%	1.00	0.52	1200.08	788.00		0.66
FMR2_567	Four Mile Run Mainstem 2	875 N Madison Street	Street Bioretention	6.66	10%	90%	1.00	0.29	7067.61	3260.00		0.46
FMR2_568	Four Mile Run Mainstem 2	Manchester Street and Arlington Boulevard (Service Road)	Bioretention	0.86	44%	56%	1.00	0.54	1693.76	1394.25		0.82
FMR2_569	Four Mile Run Mainstem 2	Manchester Street and Arlington Boulevard (Service Road)	Street Bioretention	0.25	68%	32%	1.00	0.72	650.13	2485.50		3.82
FMR2_572	Four Mile Run Mainstem 2	5862 1st St. South	Street Bioretention	1.24	52%	48%	1.00	0.60	2686.20	774.80		0.29
FMR2_573	Four Mile Run Mainstem 2	12 South Lexington Street	Street Bioretention	0.66	52%	48%	1.00	0.60	1428.04	890.70		0.62
FMR2_579 A	Four Mile Run Mainstem 2	114 South Columbus Street	Street Bioretention	0.60	58%	42%	1.00	0.65	1406.63	1390.20		0.99
FMR2_579 B	Four Mile Run Mainstem 2	115 South Columbus Street	Street Bioretention	1.83	32%	68%	1.00	0.45	2998.38	1131.00		0.38
FMR2_580-1&2	Four Mile Run Mainstem 2	121 South Buchanan Street	Street Bioretention	1.04	54%	46%	1.00	0.61	2318.73	1689.80	1689.80	0.73
FMR2_700	Four Mile Run Mainstem 2	6004 2nd Street North	Sand Filter	4.42	48%	52%	1.00	0.57	9151.84	2174.40		0.24
FMR2_731	Four Mile Run Mainstem 2	524 North Longfellow Street	Street Bioretention	1.46	67%	33%	1.00	0.71	3758.09	1294.20		0.34
FMR2_800	Four Mile Run Mainstem 2	101 South Lexington Street	Street Bioretention	0.35	51%	49%	1.00	0.59	752.52	565.20		0.75
FMR2_804	Four Mile Run Mainstem 2	5401 3rd Street South	Street Bioretention	0.99	48%	52%	1.00	0.57	2049.85	1130.00		0.55
FMRL_157	Four Mile Run Lower	Lomax AME 2704 South 24th Road, Arlington, VA	Bioretention	0.65	77%	23%	1.00	0.79	1853.37	403.50		0.22
FMRL_159	Four Mile Run Lower	Avalon at Arlington 26th Street South 2300 block	Permeable Pavement	1.04	84%	16%	1.00	0.83	3135.96	24841.80		7.92
FMRL_161A	Four Mile Run Lower	Avalon at Arlington 27th CT South and South Glebe Rd	Bioretention	0.39	46%	54%	1.00	0.56	788.44	769.50		0.98
FMRL_161B	Four Mile Run Lower	Avalon at Arlington S Adams Street and S Four Mile Run	Bioretention	0.35	46%	54%	1.00	0.55	703.49	2111.15		3.00
FMRL_164	Four Mile Run Lower	The Park at Arlington Ridge apts 28th St South	Bioretention	0.31	26%	74%	1.00	0.41	459.56	2663.10		5.79
FMRL_166B	Four Mile Run Lower	Oakridge Elementary 1414 24th Street South, Arlington	Bioretention	0.95	85%	15%	1.00	0.84	2905.09	341.70		0.12
FMRL_168B	Four Mile Run Lower	Gunston School/Community Center 2700 South Lang St	Bioretention	0.32	84%	16%	1.00	0.84	971.03	1579.40		1.63
FMRL_572	Four Mile Run Lower	S 27th Road and S Four Mile Run Drive	Street Bioretention	0.41	59%	41%	1.00	0.65	963.40	634.50		0.66
FMRL_573A-1&2	Four Mile Run Lower	S Cleveland Street and S Four Mile Run Drive	Street Bioretention	1.13	50%	50%	1.00	0.59	2412.86	528.00	528.00	0.22
FMRL_573B	Four Mile Run Lower	S 27th Road and S Four Mile Run Drive	Dry Swale	0.69	38%	62%	1.00	0.50	1240.01	226.20		0.18
FMRL_574	Four Mile Run Lower	S Veitch Street and S Four Mile Run Drive	Street Bioretention	0.39	62%	38%	1.00	0.67	947.43	510.44		0.54
FMRL_575B	Four Mile Run Lower	S Uhle Street and S Four Mile Run Drive	Street Bioretention	0.94	64%	36%	1.00	0.69	2340.62	482.00		0.21
FMRL_580	Four Mile Run Lower	1348 28th St South	Street Bioretention	2.89	41%	59%	1.00	0.52	5461.34	1416.40		0.26
FMRL_581	Four Mile Run Lower	1348 28th St South	Street Bioretention	0.50	76%	24%	1.00	0.77	1406.26	894.00		0.64
FMRL_595	Four Mile Run Lower	31st Street South and South Eads Street	Street Bioretention	0.49	88%	12%	1.00	0.86	1530.77	794.00		0.52
FMRM_157A	Four Mile Run Middle	DMV Customer Service Center, 4150 South Four Mile Run Drive	Bioretention	0.30	97%	3%	1.00	0.93	1010.70	204.01		0.20

Site ID	Phosphorus Removal - VRRM				Phosphorus Removal - CSN				Impervious Area Acreage				Potential Utility or Site Constraints			
	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
FMR2_562 A	0.43	4.32	2.5	10.79	0.46	4.61	2.5	11.52	0.36	1.80	2	3.60	High	0	1.5	0
FMR2_564	0.34	3.39	2.5	8.47	0.38	3.81	2.5	9.53	0.26	1.30	2	2.60	Medium	5	1.5	7.5
FMR2_567	1.59	15.90	2.5	39.75	2.64	26.42	2.5	66.04	0.66	3.30	2	6.60	Medium	5	1.5	7.5
FMR2_568	0.54	5.39	2.5	13.48	0.57	5.70	2.5	14.24	0.38	1.90	2	3.80	Medium	5	1.5	7.5
FMR2_569	0.22	2.25	2.5	5.62	0.26	2.62	2.5	6.55	0.17	0.85	2	1.70	Medium	5	1.5	7.5
FMR2_572	0.38	3.78	2.5	9.44	0.52	5.18	2.5	12.95	0.64	3.20	2	6.40	Medium	5	1.5	7.5
FMR2_573	0.39	3.95	2.5	9.87	0.43	4.26	2.5	10.66	0.34	1.70	2	3.40	Medium	5	1.5	7.5
FMR2_579 A	0.48	4.82	2.5	12.06	0.48	4.79	2.5	11.98	0.35	1.75	2	3.50	Low	10	1.5	15
FMR2_579 B	0.57	5.69	2.5	14.23	0.79	7.89	2.5	19.74	0.58	2.90	2	5.80	Low	10	1.5	15
FMR2_580-1&2	0.69	6.94	2.5	17.35	0.73	7.29	2.5	18.22	0.56	2.81	2	5.62	Medium	5	1.5	7.5
FMR2_700	1.09	10.89	2.5	27.22	1.57	15.66	2.5	39.16	2.12	10.61	2	21.22	Low	10	1.5	15
FMR2_731	0.65	6.53	2.5	16.33	0.77	7.65	2.5	19.13	0.98	4.89	2	9.78	Medium	5	1.5	7.5
FMR2_800	0.23	2.31	2.5	5.77	0.24	2.41	2.5	6.03	0.18	0.89	2	1.79	Medium	5	1.5	7.5
FMR2_804	0.53	5.28	2.5	13.21	0.59	5.88	2.5	14.71	0.48	2.38	2	4.75	High	0	1.5	0
FMRL_157	0.18	1.78	2.5	4.44	0.26	2.58	2.5	6.46	0.50	2.52	2	5.04	Medium	5	1.5	7.5
FMRL_159	1.16	11.58	2.5	28.94	1.26	12.57	2.5	31.43	0.87	4.35	2	8.70	Medium	5	1.5	7.5
FMRL_161A	0.27	2.70	2.5	6.75	0.27	2.75	2.5	6.87	0.18	0.90	2	1.80	Medium	5	1.5	7.5
FMRL_161B	0.24	2.43	2.5	6.08	0.29	2.87	2.5	7.16	0.16	0.80	2	1.60	Medium	5	1.5	7.5
FMRL_164	0.16	1.59	2.5	3.97	0.19	1.90	2.5	4.76	0.08	0.40	2	0.80	Medium	5	1.5	7.5
FMRL_166B	0.03	0.33	2.5	0.82	0.23	2.30	2.5	5.75	0.81	4.05	2	8.10	Medium	5	1.5	7.5
FMRL_168B	0.34	3.36	2.5	8.39	0.35	3.51	2.5	8.79	0.27	1.35	2	2.70	Medium	5	1.5	7.5
FMRL_572	0.27	2.72	2.5	6.80	0.29	2.88	2.5	7.19	0.24	1.20	2	2.40	Medium	5	1.5	7.5
FMRL_573A-1&2	0.23	2.31	2.5	5.78	0.38	3.82	2.5	9.54	0.57	2.85	2	5.70	Medium	5	1.5	7.5
FMRL_573B	0.09	0.88	2.5	2.20	0.19	1.88	2.5	4.71	0.26	1.30	2	2.60	Medium	5	1.5	7.5
FMRL_574	0.24	2.37	2.5	5.93	0.26	2.56	2.5	6.40	0.24	1.20	2	2.40	Medium	5	1.5	7.5
FMRL_575B	0.21	2.09	2.5	5.23	0.33	3.28	2.5	8.21	0.60	3.00	2	6.00	Medium	5	1.5	7.5
FMRL_580	0.67	6.65	2.5	16.63	1.05	10.47	2.5	26.19	1.19	5.95	2	11.90	Medium	5	1.5	7.5
FMRL_581	0.39	3.91	2.5	9.78	0.40	3.97	2.5	9.92	0.38	1.90	2	3.80	Medium	5	1.5	7.5
FMRL_595	0.37	3.70	2.5	9.25	0.38	3.81	2.5	9.52	0.43	2.15	2	4.30	Medium	5	1.5	7.5
FMRM_157A	0.09	0.90	2.5	2.26	0.13	1.25	2.5	3.14	0.29	1.46	2	2.91	High	0	1.5	0

Site ID	Property Ownership				Potential for Quick Implementation				Existing Drainage Problem/Hotspot				County Maintenance Burden			
	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
FMR2_562 A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_564	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_567	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_568	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
FMR2_569	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_572	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_573	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_579 A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_579 B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_580-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_700	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_731	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_800	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_804	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMRL_157	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
FMRL_159	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
FMRL_161A	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
FMRL_161B	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
FMRL_164	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
FMRL_166B	School	4	1.5	6	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
FMRL_168B	School	4	1.5	6	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FMRL_572	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMRL_573A-1&2	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMRL_573B	Public	10	1.5	15	Yes	10	1	10	Yes	10	0.5	5	Medium	5	0.5	2.5
FMRL_574	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMRL_575B	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMRL_580	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMRL_581	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMRL_595	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMRM_157A	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5

Site ID	Educational Opportunity				Pollutant Removal - VRRM													
	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit <sup>1</sup>	Size-Adjusted N Removal Credit	Size-Adjusted N Removal Credit <sup>1</sup>	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
FMR2_562 A	Park	8	0.5	4	0.79	5.62	Street Bioretention	55%	64%	242%	63%	55%	73%	64%	0.43	3.59	28.89	807
FMR2_564	Residential streets with Sidewalks	5	0.5	2.5	0.75	5.39	Street Bioretention	55%	64%	66%	45%	45%	52%	52%	0.34	2.82	31.57	718
FMR2_567	Residential streets with sidewalks	5	0.5	2.5	4.44	31.77	Street Bioretention	55%	64%	46%	36%	36%	42%	42%	1.59	13.24	66.85	44
FMR2_568	Residential streets with sidewalks	5	0.5	2.5	1.06	7.61	Bioretention	55%	64%	82%	51%	51%	59%	59%	0.54	4.49	54.78	118
FMR2_569	Residential streets with sidewalks	5	0.5	2.5	0.41	2.92	Street Bioretention	55%	64%	382%	63%	55%	74%	64%	0.22	1.87	27.82	836
FMR2_572	Residential streets with sidewalks	8	0.5	4	1.69	12.07	Street Bioretention	55%	64%	29%	22%	22%	26%	26%	0.38	3.14	37.84	473
FMR2_573	Residential streets with sidewalks	5	0.5	2.5	0.90	6.42	Street Bioretention	55%	64%	62%	44%	44%	51%	51%	0.39	3.29	33.77	627
FMR2_579 A	Residential streets with sidewalks	5	0.5	2.5	0.88	6.32	Street Bioretention	55%	64%	99%	55%	55%	63%	63%	0.48	4.01	43.56	304
FMR2_579 B	Residential streets with sidewalks	5	0.5	2.5	1.88	13.48	Street Bioretention	55%	64%	38%	30%	30%	35%	35%	0.57	4.74	48.03	214
FMR2_580-1&2	Residential streets with sidewalks	5	0.5	2.5	1.46	10.42	Street Bioretention	55%	64%	73%	48%	48%	55%	55%	0.69	5.78	43.46	308
FMR2_700	Backyard detention pond	0	0.5	0	5.75	41.14	Filtering Practice	60%	30%	24%	19%	19%	9%	9%	1.09	3.90	63.44	65
FMR2_731	Residential streets with sidewalks	5	0.5	2.5	2.36	16.89	Street Bioretention	55%	64%	34%	28%	28%	32%	32%	0.65	5.44	46.61	240
FMR2_800	All other streets	0	0.5	0	0.47	3.38	Street Bioretention	55%	64%	75%	49%	49%	57%	57%	0.23	1.92	25.56	896
FMR2_804	All other streets	0	0.5	0	1.29	9.21	Street Bioretention	55%	64%	55%	41%	41%	48%	48%	0.53	4.40	28.46	817
FMRL_157			0.5	0	1.16	8.33	Bioretention	55%	64%	22%	15%	15%	18%	18%	0.18	1.48	21.97	967
FMRL_159			0.5	0	1.97	14.10	Permeable Pavement	59%	59%	792%	68%	59%	68%	59%	1.16	8.28	65.14	51
FMRL_161A	Yes		0.5	0	0.50	3.54	Bioretention	55%	64%	98%	54%	54%	63%	63%	0.27	2.25	21.05	978
FMRL_161B	Yes		0.5	0	0.44	3.16	Bioretention	55%	64%	300%	63%	55%	74%	64%	0.24	2.02	20.18	992
FMRL_164	Yes		0.5	0	0.29	2.07	Bioretention	55%	64%	579%	63%	55%	74%	64%	0.16	1.32	32.27	688
FMRL_166B	Yes		0.5	0	1.83	13.06	Bioretention	55%	64%	12%	2%	2%	2%	2%	0.03	0.27	27.42	843
FMRL_168B	Yes	10	0.5	5	0.61	4.36	Bioretention	55%	64%	163%	61%	55%	71%	64%	0.34	2.79	32.09	692
FMRL_572			0.5	0	0.61	4.33	Street Bioretention	55%	64%	66%	45%	45%	52%	52%	0.27	2.26	31.70	712
FMRL_573A-1&2			0.5	0	1.52	10.85	Street Bioretention	55%	64%	22%	15%	15%	18%	18%	0.23	1.92	33.98	621
FMRL_573B	Yes	8	0.5	4	0.78	5.57	Dry Swale	52%	55%	18%	11%	11%	12%	12%	0.09	0.67	48.80	200
FMRL_574			0.5	0	0.60	4.26	Street Bioretention	55%	64%	54%	40%	40%	46%	46%	0.24	1.97	30.83	748
FMRL_575B			0.5	0	1.47	10.52	Street Bioretention	55%	64%	21%	14%	14%	17%	17%	0.21	1.74	33.73	629
FMRL_580			0.5	0	3.43	24.55	Street Bioretention	55%	64%	26%	19%	19%	23%	23%	0.67	5.54	51.03	171
FMRL_581			0.5	0	0.88	6.32	Street Bioretention	55%	64%	64%	44%	44%	52%	52%	0.39	3.26	36.08	541
FMRL_595			0.5	0	0.96	6.88	Street Bioretention	55%	64%	52%	38%	38%	45%	45%	0.37	3.08	36.05	543
FMRM_157A	High traffic office	5	0.5	2.5	0.64	4.54	Bioretention	55%	64%	20%	14%	14%	17%	17%	0.09	0.75	10.17	1028

Site ID	Pollutant Removal - CSN											Rank
	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	
FMR2_562 A	0.59	6.17	484.96	2.31	78.5%	0.46	67.2%	4.14	84.4%	409.27	29.62	826
FMR2_564	0.58	8.21	350.25	0.83	66.1%	0.38	56.5%	4.64	70.8%	248.02	32.63	740
FMR2_567	3.53	71.55	889.10	1.36	74.8%	2.64	64.0%	45.79	80.2%	713.41	93.14	17
FMR2_568	0.81	11.24	511.91	1.01	70.1%	0.57	59.9%	6.74	75.1%	384.60	55.54	170
FMR2_569	0.31	3.67	229.01	4.03	85.0%	0.26	70.0%	2.57	85.0%	194.66	28.75	852
FMR2_572	1.28	16.83	862.16	0.33	40.4%	0.52	34.7%	5.83	43.3%	373.04	41.35	441
FMR2_573	0.68	8.95	458.02	0.72	62.5%	0.43	53.5%	4.79	67.0%	306.88	34.56	671
FMR2_579 A	0.67	8.42	471.49	1.09	71.5%	0.48	61.2%	5.15	76.7%	361.54	43.48	392
FMR2_579 B	1.45	22.37	781.33	0.54	54.4%	0.79	46.6%	10.43	58.3%	455.15	53.54	202
FMR2_580-1&2	1.11	14.29	756.54	0.83	65.9%	0.73	56.4%	8.05	70.6%	534.38	44.34	361
FMR2_700	4.38	58.92	2,858.05	0.28	35.8%	1.57	30.7%	18.08	38.3%	1,095.27	75.38	40
FMR2_731	1.78	21.34	1,317.75	0.36	42.9%	0.77	36.9%	7.87	46.0%	606.23	49.41	270
FMR2_800	0.36	4.74	240.46	0.87	67.1%	0.24	57.4%	2.72	71.9%	172.83	25.81	920
FMR2_804	0.98	13.20	640.15	0.66	60.0%	0.59	51.4%	6.78	64.3%	411.34	29.96	812
FMRL_157	0.88	9.96	678.30	0.22	29.5%	0.26	25.3%	2.52	31.6%	214.35	23.99	952
FMRL_159	1.48	16.38	1,171.99	7.87	85.0%	1.26	70.0%	11.47	85.0%	996.20	67.63	66
FMRL_161A	0.38	5.15	242.48	1.18	72.8%	0.27	62.2%	3.20	78.0%	189.12	21.17	990
FMRL_161B	0.34	4.61	215.54	3.63	85.0%	0.29	70.0%	3.23	85.0%	183.21	21.26	988
FMRL_164	0.22	3.66	107.77	9.17	85.0%	0.19	70.0%	2.57	85.0%	91.60	33.06	724
FMRL_166B	1.37	15.07	1,091.17	0.12	16.8%	0.23	14.2%	2.14	18.0%	196.31	32.35	753
FMRL_168B	0.46	5.06	363.72	1.61	76.8%	0.35	65.7%	3.32	82.3%	299.42	32.49	747
FMRL_572	0.46	5.76	323.31	0.73	62.8%	0.29	53.7%	3.09	67.3%	217.43	32.09	767
FMRL_573A-1&2	1.15	15.25	767.86	0.26	33.1%	0.38	28.4%	4.33	35.5%	272.34	37.74	565
FMRL_573B	0.60	8.71	350.25	0.24	31.5%	0.19	27.0%	2.35	33.8%	118.24	51.31	238
FMRL_574	0.45	5.56	323.31	0.59	56.9%	0.26	48.7%	2.71	60.9%	196.99	31.30	785
FMRL_575B	1.11	13.54	808.27	0.22	29.6%	0.33	25.3%	3.43	31.7%	255.94	36.71	603
FMRL_580	2.62	37.18	1,603.07	0.33	39.9%	1.05	34.2%	12.73	42.8%	685.35	60.59	115
FMRL_581	0.66	7.62	511.91	0.65	59.7%	0.40	51.1%	3.89	63.9%	327.34	36.22	618
FMRL_595	0.72	7.85	579.26	0.51	52.8%	0.38	45.3%	3.55	56.5%	327.53	36.32	615
FMRM_157A	0.48	5.00	392.01	0.19	26.4%	0.13	22.6%	1.13	28.3%	110.89	11.05	1026

Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%IC	%Turf	P (in)	Rv	Water Quality Volume (CF)	Treatment Volume (CF)	Treatment Volume Sum for Projects in Series*	% Water Quality Volume Treated
FMRM_160A	Four Mile Run Middle	West Village of Shirlington, 4161 South Four Mile Run Drive	Stormwater Planters	0.90	92%	8%	1.00	0.89	2912.86	4455.00		1.53
FMRM_160C	Four Mile Run Middle	West Village of Shirlington, 4161 South Four Mile Run Drive	Rain Garden	0.35	77%	23%	1.00	0.78	993.66	1294.82		1.30
FMRM_169A	Four Mile Run Middle	Four Mile Run Road across from Jack's Used Auto Parts Inc	Bioretention	2.53	32%	68%	1.00	0.45	4165.82	4809.60		1.15
FMRM_169B	Four Mile Run Middle	Four Mile Run Road across from Capitol Auto Land	Bioretention	1.20	24%	76%	1.00	0.40	1721.49	1985.40		1.15
FMRM_181A	Four Mile Run Middle	Abingdon School, 3035 South Abingdon Street	Bioretention	0.97	17%	83%	1.00	0.34	1207.64	374.85		0.31
FMRM_181B	Four Mile Run Middle	Abingdon School, 3035 South Abingdon Street	Bioretention	1.26	79%	21%	1.00	0.80	3655.34	3960.65		1.08
FMRM_197	Four Mile Run Middle	Hidden Oaks, 4415 South Pershing Court	Bioretention	0.80	45%	55%	1.00	0.55	1592.84	1189.08		0.75
FMRM_200A	Four Mile Run Middle	Woman's Club of Arlington, 700 South Buchanan Street	Bioretention	0.28	86%	14%	1.00	0.85	861.70	541.80		0.63
FMRM_201B	Four Mile Run Middle	Park Glen Condominium, 824 South Arlington Mill Drive	Disconnection	0.13	100%	0%	1.00	0.95	448.31	448.31		1.00
FMRM_201C	Four Mile Run Middle	Park Glen Condominium, 824 South Arlington Mill Drive	Disconnection	0.13	100%	0%	1.00	0.95	448.31	448.31		1.00
FMRM_214	Four Mile Run Middle	Columbia Park Apartments, 910 South Wakefield Street	Bioretention	0.77	34%	66%	1.00	0.47	1308.67	844.10		0.65
FMRM_215B	Four Mile Run Middle	Holy Martyrs of Vietnam Church, 915 South Wakefield Street	Rainwater Harvesting (cistern)	0.04	100%	0%	1.00	0.95	137.94	0.00		0.74
FMRM_215C	Four Mile Run Middle	Holy Martyrs of Vietnam Church, 915 South Wakefield Street	Disconnection with Compost Amendments	0.04	17%	83%	1.00	0.34	49.96	1109.30		1.00
FMRM_215D	Four Mile Run Middle	Holy Martyrs of Vietnam Church, 915 South Wakefield Street	Impervious Cover Removal	0.02	100%	0%	1.00	0.95	53.00	53.00		1.00
FMRM_216A	Four Mile Run Middle	Barcroft Apartments, 1130 South George Mason Drive	Bioretention	0.28	29%	71%	1.00	0.43	438.78	910.80		2.08
FMRM_216C	Four Mile Run Middle	Barcroft Apartments, 1130 South George Mason Drive	Bioretention	0.35	31%	69%	1.00	0.45	567.02	963.34		1.70
FMRM_216E	Four Mile Run Middle	Barcroft Apartments, 1130 South George Mason Drive	Bioretention	0.36	36%	64%	1.00	0.48	630.92	1512.00		2.40
FMRM_217	Four Mile Run Middle	Four Mile Run Service Drive between South Thomas Street and South George Mason Drive	Dry Swale	0.56	74%	26%	1.00	0.76	1545.33	1810.65		1.17
FMRM_218	Four Mile Run Middle	The Brittany Condominiums, 4500 Four Mile Run Drive	Bioretention	0.30	93%	7%	1.00	0.90	978.90	606.20		0.62
FMRM_220	Four Mile Run Middle	George Mason Village Apartments, South George Mason Drive and South Four Mile Run Drive	Bioretention	1.63	67%	33%	1.00	0.71	4195.67	8622.65		2.06
FMRM_235A	Four Mile Run Middle	Barcroft Park Sports and Fitness Center, 4200 South Four Mile Run Drive	Rainwater Harvesting (cistern)	0.51	94%	6%	1.00	0.91	1677.65	0.00		0.50
FMRM_235B	Four Mile Run Middle	Barcroft Park Sports and Fitness Center, 4200 South Four Mile Run Drive	Permeable Pavement	0.53	87%	13%	1.00	0.86	1645.13	9234.72		5.61
FMRM_243C	Four Mile Run Middle	Sauca Restaurant, 4707 Columbia Pike	Bioretention	0.30	90%	10%	1.00	0.88	955.05	783.00		0.82
FMRM_251	Four Mile Run Middle	Shirlington Self Storage, 2710 South Nelson Street	Bioretention	2.53	74%	26%	1.00	0.76	6981.60	19314.21		2.77
FMRM_634A	Four Mile Run Middle	2117 South Quebec Street	Street Bioretention	3.65	29%	71%	1.00	0.43	5673.17	1338.00		0.24

Site ID	Phosphorus Removal - VRRM				Phosphorus Removal - CSN				Impervious Area Acreage				Potential Utility or Site Constraints			
	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
FMRM_160A	1.01	10.07	2.5	25.16	1.04	10.40	2.5	26.01	0.83	4.14	2	8.28	Medium	5	1.5	7.5
FMRM_160C	0.34	3.43	2.5	8.58	0.35	3.50	2.5	8.74	0.27	1.35	2	2.70	Low	10	1.5	15
FMRM_169A	1.44	14.40	2.5	35.99	1.55	15.51	2.5	38.77	0.81	4.05	2	8.10	Low	10	1.5	15
FMRM_169B	0.59	5.95	2.5	14.87	0.66	6.55	2.5	16.38	0.29	1.44	2	2.88	Low	10	1.5	15
FMRM_181A	0.19	1.90	2.5	4.74	0.35	3.51	2.5	8.78	0.16	0.82	2	1.63	Low	10	1.5	15
FMRM_181B	1.26	12.63	2.5	31.58	1.23	12.34	2.5	30.86	1.00	5.00	2	10.00	Low	10	1.5	15
FMRM_197	0.49	4.85	2.5	12.13	0.52	5.19	2.5	12.98	0.36	1.80	2	3.60	Medium	5	1.5	7.5
FMRM_200A	0.24	2.38	2.5	5.95	0.24	2.37	2.5	5.94	0.24	1.20	2	2.41	Low	10	1.5	15
FMRM_201B	0.07	0.70	2.5	1.76	0.15	1.45	2.5	3.63	0.13	0.65	2	1.30	Low	10	1.5	15
FMRM_201C	0.07	0.70	2.5	1.76	0.15	1.45	2.5	3.63	0.13	0.65	2	1.30	Low	10	1.5	15
FMRM_214	0.37	3.68	2.5	9.21	0.43	4.27	2.5	10.67	0.26	1.31	2	2.62	Medium	5	1.5	7.5
FMRM_215B	0.03	0.31	2.5	0.76	0.00	0.00	2.5	0.00	0.04	0.20	2	0.40	Medium	5	1.5	7.5
FMRM_215C	0.02	0.16	2.5	0.39	0.02	0.21	2.5	0.52	0.01	0.03	2	0.07	High	0	1.5	0
FMRM_215D	0.03	0.33	2.5	0.83	0.02	0.20	2.5	0.51	0.02	0.10	2	0.20	Low	10	1.5	15
FMRM_216A	0.15	1.52	2.5	3.79	0.18	1.81	2.5	4.53	0.08	0.41	2	0.81	Low	10	1.5	15
FMRM_216C	0.20	1.96	2.5	4.90	0.22	2.16	2.5	5.40	0.11	0.54	2	1.09	Low	10	1.5	15
FMRM_216E	0.22	2.18	2.5	5.45	0.26	2.59	2.5	6.47	0.13	0.65	2	1.30	Medium	5	1.5	7.5
FMRM_217	0.50	5.05	2.5	12.62	0.53	5.34	2.5	13.36	0.41	2.07	2	4.14	Medium	5	1.5	7.5
FMRM_218	0.27	2.67	2.5	6.68	0.26	2.65	2.5	6.62	0.28	1.40	2	2.79	Medium	5	1.5	7.5
FMRM_220	1.45	14.50	2.5	36.25	1.56	15.59	2.5	38.98	1.09	5.46	2	10.92	Low	10	1.5	15
FMRM_235A	0.29	2.91	2.5	7.28	0.00	0.00	2.5	0.00	0.48	2.40	2	4.79	Low	10	1.5	15
FMRM_235B	0.61	6.07	2.5	15.18	0.66	6.59	2.5	16.47	0.46	2.31	2	4.61	Low	10	1.5	15
FMRM_243C	0.30	3.03	2.5	7.57	0.29	2.93	2.5	7.31	0.27	1.35	2	2.70	Medium	5	1.5	7.5
FMRM_251	2.41	24.13	2.5	60.31	2.72	27.18	2.5	67.96	1.87	9.36	2	18.72	Medium	5	1.5	7.5
FMRM_634A	0.62	6.19	2.5	15.47	1.16	11.60	2.5	29.01	1.04	5.20	2	10.41	High	0	1.5	0

Site ID	Property Ownership				Potential for Quick Implementation				Existing Drainage Problem/Hotspot				County Maintenance Burden			
	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
FMRM_160A	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FMRM_160C	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
FMRM_169A	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
FMRM_169B	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
FMRM_181A	School	4	1.5	6	Yes	10	1	10	Yes	10	0.5	5	Medium	5	0.5	2.5
FMRM_181B	School	4	1.5	6	Yes	10	1	10	Yes	10	0.5	5	Medium	5	0.5	2.5
FMRM_197	Private	0	1.5	0	No	0	1	0	Yes	10	0.5	5	Medium	5	0.5	2.5
FMRM_200A	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FMRM_201B	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
FMRM_201C	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
FMRM_214	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FMRM_215B	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMRM_215C	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
FMRM_215D	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
FMRM_216A	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FMRM_216C	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FMRM_216E	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FMRM_217	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
FMRM_218	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FMRM_220	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FMRM_235A	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMRM_235B	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMRM_243C	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FMRM_251	Public	10	1.5	15	No	0	1	0	Yes	10	0.5	5	Medium	5	0.5	2.5
FMRM_634A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0



Site ID	Educational Opportunity				Pollutant Removal - VRRM													
	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit <sup>1</sup>	Size-Adjusted N Removal Credit	Size-Adjusted N Removal Credit <sup>1</sup>	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
FMRM_160A	All other Streets	0	0.5	0	1.83	13.09	Stormwater Planters	55%	64%	153%	60%	55%	70%	64%	1.01	8.38	43.44	310
FMRM_160C	All other Streets	0	0.5	0	0.62	4.47	Rain Garden	55%	64%	130%	59%	55%	69%	64%	0.34	2.86	31.28	729
FMRM_169A	Park	8	0.5	4	2.62	18.72	Bioretention	55%	64%	115%	57%	55%	67%	64%	1.44	11.98	90.58	12
FMRM_169B	Park	8	0.5	4	1.08	7.74	Bioretention	55%	64%	115%	57%	55%	67%	64%	0.59	4.95	64.25	60
FMRM_181A	School	10	0.5	5	0.76	5.43	Bioretention	55%	64%	31%	25%	25%	29%	29%	0.19	1.58	49.87	189
FMRM_181B	School	10	0.5	5	2.30	16.43	Bioretention	55%	64%	108%	56%	55%	66%	64%	1.26	10.52	85.08	18
FMRM_197	Private apartments	0	0.5	0	1.00	7.16	Bioretention	55%	64%	75%	48%	48%	56%	56%	0.49	4.04	30.73	753
FMRM_200A	Private club	0	0.5	0	0.54	3.87	Bioretention	55%	64%	63%	44%	44%	51%	51%	0.24	1.98	25.86	886
FMRM_201B	All other Streets	0	0.5	0	0.28	2.02	Disconnection	25%	25%	100%	25%	25%	25%	25%	0.07	0.50	23.06	952
FMRM_201C	All other Streets	0	0.5	0	0.28	2.02	Disconnection	25%	25%	100%	25%	25%	25%	25%	0.07	0.50	23.06	952
FMRM_214	All other Streets	0	0.5	0	0.82	5.88	Bioretention	55%	64%	65%	45%	45%	52%	52%	0.37	3.07	21.83	968
FMRM_215B	Church	5	0.5	2.5	0.09	0.62	Rainwater Harvesting (cistern)	40%	40%	74%	35%	35%	35%	35%	0.03	0.22	11.16	1025
FMRM_215C	Church	5	0.5	2.5	0.03	0.22	Disconnection with Compost Amendments	50%	50%	100%	50%	50%	50%	50%	0.02	0.11	7.96	1030
FMRM_215D	Church	5	0.5	2.5	0.04	0.31	Impervious Cover Removal	77%	77%	100%	77%	77%	77%	77%	0.03	0.24	23.53	946
FMRM_216A	Private apartments	0	0.5	0	0.28	1.97	Bioretention	55%	64%	208%	63%	55%	73%	64%	0.15	1.26	22.10	966
FMRM_216C	Private apartments	0	0.5	0	0.36	2.55	Bioretention	55%	64%	170%	61%	55%	71%	64%	0.20	1.63	23.48	948
FMRM_216E	Private apartments	0	0.5	0	0.40	2.84	Bioretention	55%	64%	240%	63%	55%	73%	64%	0.22	1.81	16.75	1012
FMRM_217	Park	8	0.5	4	0.97	6.95	Dry Swale	52%	55%	117%	55%	52%	58%	55%	0.50	3.82	55.77	110
FMRM_218	Private apartments	0	0.5	0	0.62	4.40	Bioretention	55%	64%	62%	43%	43%	51%	51%	0.27	2.23	19.47	997
FMRM_220	Park along stream at private apartments	5	0.5	2.5	2.64	18.86	Bioretention	55%	64%	206%	63%	55%	73%	64%	1.45	12.07	82.17	21
FMRM_235A	Park	8	0.5	4	1.05	7.54	Rainwater Harvesting (cistern)	40%	40%	50%	28%	28%	28%	28%	0.29	2.08	46.07	254
FMRM_235B	Park	8	0.5	4	1.03	7.39	Permeable Pavement	59%	59%	561%	68%	59%	68%	59%	0.61	4.34	53.79	133
FMRM_243C	Private parking lot	0	0.5	0	0.60	4.29	Bioretention	55%	64%	82%	50%	50%	59%	59%	0.30	2.52	20.27	989
FMRM_251	Heavily used parking lot and park	8	0.5	4	4.39	31.38	Bioretention	55%	64%	277%	63%	55%	74%	64%	2.41	20.08	113.04	6
FMRM_634A	Residential streets with Sidewalks	5	0.5	2.5	3.56	25.50	Street Bioretention	55%	64%	24%	17%	17%	20%	20%	0.62	5.15	38.88	442

Site ID	Pollutant Removal - CSN											
	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	Rank
FMRM_160A	1.37	14.69	1,115.42	1.48	75.9%	1.04	64.9%	9.53	81.4%	907.60	44.29	364
FMRM_160C	0.47	5.35	363.05	1.32	74.5%	0.35	63.7%	3.41	79.8%	289.87	31.44	780
FMRM_169A	2.02	30.97	1,090.63	1.64	76.9%	1.55	65.8%	20.38	82.5%	899.55	93.37	16
FMRM_169B	0.84	14.04	387.97	1.90	78.0%	0.66	66.7%	9.36	83.7%	324.64	65.76	76
FMRM_181A	0.60	10.88	220.12	0.63	59.0%	0.35	50.5%	5.50	63.2%	139.12	53.91	195
FMRM_181B	1.73	19.48	1,346.72	1.09	71.5%	1.23	61.1%	11.90	76.6%	1,032.03	84.35	25
FMRM_197	0.76	10.50	484.96	0.91	68.0%	0.52	58.1%	6.10	72.9%	353.33	31.58	778
FMRM_200A	0.41	4.45	324.39	0.62	58.4%	0.24	50.1%	2.23	62.6%	203.15	25.84	919
FMRM_201B	0.21	2.19	175.13	0.95	68.9%	0.15	58.9%	1.29	73.8%	129.28	24.93	933
FMRM_201C	0.21	2.19	175.13	0.95	68.9%	0.15	58.9%	1.29	73.8%	129.28	24.93	933
FMRM_214	0.63	9.53	352.68	0.89	67.5%	0.43	57.7%	5.50	72.3%	254.98	23.29	964
FMRM_215B	0.06	0.67	53.88	0.00	0.0%	0.00	0.0%	0.00	0.0%	0.00	10.40	1028
FMRM_215C	0.02	0.45	9.16	44.94	85.0%	0.02	70.0%	0.31	85.0%	7.79	8.09	1030
FMRM_215D	0.03	0.34	26.94	0.73	62.8%	0.02	53.8%	0.18	67.3%	18.14	23.21	965
FMRM_216A	0.21	3.37	109.39	3.09	85.0%	0.18	70.0%	2.36	85.0%	92.98	22.84	970
FMRM_216C	0.27	4.26	146.16	2.45	78.7%	0.22	67.5%	2.87	84.7%	123.79	23.99	953
FMRM_216E	0.30	4.51	174.59	3.21	85.0%	0.26	70.0%	3.15	85.0%	148.40	17.76	1012
FMRM_217	0.73	8.45	558.25	1.20	73.1%	0.53	62.5%	5.28	78.4%	437.44	56.50	159
FMRM_218	0.46	4.92	375.85	0.60	57.5%	0.26	49.2%	2.42	61.6%	231.44	19.41	1002
FMRM_220	1.99	23.83	1,471.19	2.18	78.4%	1.56	67.0%	15.97	84.2%	1,239.04	84.90	23
FMRM_235A	0.79	8.39	645.81	0.00	0.0%	0.00	0.0%	0.00	0.0%	0.00	38.79	530
FMRM_235B	0.78	8.47	621.16	5.52	85.0%	0.66	70.0%	5.93	85.0%	527.98	55.08	179
FMRM_243C	0.45	4.85	363.72	0.80	65.0%	0.29	55.6%	2.70	69.7%	253.53	20.01	998
FMRM_251	3.30	38.19	2,522.08	2.84	82.3%	2.72	70.0%	26.73	85.0%	2,143.77	120.68	6
FMRM_634A	2.76	43.82	1,402.22	0.35	42.1%	1.16	36.1%	15.83	45.1%	632.54	52.42	222

Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%IC	%Turf	P (in)	Rv	Water Quality Volume (CF)	Treatment Volume (CF)	Treatment Volume Sum for Projects in Series*	% Water Quality Volume Treated
FMRM_634B	Four Mile Run Middle	2026 South Quincy Street	Street Bioretention	2.83	33%	67%	1.00	0.46	4762.87	1014.00		0.21
FMRM_635	Four Mile Run Middle	West Village of Shirlington, in green space along South Four Mile Run Drive between South Walter Reed Drive and Barcroft Park	Dry Swale	3.67	21%	79%	1.00	0.37	4973.14	40604.40		8.16
FMRM_638	Four Mile Run Middle	South Pollard Street and 3820 22nd Street South	Street Bioretention	2.37	52%	48%	1.00	0.60	5158.42	1421.40		0.28
FMRM_640	Four Mile Run Middle	3627 South Kemper Road	Street Bioretention	3.56	24%	76%	1.00	0.40	5107.09	5319.00		1.04
FMRM_642	Four Mile Run Middle	South Arlington Mill Drive between Campbell Avenue and South Randolph Street	Bioretention	0.60	75%	25%	1.00	0.77	1671.62	2000.15		1.20
FMRM_645	Four Mile Run Middle	Animal Welfare League of Arlington, 2650 South Arlington Mill Drive	Street Bioretention	0.81	59%	41%	1.00	0.65	1913.25	1698.00		0.89
FMRM_695	Four Mile Run Middle	2nd Street South between South Woodrow Street and South Pershing Drive	Street Bioretention	4.27	36%	64%	1.00	0.48	7483.45	2190.00		0.29
FMRM_696A	Four Mile Run Middle	3rd Street between South Abingdon Street and South Pershing Drive	Street Bioretention	0.66	77%	23%	1.00	0.78	1873.76	1573.20		0.84
FMRM_696B	Four Mile Run Middle	3rd Street between South Abingdon Street and South Pershing Drive	Street Bioretention	2.54	37%	63%	1.00	0.49	4518.82	848.00		0.19
FMRM_697	Four Mile Run Middle	4th Street South between South Abingdon Street and South Pershing Drive	Street Bioretention	2.95	40%	60%	1.00	0.51	5482.75	1414.00		0.26
FMRM_700	Four Mile Run Middle	6th Street South near South Woodstock Street	Bioretention	3.32	52%	48%	1.00	0.60	7226.14	2588.30		0.36
FMRM_701	Four Mile Run Middle	South Pershing Drive near 6th Street South	Street Bioretention	0.35	83%	17%	1.00	0.83	1049.31	1953.60		1.86
FMRM_703	Four Mile Run Middle	9th Street South and South Wakefield Street	Street Bioretention	0.60	70%	30%	1.00	0.73	1592.12	1140.80		0.72
FMRM_704	Four Mile Run Middle	Across from 830 South Dinwiddie Street	Street Bioretention	2.09	44%	56%	1.00	0.54	4105.92	1214.00		0.30
FMRM_719	Four Mile Run Middle	South Columbus Street between South 12th Street and South 11th Street	Street Bioretention	0.40	43%	57%	1.00	0.53	775.22	680.40		0.88
FMRM_720	Four Mile Run Middle	South George Mason Drive and South Columbus Drive	Bioretention	0.57	60%	40%	1.00	0.66	1361.47	7761.63		5.70
FMRM_721	Four Mile Run Middle	Corner of South Buchanan Street and 12th Street South	Street Bioretention	0.89	34%	66%	1.00	0.47	1512.61	867.60		0.57
FMRM_722	Four Mile Run Middle	Intersection of 13th Road South and South Buchanan Street	Street Bioretention	0.57	54%	46%	1.00	0.61	1270.84	1155.60		0.91
FMRM_723A	Four Mile Run Middle	South George Mason Drive (1st median west from South Four Mile Drive Run)	Bioretention	0.33	67%	33%	1.00	0.71	849.43	1385.55		1.63
FMRM_723B	Four Mile Run Middle	South George Mason Drive (2nd median west from South Four Mile Drive Run)	Bioretention	0.36	64%	36%	1.00	0.69	898.03	8561.13		9.53
FMRM_724	Four Mile Run Middle	12th Street South and South George Mason Drive	Bioretention	0.32	63%	37%	1.00	0.68	789.77	8723.63		11.05

Site ID	Phosphorus Removal - VRRM				Phosphorus Removal - CSN				Impervious Area Acreage				Potential Utility or Site Constraints			
	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
FMRM_634B	0.46	4.56	2.5	11.40	0.85	8.53	2.5	21.32	0.94	4.72	2	9.45	High	0	1.5	0
FMRM_635	1.62	16.25	2.5	40.62	2.07	20.72	2.5	51.79	0.77	3.85	2	7.71	Medium	5	1.5	7.5
FMRM_638	0.69	6.90	2.5	17.24	0.96	9.61	2.5	24.02	1.23	6.16	2	12.32	Medium	5	1.5	7.5
FMRM_640	1.76	17.65	2.5	44.12	1.93	19.27	2.5	48.18	0.85	4.27	2	8.54	Medium	5	1.5	7.5
FMRM_642	0.58	5.78	2.5	14.44	0.58	5.80	2.5	14.50	0.45	2.25	2	4.50	Medium	5	1.5	7.5
FMRM_645	0.63	6.30	2.5	15.74	0.63	6.33	2.5	15.81	0.48	2.39	2	4.78	Medium	5	1.5	7.5
FMRM_695	1.09	10.87	2.5	27.17	1.63	16.29	2.5	40.71	1.54	7.69	2	15.37	High	0	1.5	0
FMRM_696A	0.60	5.99	2.5	14.98	0.59	5.89	2.5	14.74	0.51	2.54	2	5.08	High	0	1.5	0
FMRM_696B	0.34	3.39	2.5	8.48	0.71	7.07	2.5	17.66	0.94	4.70	2	9.40	Medium	5	1.5	7.5
FMRM_697	0.67	6.68	2.5	16.69	1.06	10.57	2.5	26.44	1.18	5.90	2	11.80	Low	10	1.5	15
FMRM_700	1.30	13.01	2.5	32.52	1.61	16.08	2.5	40.20	1.73	8.63	2	17.26	High	0	1.5	0
FMRM_701	0.36	3.63	2.5	9.07	0.39	3.85	2.5	9.63	0.29	1.45	2	2.91	High	0	1.5	0
FMRM_703	0.47	4.73	2.5	11.82	0.48	4.79	2.5	11.96	0.42	2.10	2	4.20	High	0	1.5	0
FMRM_704	0.60	5.96	2.5	14.91	0.84	8.44	2.5	21.11	0.92	4.60	2	9.20	High	0	1.5	0
FMRM_719	0.25	2.54	2.5	6.34	0.27	2.66	2.5	6.65	0.17	0.86	2	1.72	Medium	5	1.5	7.5
FMRM_720	0.47	4.70	2.5	11.76	0.55	5.50	2.5	13.76	0.34	1.71	2	3.42	Medium	5	1.5	7.5
FMRM_721	0.40	3.98	2.5	9.96	0.47	4.74	2.5	11.84	0.30	1.51	2	3.03	Medium	5	1.5	7.5
FMRM_722	0.42	4.22	2.5	10.54	0.43	4.28	2.5	10.69	0.31	1.54	2	3.08	High	0	1.5	0
FMRM_723A	0.29	2.94	2.5	7.34	0.31	3.12	2.5	7.79	0.22	1.11	2	2.21	High	0	1.5	0
FMRM_723B	0.31	3.10	2.5	7.76	0.36	3.62	2.5	9.06	0.23	1.15	2	2.30	High	0	1.5	0
FMRM_724	0.27	2.73	2.5	6.82	0.32	3.19	2.5	7.97	0.20	1.01	2	2.02	Medium	5	1.5	7.5

Site ID	Property Ownership				Potential for Quick Implementation				Existing Drainage Problem/Hotspot				County Maintenance Burden			
	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
FMRM_634B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMRM_635	Public*	4	1.5	6	Yes	5	1	5	No	0	0.5	0	Medium	5	0.5	2.5
FMRM_638	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMRM_640	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMRM_642	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
FMRM_645	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMRM_695	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMRM_696A	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMRM_696B	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMRM_697	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMRM_700	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FMRM_701	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMRM_703	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMRM_704	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMRM_719	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMRM_720	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FMRM_721	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMRM_722	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMRM_723A	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FMRM_723B	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FMRM_724	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5

Site ID	Educational Opportunity				Pollutant Removal - VRRM													
	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit <sup>1</sup>	Size-Adjusted N Removal Credit	Size-Adjusted N Removal Credit <sup>1</sup>	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
FMRM_634B	Residential streets with Sidewalks	5	0.5	2.5	2.99	21.41	Street Bioretention	55%	64%	21%	15%	15%	18%	18%	0.46	3.80	33.85	623
FMRM_635	Park land owned by NVRPA	8	0.5	4	3.12	22.35	Dry Swale	52%	55%	816%	60%	52%	63%	55%	1.62	12.29	73.33	30
FMRM_638	Residential streets with Sidewalks	5	0.5	2.5	3.24	23.19	Street Bioretention	55%	64%	28%	21%	21%	25%	25%	0.69	5.74	50.07	184
FMRM_640	Residential streets with Sidewalks	5	0.5	2.5	3.21	22.96	Street Bioretention	55%	64%	104%	56%	55%	65%	64%	1.76	14.69	73.16	31
FMRM_642	Park	8	0.5	4	1.05	7.51	Bioretention	55%	64%	120%	58%	55%	67%	64%	0.58	4.81	57.94	93
FMRM_645	Residential streets with Sidewalks	5	0.5	2.5	1.20	8.60	Street Bioretention	55%	64%	89%	52%	52%	61%	61%	0.63	5.24	41.02	369
FMRM_695	Residential streets with Sidewalks	5	0.5	2.5	4.70	33.64	Street Bioretention	55%	64%	29%	23%	23%	27%	27%	1.09	9.05	45.04	275
FMRM_696A	Residential streets with Sidewalks	5	0.5	2.5	1.18	8.42	Street Bioretention	55%	64%	84%	51%	51%	59%	59%	0.60	4.99	22.56	961
FMRM_696B	Residential streets with Sidewalks	5	0.5	2.5	2.84	20.31	Street Bioretention	55%	64%	19%	12%	12%	14%	14%	0.34	2.82	27.88	831
FMRM_697	Residential streets with Sidewalks	5	0.5	2.5	3.44	24.64	Street Bioretention	55%	64%	26%	19%	19%	23%	23%	0.67	5.56	45.99	259
FMRM_700	All other Streets	0	0.5	0	4.54	32.48	Bioretention	55%	64%	36%	29%	29%	33%	33%	1.30	10.83	52.29	154
FMRM_701	Residential streets with Sidewalks	5	0.5	2.5	0.66	4.72	Street Bioretention	55%	64%	186%	62%	55%	72%	64%	0.36	3.02	14.47	1016
FMRM_703	Residential streets with Sidewalks	5	0.5	2.5	1.00	7.16	Street Bioretention	55%	64%	72%	47%	47%	55%	55%	0.47	3.94	18.52	1004
FMRM_704	Residential streets with Sidewalks	5	0.5	2.5	2.58	18.46	Street Bioretention	55%	64%	30%	23%	23%	27%	27%	0.60	4.96	26.60	865
FMRM_719	Residential streets with Sidewalks	5	0.5	2.5	0.49	3.48	Street Bioretention	55%	64%	88%	52%	52%	61%	61%	0.25	2.11	18.06	1007
FMRM_720	All other Streets	0	0.5	0	0.86	6.12	Bioretention	55%	64%	570%	63%	55%	74%	64%	0.47	3.92	25.18	908
FMRM_721	All other Streets	0	0.5	0	0.95	6.80	Street Bioretention	55%	64%	57%	42%	42%	49%	49%	0.40	3.32	20.48	987
FMRM_722	All other streets	0	0.5	0	0.80	5.71	Street Bioretention	55%	64%	91%	53%	53%	61%	61%	0.42	3.51	13.62	1020
FMRM_723A	All other Streets	0	0.5	0	0.53	3.82	Bioretention	55%	64%	163%	61%	55%	71%	64%	0.29	2.44	12.05	1024
FMRM_723B	All other Streets	0	0.5	0	0.56	4.04	Bioretention	55%	64%	953%	63%	55%	74%	64%	0.31	2.58	12.56	1023
FMRM_724	All other Streets	0	0.5	0	0.50	3.55	Bioretention	55%	64%	1105%	63%	55%	74%	64%	0.27	2.27	18.84	1001

Site ID	Pollutant Removal - CSN											
	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	Rank
FMRM_634B	2.30	34.91	1,272.35	0.30	37.0%	0.85	31.8%	11.09	39.7%	504.78	43.77	381
FMRM_635	2.44	42.19	1,038.23	14.51	85.0%	2.07	70.0%	29.53	85.0%	882.49	84.50	24
FMRM_638	2.46	32.23	1,660.19	0.32	39.0%	0.96	33.5%	10.79	41.8%	693.98	56.85	155
FMRM_640	2.49	41.65	1,150.98	1.71	77.3%	1.93	66.1%	27.54	82.9%	954.43	77.23	35
FMRM_642	0.79	9.10	606.20	1.22	73.4%	0.58	62.7%	5.71	78.6%	476.73	58.00	141
FMRM_645	0.91	11.40	643.79	0.98	69.5%	0.63	59.4%	6.77	74.5%	479.38	41.09	456
FMRM_695	3.61	53.44	2,070.79	0.39	45.1%	1.63	38.7%	20.68	48.3%	1,000.68	58.59	132
FMRM_696A	0.89	10.10	684.61	0.85	66.6%	0.59	56.9%	5.75	71.3%	488.34	22.32	978
FMRM_696B	2.18	31.96	1,266.02	0.25	32.4%	0.71	27.8%	8.88	34.7%	439.90	37.06	593
FMRM_697	2.64	37.72	1,589.60	0.33	40.1%	1.06	34.4%	12.98	43.0%	682.84	55.74	167
FMRM_700	3.45	45.15	2,325.67	0.41	46.6%	1.61	40.0%	18.06	49.9%	1,161.34	59.96	121
FMRM_701	0.50	5.50	391.34	1.85	77.8%	0.39	66.6%	3.66	83.5%	326.85	15.04	1018
FMRM_703	0.75	8.89	565.79	0.75	63.4%	0.48	54.3%	4.83	68.0%	384.65	18.66	1006
FMRM_704	1.97	27.29	1,238.81	0.36	42.9%	0.84	36.8%	10.04	45.9%	569.07	32.81	737
FMRM_719	0.37	5.20	231.70	1.09	71.5%	0.27	61.1%	3.17	76.6%	177.50	18.37	1009
FMRM_720	0.65	8.06	460.72	6.25	85.0%	0.55	70.0%	5.64	85.0%	391.61	27.18	887
FMRM_721	0.73	11.02	407.64	0.79	64.8%	0.47	55.4%	6.11	69.4%	282.95	22.36	977
FMRM_722	0.61	7.83	414.64	1.03	70.5%	0.43	60.3%	4.72	75.6%	313.45	13.77	1022
FMRM_723A	0.40	4.82	297.85	1.73	77.3%	0.31	66.2%	3.19	83.0%	247.16	12.50	1024
FMRM_723B	0.43	5.19	310.38	10.24	85.0%	0.36	70.0%	3.63	85.0%	263.82	13.86	1021
FMRM_724	0.38	4.59	271.58	11.92	85.0%	0.32	70.0%	3.21	85.0%	230.84	19.99	999

Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%IC	%Turf	P (in)	Rv	Water Quality Volume (CF)	Treatment Volume (CF)	Treatment Volume Sum for Projects in Series*	% Water Quality Volume Treated
FMRM_726	Four Mile Run Middle	Intersection of 12th Street South and South Frederick Street	Street Bioretention	1.33	41%	59%	1.00	0.52	2507.13	699.60		0.28
FMRM_727	Four Mile Run Middle	1218 South Forest Drive	Street Bioretention	2.04	28%	72%	1.00	0.42	3142.77	1584.40		0.50
FMRM_728	Four Mile Run Middle	Intersection of 12th Street South and South Forest Drive	Street Bioretention	1.26	37%	63%	1.00	0.49	2241.62	1201.00		0.54
FMRM_730	Four Mile Run Middle	1316 South Dinwiddie Street	Street Bioretention	0.48	38%	62%	1.00	0.50	866.67	1066.10		1.23
FMRM_901	Four Mile Run Middle	George Mason Village, South George Mason Drive and South Four Mile Run Drive	Bioretention	0.67	63%	37%	1.00	0.68	1653.58	23334.40		14.11
FMRM_H_243A	Four Mile Run Middle	Auto Plus, 4601 Columbia Pike	Filtering Practice	0.27	100%	0%	1.00	0.95	931.10	59.40		0.50
FMRM_H_243D	Four Mile Run Middle	Auto Plus, 4601 Columbia Pike	Filtering Practice	0.05	100%	0%	1.00	0.95	172.43	59.40		1.00
GB_100	Gulf Branch	Memorial Baptist Church	Bioretention	0.38	96%	4%	1.00	0.92	1265.91	495.00		0.39
GB_102A	Gulf Branch	#3811 North Abingdon Street	Street Bioretention	0.38	77%	23%	1.00	0.78	1078.83	751.25		0.70
GB_102B-1&2	Gulf Branch	#3811 North Abingdon Street	Impervious Cover Removal	0.05	100%	0%	1.00	0.95	132.50	132.50		1.00
GB_105	Gulf Branch	Glebe Park	Dry Swale	2.33	21%	79%	1.00	0.37	3128.72	3150.00		1.01
GB_106A	Gulf Branch	Madison Community Center	Bioretention	0.93	64%	36%	1.00	0.69	2313.82	1595.25		0.69
GB_106B	Gulf Branch	Madison Community Center	Grass Channel	0.80	29%	71%	1.00	0.43	1253.66	1270.00		1.01
GB_106C	Gulf Branch	Madison Community Center	Street Bioretention	0.50	66%	34%	1.00	0.70	1276.15	531.50		0.42
GB_108A	Gulf Branch	North Piedmont Street Cul-de-sac (near 36th Street North)	Street Bioretention	0.86	52%	48%	1.00	0.60	1871.83	1050.00		0.56
GB_114A	Gulf Branch	Gulf Branch Nature Center	Stormwater Planters	0.05	96%	4%	1.00	0.92	167.39	312.50		1.87
GB_114B	Gulf Branch	Gulf Branch Nature Center	Permeable Pavement	0.26	82%	18%	1.00	0.82	775.77	775.77		1.00
GB_115A	Gulf Branch	#3812 North Military Road	Street Bioretention	0.85	27%	73%	1.00	0.42	1293.85	1197.00		0.93
GB_115B	Gulf Branch	38th Street North and North Military Road	Street Bioretention	1.96	41%	59%	1.00	0.52	3718.56	1782.00		0.48
GB_116A	Gulf Branch	38th Street North and 36th Street North	Street Bioretention	0.42	92%	8%	1.00	0.89	1359.33	1864.00		1.37
GB_116B	Gulf Branch	38th Street North and 36th Street North	Street Bioretention	3.22	26%	74%	1.00	0.41	4789.99	1094.00		0.23
GB_117	Gulf Branch	#3671 North Monroe Street	Street Bioretention	1.80	49%	51%	1.00	0.58	3785.03	4408.50		1.16
GB_118A	Gulf Branch	36th Road North and North Nelson Street	Street Bioretention	0.27	100%	0%	1.00	0.95	932.68	1293.00		1.39
GB_118B	Gulf Branch	36th Road North and North Nelson Street	Street Bioretention	3.13	37%	63%	1.00	0.49	5556.28	2475.00		0.45
GB_118C	Gulf Branch	North Nelson Street and North Oakland Street	Street Bioretention	2.46	43%	57%	1.00	0.53	4767.62	2475.00		0.52
GB_120A-1&2	Gulf Branch	#3613/#3615 North Nelson Street	Street Bioretention	0.55	57%	43%	1.00	0.64	1269.97	1092.00	1092.00	0.86
GB_120B	Gulf Branch	#3613/#3615 North Nelson Street	Street Bioretention	0.43	56%	44%	1.00	0.63	981.49	660.00		0.67
GB_122B	Gulf Branch	36th Road North and North Military Road	Street Bioretention	1.22	30%	70%	1.00	0.44	1951.05	874.00		0.45
GB_127A	Gulf Branch	35th Street North	Street Bioretention	2.50	25%	75%	1.00	0.40	3644.47	805.00		0.22
GB_128A	Gulf Branch	North Thomas Street and 34th Street North	Street Bioretention	0.82	49%	51%	1.00	0.58	1716.14	849.65		0.50



Site ID	Phosphorus Removal - VRRM				Phosphorus Removal - CSN				Impervious Area Acreage				Potential Utility or Site Constraints			
	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
FMRM_726	0.34	3.35	2.5	8.38	0.51	5.07	2.5	12.67	0.55	2.73	2	5.45	High	0	1.5	0
FMRM_727	0.75	7.50	2.5	18.75	0.98	9.77	2.5	24.43	0.57	2.86	2	5.71	Low	10	1.5	15
FMRM_728	0.56	5.61	2.5	14.02	0.67	6.71	2.5	16.78	0.47	2.33	2	4.66	High	0	1.5	0
FMRM_730	0.30	2.99	2.5	7.49	0.32	3.20	2.5	8.01	0.18	0.91	2	1.82	High	0	1.5	0
FMRM_901	0.57	5.71	2.5	14.29	0.67	6.68	2.5	16.69	0.42	2.11	2	4.22	Medium	5	1.5	7.5
FMRM_H_243A	0.24	2.42	2.5	6.06	0.04	0.39	2.5	0.97	0.27	1.35	2	2.70	Low	10	1.5	15
FMRM_H_243D	0.07	0.65	2.5	1.63	0.03	0.32	2.5	0.81	0.05	0.25	2	0.50	Low	10	1.5	15
GB_100	0.25	2.52	2.5	6.30	0.26	2.61	2.5	6.52	0.36	1.82	2	3.63	Low	10	1.5	15
GB_102A	0.32	3.16	2.5	7.90	0.32	3.16	2.5	7.90	0.29	1.46	2	2.93	Low	10	1.5	15
GB_102B-1&2	0.08	0.83	2.5	2.09	0.05	0.51	2.5	1.27	0.05	0.25	2	0.50	Medium	5	1.5	7.5
GB_105	1.02	10.22	2.5	25.55	1.19	11.92	2.5	29.80	0.48	2.39	2	4.79	Low	10	1.5	15
GB_106A	0.67	6.73	2.5	16.84	0.69	6.94	2.5	17.36	0.59	2.96	2	5.93	Low	10	1.5	15
GB_106B	0.32	3.19	2.5	7.98	0.46	4.63	2.5	11.58	0.23	1.16	2	2.32	Low	10	1.5	15
GB_106C	0.26	2.63	2.5	6.58	0.29	2.95	2.5	7.36	0.33	1.65	2	3.31	Low	10	1.5	15
GB_108A	0.49	4.87	2.5	12.18	0.53	5.33	2.5	13.32	0.45	2.24	2	4.47	Low	10	1.5	15
GB_114A	0.06	0.58	2.5	1.45	0.06	0.61	2.5	1.53	0.05	0.24	2	0.48	Low	10	1.5	15
GB_114B	0.29	2.86	2.5	7.16	0.26	2.56	2.5	6.39	0.21	1.07	2	2.14	Low	10	1.5	15
GB_115A	0.43	4.33	2.5	10.82	0.47	4.74	2.5	11.86	0.23	1.16	2	2.32	Medium	5	1.5	7.5
GB_115B	0.85	8.45	2.5	21.13	1.03	10.32	2.5	25.79	0.81	4.06	2	8.13	Medium	5	1.5	7.5
GB_116A	0.47	4.70	2.5	11.74	0.48	4.77	2.5	11.92	0.39	1.93	2	3.86	Low	10	1.5	15
GB_116B	0.50	4.96	2.5	12.41	0.99	9.93	2.5	24.84	0.84	4.19	2	8.37	Medium	5	1.5	7.5
GB_117	1.31	13.08	2.5	32.70	1.36	13.56	2.5	33.91	0.89	4.43	2	8.86	High	0	1.5	0
GB_118A	0.32	3.22	2.5	8.06	0.33	3.26	2.5	8.15	0.27	1.35	2	2.71	Low	10	1.5	15
GB_118B	1.20	12.04	2.5	30.11	1.53	15.30	2.5	38.25	1.15	5.77	2	11.54	Medium	5	1.5	7.5
GB_118C	1.15	11.53	2.5	28.82	1.36	13.62	2.5	34.06	1.06	5.29	2	10.58	Medium	5	1.5	7.5
GB_120A-1&2	0.41	4.12	2.5	10.29	0.42	4.18	2.5	10.45	0.31	1.57	2	3.14	Low	10	1.5	15
GB_120B	0.28	2.82	2.5	7.05	0.30	2.98	2.5	7.44	0.24	1.20	2	2.41	Low	10	1.5	15
GB_122B	0.42	4.23	2.5	10.57	0.57	5.67	2.5	14.17	0.37	1.84	2	3.69	Medium	5	1.5	7.5
GB_127A	0.38	3.78	2.5	9.44	0.75	7.52	2.5	18.80	0.62	3.11	2	6.22	Medium	5	1.5	7.5
GB_128A	0.40	4.01	2.5	10.03	0.47	4.66	2.5	11.65	0.40	2.00	2	4.01	Medium	5	1.5	7.5

Site ID	Property Ownership				Potential for Quick Implementation				Existing Drainage Problem/Hotspot				County Maintenance Burden			
	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
FMRM_726	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMRM_727	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMRM_728	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMRM_730	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMRM_901	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
FMRM_H_243A	Private	0	1.5	0	No	0	1	0	Yes	10	0.5	5	High	0	0.5	0
FMRM_H_243D	Private	0	1.5	0	No	0	1	0	Yes	10	0.5	5	High	0	0.5	0
GB_100	Private	0	1.5	0	No	0	1	0	No	10	0.5	5	Medium	5	0.5	2.5
GB_102A	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
GB_102B-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	Low	10	0.5	5
GB_105	Public	10	1.5	15	Yes	10	1	10	Yes	10	0.5	5	Medium	5	0.5	2.5
GB_106A	Public	10	1.5	15	No	0	1	0	No	10	0.5	5	Medium	5	0.5	2.5
GB_106B	Public	10	1.5	15	Yes	10	1	10	No	10	0.5	5	Low	10	0.5	5
GB_106C	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
GB_108A	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
GB_114A	Public	10	1.5	15	Yes	10	1	10	Yes	10	0.5	5	Low	10	0.5	5
GB_114B	Public	10	1.5	15	No	0	1	0	No	10	0.5	5	High	0	0.5	0
GB_115A	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
GB_115B	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
GB_116A	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
GB_116B	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
GB_117	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
GB_118A	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
GB_118B	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
GB_118C	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
GB_120A-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
GB_120B	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
GB_122B	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
GB_127A	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
GB_128A	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0

Site ID	Educational Opportunity				Pollutant Removal - VRRM													
	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit <sup>1</sup>	Size-Adjusted N Removal Credit	Size-Adjusted N Removal Credit <sup>1</sup>	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
FMRM_726	All other Streets	0	0.5	0	1.58	11.27	Street Bioretention	55%	64%	28%	21%	21%	25%	25%	0.34	2.79	13.83	1018
FMRM_727	All other Streets	0	0.5	0	1.97	14.13	Street Bioretention	55%	64%	50%	38%	38%	44%	44%	0.75	6.24	39.46	421
FMRM_728	All other Streets	0	0.5	0	1.41	10.08	Street Bioretention	55%	64%	54%	40%	40%	46%	46%	0.56	4.67	18.68	1003
FMRM_730	All other Streets	0	0.5	0	0.54	3.90	Street Bioretention	55%	64%	123%	58%	55%	68%	64%	0.30	2.49	9.31	1029
FMRM_901	Park	8	0.5	4	1.04	7.43	Bioretention	55%	64%	1411%	63%	55%	74%	64%	0.57	4.76	57.51	96
FMRM_H_243A	Private auto facility	0	0.5	0	0.59	4.19	Filtering Practice	60%	30%	50%	41%	41%	21%	21%	0.24	0.87	28.76	811
FMRM_H_243D	Private auto facility	0	0.5	0	0.11	0.78	Filtering Practice	60%	30%	100%	60%	60%	30%	30%	0.07	0.23	22.13	965
GB_100	Church	8	0.5	4	0.80	5.69	Bioretention	55%	64%	39%	32%	32%	37%	37%	0.25	2.10	36.43	527
GB_102A	Street w/ sidewalks	5	0.5	2.5	0.68	4.85	Street Bioretention	55%	64%	70%	47%	47%	54%	54%	0.32	2.63	43.83	292
GB_102B-1&2	Street w/ sidewalks	5	0.5	2.5	0.11	0.78	Impervious Cover Removal	77%	77%	100%	77%	77%	77%	77%	0.08	0.60	33.09	654
GB_105	Park	8	0.5	4	1.97	14.06	Dry Swale	52%	55%	101%	52%	52%	55%	55%	1.02	7.73	81.84	23
GB_106A	Community Center	8	0.5	4	1.45	10.40	Bioretention	55%	64%	69%	46%	46%	54%	54%	0.67	5.61	64.26	59
GB_106B	Community Center	8	0.5	4	0.79	5.63	Grass Channel	41%	44%	101%	41%	41%	44%	44%	0.32	2.48	64.30	58
GB_106C	Street w/ sidewalks	5	0.5	2.5	0.80	5.74	Street Bioretention	55%	64%	42%	33%	33%	38%	38%	0.26	2.19	42.89	321
GB_108A	Street w/ sidewalks	5	0.5	2.5	1.18	8.41	Street Bioretention	55%	64%	56%	41%	41%	48%	48%	0.49	4.06	49.66	191
GB_114A	Nature Center	10	0.5	5	0.11	0.75	Stormwater Planters	55%	64%	187%	62%	55%	72%	64%	0.06	0.48	56.93	100
GB_114B	Nature Center	10	0.5	5	0.49	3.49	Permeable Pavement	59%	59%	100%	59%	59%	59%	59%	0.29	2.05	49.30	195
GB_115A	Arterial Rd	0	0.5	0	0.81	5.82	Street Bioretention	55%	64%	93%	53%	53%	62%	62%	0.43	3.60	36.15	538
GB_115B	Arterial Rd	0	0.5	0	2.34	16.71	Street Bioretention	55%	64%	48%	36%	36%	42%	42%	0.85	7.04	52.26	155
GB_116A	Street w/ sidewalks	5	0.5	2.5	0.85	6.11	Street Bioretention	55%	64%	137%	60%	55%	70%	64%	0.47	3.91	48.61	205
GB_116B	Street w/ sidewalks	5	0.5	2.5	3.01	21.53	Street Bioretention	55%	64%	23%	16%	16%	19%	19%	0.50	4.13	46.28	251
GB_117	Street w/ sidewalks	5	0.5	2.5	2.38	17.01	Street Bioretention	55%	64%	116%	58%	55%	67%	64%	1.31	10.89	59.56	83
GB_118A	Street w/ sidewalks	5	0.5	2.5	0.59	4.19	Street Bioretention	55%	64%	139%	60%	55%	70%	64%	0.32	2.68	43.76	296
GB_118B	Street w/ sidewalks	5	0.5	2.5	3.49	24.97	Street Bioretention	55%	64%	45%	35%	35%	40%	40%	1.20	10.03	67.15	43
GB_118C	Street w/ sidewalks	5	0.5	2.5	3.00	21.43	Street Bioretention	55%	64%	52%	38%	38%	45%	45%	1.15	9.60	64.90	54
GB_120A-1&2	Street w/ sidewalks	5	0.5	2.5	0.80	5.71	Street Bioretention	55%	64%	86%	52%	52%	60%	60%	0.41	3.43	46.42	246
GB_120B	Street w/ sidewalks	5	0.5	2.5	0.62	4.41	Street Bioretention	55%	64%	67%	46%	46%	53%	53%	0.28	2.35	42.45	329
GB_122B	Street w/ sidewalks	5	0.5	2.5	1.23	8.77	Street Bioretention	55%	64%	45%	35%	35%	40%	40%	0.42	3.52	39.76	407
GB_127A	Street w/ sidewalks	5	0.5	2.5	2.29	16.38	Street Bioretention	55%	64%	22%	16%	16%	19%	19%	0.38	3.14	41.16	366
GB_128A	Street w/ sidewalks	5	0.5	2.5	1.08	7.71	Street Bioretention	55%	64%	50%	37%	37%	43%	43%	0.40	3.34	39.53	415

Site ID	Pollutant Removal - CSN											
	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	Rank
FMRM_726	1.21	17.10	734.58	0.35	42.0%	0.51	36.1%	6.17	45.1%	330.93	18.12	1011
FMRM_727	1.53	24.42	769.47	0.76	64.0%	0.98	54.7%	13.37	68.5%	527.44	45.14	347
FMRM_728	1.08	15.85	628.03	0.71	62.1%	0.67	53.2%	8.43	66.5%	417.87	21.44	986
FMRM_730	0.42	6.07	245.71	1.61	76.7%	0.32	65.7%	3.99	82.3%	202.26	9.83	1029
FMRM_901	0.79	9.61	568.62	15.23	85.0%	0.67	70.0%	6.73	85.0%	483.33	59.91	122
FMRM_H_243A	0.44	4.55	363.72	0.06	8.8%	0.04	7.3%	0.33	9.5%	34.43	23.67	958
FMRM_H_243D	0.08	0.84	67.36	0.33	39.9%	0.03	34.2%	0.29	42.7%	28.76	21.31	987
GB_100	0.60	6.29	489.27	0.38	43.8%	0.26	37.6%	2.37	46.9%	229.62	36.65	607
GB_102A	0.51	5.81	394.17	0.71	62.0%	0.32	53.1%	3.09	66.4%	261.90	43.83	377
GB_102B-1&2	0.08	0.84	67.36	0.73	62.8%	0.05	53.8%	0.45	67.3%	45.34	32.27	756
GB_105	1.53	26.71	644.60	1.81	77.7%	1.19	66.5%	17.76	83.4%	537.43	86.09	21
GB_106A	1.10	13.39	798.71	0.74	63.2%	0.69	54.1%	7.24	67.7%	540.96	64.79	85
GB_106B	0.61	9.63	312.53	1.51	76.1%	0.46	65.1%	6.27	81.6%	254.96	67.90	64
GB_106C	0.61	7.28	445.76	0.44	48.6%	0.29	41.7%	3.04	52.1%	232.35	43.67	383
GB_108A	0.89	11.70	602.43	0.65	59.6%	0.53	51.1%	5.97	63.9%	384.87	50.79	243
GB_114A	0.08	0.83	64.80	1.79	77.6%	0.06	66.4%	0.55	83.3%	53.96	57.01	151
GB_114B	0.37	4.07	288.82	1.00	69.8%	0.26	59.7%	2.43	74.8%	216.16	48.53	281
GB_115A	0.63	10.14	312.67	1.42	75.4%	0.47	64.5%	6.53	80.8%	252.72	37.18	588
GB_115B	1.79	25.25	1,094.67	0.60	57.7%	1.03	49.5%	12.49	61.9%	677.14	56.92	154
GB_116A	0.64	6.85	520.53	1.33	74.5%	0.48	63.7%	4.37	79.9%	415.91	48.78	278
GB_116B	2.33	38.11	1,127.81	0.36	42.6%	0.99	36.5%	13.93	45.6%	514.50	58.71	130
GB_117	1.81	24.14	1,193.41	1.37	74.9%	1.36	64.1%	15.47	80.3%	958.84	60.77	110
GB_118A	0.44	4.56	364.53	1.32	74.4%	0.33	63.6%	2.90	79.8%	290.76	43.86	375
GB_118B	2.68	39.35	1,553.90	0.59	57.1%	1.53	48.9%	19.26	61.2%	950.96	75.29	41
GB_118C	2.29	31.95	1,424.98	0.64	59.5%	1.36	51.0%	16.29	63.8%	908.91	70.14	55
GB_120A-1&2	0.60	7.67	422.32	0.96	69.1%	0.42	59.1%	4.53	74.0%	312.68	46.58	322
GB_120B	0.47	5.97	324.39	0.76	63.7%	0.30	54.5%	3.25	68.2%	221.32	42.85	402
GB_122B	0.95	14.79	496.55	0.65	59.9%	0.57	51.3%	7.59	64.2%	318.65	43.35	394
GB_127A	1.78	29.40	837.77	0.36	42.3%	0.75	36.3%	10.67	45.3%	379.73	50.52	249
GB_128A	0.82	10.98	539.52	0.58	56.8%	0.47	48.7%	5.34	60.9%	328.32	41.16	451

Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%C	%Turf	P (in)	Rv	Water Quality Volume (CF)	Treatment Volume (CF)	Treatment Volume Sum for Projects in Series*	% Water Quality Volume Treated
GB_128D	Gulf Branch	North Thomas Street and 34th Street North	Street Bioretention	0.41	49%	51%	1.00	0.58	859.79	369.15		0.43
GB_128E	Gulf Branch	North Thomas Street and 34th Street North	Street Bioretention	0.44	44%	56%	1.00	0.54	864.40	400.15		0.46
GB_129A	Gulf Branch	35th Street North and North Thomas Street	Street Bioretention	1.76	37%	63%	1.00	0.49	3131.15	797.00		0.25
GB_129B	Gulf Branch	35th Street North and North Thomas Street	Street Bioretention	1.65	43%	57%	1.00	0.53	3197.79	930.50		0.29
GB_131A	Gulf Branch	35th Road North and North Vermont Street	Street Bioretention	0.67	55%	45%	1.00	0.62	1511.55	459.75		0.30
GB_131B	Gulf Branch	35th Road North and North Vermont Street	Street Bioretention	1.03	44%	56%	1.00	0.54	2023.49	1059.50		0.52
GB_132A	Gulf Branch	35th Street North and North Vermont Street	Street Bioretention	2.88	39%	61%	1.00	0.51	5299.65	1488.95		0.28
GB_132B	Gulf Branch	35th Street North and North Vermont Street	Street Bioretention	0.63	50%	50%	1.00	0.59	1344.99	1352.00		1.01
GB_134	Gulf Branch	38th Street North and North Upland Street	Street Bioretention	1.71	34%	66%	1.00	0.47	2922.42	643.50		0.22
GB_138	Gulf Branch	#4615 North 38th Street	Street Bioretention	1.74	33%	67%	1.00	0.46	2911.14	674.75		0.23
GB_139	Gulf Branch	#4633 North 38th Street	Street Bioretention	2.09	30%	70%	1.00	0.44	3333.21	681.75		0.20
GB_141	Gulf Branch	34th Street North and 35th Street North	Street Bioretention	2.17	36%	64%	1.00	0.48	3803.06	1438.00		0.38
GB_142	Gulf Branch	32nd Road North and North Woodrow Street	Street Bioretention	1.15	40%	60%	1.00	0.51	2135.75	794.75		0.37
GB_143A	Gulf Branch	North Albemarle Street and 34th Road North	Street Bioretention	4.16	33%	67%	1.00	0.46	6953.86	1308.00		0.19
GB_143B	Gulf Branch	North Albemarle Street and 34th Road North	Street Bioretention	0.57	65%	35%	1.00	0.69	1436.99	1475.00		1.03
GB_144B	Gulf Branch	North Dittmar Road and North Albemarle Street	Street Bioretention	3.95	34%	66%	1.00	0.47	6750.38	1000.00		0.15
GB_145A	Gulf Branch	36th Street North and North Abingdon Street	Street Bioretention	0.99	32%	68%	1.00	0.45	1630.10	1034.75		0.63
GB_145B	Gulf Branch	36th Street North and North Abingdon Street	Street Bioretention	1.14	43%	57%	1.00	0.53	2212.03	1154.75		0.52
GB_145C	Gulf Branch	36th Street North and North Abingdon Street	Street Bioretention	1.05	49%	51%	1.00	0.58	2201.90	730.75		0.33
GB_200	Gulf Branch	North Military Road and Gulf Branch Nature Center	Street Bioretention	1.43	47%	53%	1.00	0.57	2938.37	565.00		0.19
GB_201	Gulf Branch	Glebe Park and Ethan Allen Park	Dry Swale	10.80	32%	68%	1.00	0.46	17910.92	6570.00		0.37
GB_202	Gulf Branch	Holmberg Park	Bioretention	1.93	43%	57%	1.00	0.53	3740.45	484.38		0.13
GB_203-1&2	Gulf Branch	38th Street North and North Wakefield Street	Street Bioretention	1.06	45%	55%	1.00	0.55	2110.52	1138.25	1138.25	0.54
LKR-163	Lucky Run	South Buchanan Street and 27th Road South	Bioretention	2.64	47%	53%	1.00	0.56	5396.30	3241.20		0.60
LKR-178	Lucky Run	Fairlington Villages - South Buchanan Street and 29th Street South	Bioretention	0.51	5%	95%	1.00	0.26	474.86	1397.50		2.94
LKR-179	Lucky Run	Fairlington Villages - Lot #36 - South Buchanan Street and 29th Street South	Bioretention	1.16	15%	85%	1.00	0.33	1387.46	4792.35		3.45
LKR-649A	Lucky Run	#4911 25th Street South	Street Bioretention	3.97	30%	70%	1.00	0.44	6326.47	1531.20		0.24

Site ID	Phosphorus Removal - VRRM				Phosphorus Removal - CSN				Impervious Area Acreage				Potential Utility or Site Constraints			
	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
GB_128D	0.18	1.81	2.5	4.52	0.22	2.16	2.5	5.41	0.20	1.00	2	2.01	Medium	5	1.5	7.5
GB_128E	0.19	1.94	2.5	4.86	0.23	2.32	2.5	5.81	0.19	0.97	2	1.94	Medium	5	1.5	7.5
GB_129A	0.38	3.81	2.5	9.53	0.61	6.14	2.5	15.36	0.65	3.26	2	6.51	Medium	5	1.5	7.5
GB_129B	0.46	4.64	2.5	11.61	0.66	6.55	2.5	16.38	0.71	3.55	2	7.10	Low	10	1.5	15
GB_131A	0.23	2.28	2.5	5.71	0.30	2.97	2.5	7.43	0.37	1.84	2	3.69	Low	10	1.5	15
GB_131B	0.50	4.98	2.5	12.45	0.58	5.78	2.5	14.44	0.45	2.27	2	4.53	Medium	5	1.5	7.5
GB_132A	0.74	7.45	2.5	18.62	1.09	10.91	2.5	27.27	1.13	5.66	2	11.32	Medium	5	1.5	7.5
GB_132B	0.46	4.65	2.5	11.62	0.47	4.67	2.5	11.68	0.32	1.59	2	3.18	Low	10	1.5	15
GB_134	0.30	3.03	2.5	7.57	0.53	5.31	2.5	13.27	0.59	2.94	2	5.88	Medium	5	1.5	7.5
GB_138	0.32	3.18	2.5	7.94	0.56	5.57	2.5	13.92	0.57	2.87	2	5.74	Medium	5	1.5	7.5
GB_139	0.30	2.98	2.5	7.44	0.60	6.04	2.5	15.09	0.63	3.14	2	6.28	Medium	5	1.5	7.5
GB_141	0.72	7.22	2.5	18.05	0.97	9.67	2.5	24.17	0.78	3.91	2	7.81	Low	10	1.5	15
GB_142	0.41	4.05	2.5	10.13	0.52	5.22	2.5	13.06	0.46	2.30	2	4.59	Low	10	1.5	15
GB_143A	0.52	5.22	2.5	13.05	1.14	11.40	2.5	28.49	1.37	6.85	2	13.71	Medium	5	1.5	7.5
GB_143B	0.50	4.97	2.5	12.41	0.49	4.88	2.5	12.21	0.37	1.85	2	3.71	High	0	1.5	0
GB_144B	0.26	2.59	2.5	6.47	0.90	8.98	2.5	22.45	1.36	6.79	2	13.57	High	0	1.5	0
GB_145A	0.45	4.53	2.5	11.34	0.53	5.35	2.5	13.37	0.32	1.58	2	3.17	Low	10	1.5	15
GB_145B	0.54	5.44	2.5	13.61	0.63	6.33	2.5	15.84	0.49	2.46	2	4.91	Low	10	1.5	15
GB_145C	0.37	3.74	2.5	9.34	0.47	4.74	2.5	11.85	0.51	2.57	2	5.15	Medium	5	1.5	7.5
GB_200	0.24	2.38	2.5	5.94	0.43	4.28	2.5	10.71	0.68	3.39	2	6.78	High	0	1.5	0
GB_201	3.13	31.31	2.5	78.28	4.61	46.13	2.5	115.33	3.50	17.52	2	35.04	Low	10	1.5	15
GB_202	0.08	0.76	2.5	1.90	0.40	4.05	2.5	10.12	0.83	4.15	2	8.30	Low	10	1.5	15
GB_203-1&2	0.53	5.28	2.5	13.20	0.61	6.08	2.5	15.19	0.48	2.39	2	4.77	Medium	5	1.5	7.5
LKR-163	1.46	14.58	2.5	36.44	1.61	16.14	2.5	40.34	1.24	6.20	2	12.41	Medium	5	1.5	7.5
LKR-178	0.16	1.64	2.5	4.10	0.20	2.04	2.5	5.10	0.03	0.13	2	0.26	Medium	5	1.5	7.5
LKR-179	0.48	4.79	2.5	11.99	0.58	5.83	2.5	14.58	0.17	0.87	2	1.74	Low	10	1.5	15
LKR-649A	0.72	7.22	2.5	18.05	1.29	12.92	2.5	32.31	1.19	5.96	2	11.91	Low	10	1.5	15

Site ID	Property Ownership				Potential for Quick Implementation				Existing Drainage Problem/Hotspot				County Maintenance Burden			
	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
GB_128D	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
GB_128E	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
GB_129A	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
GB_129B	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
GB_131A	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
GB_131B	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
GB_132A	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
GB_132B	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
GB_134	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
GB_138	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
GB_139	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
GB_141	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
GB_142	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
GB_143A	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
GB_143B	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
GB_144B	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
GB_145A	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
GB_145B	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
GB_145C	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
GB_200	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
GB_201	Public	10	1.5	15	No	0	1	0	Yes	10	0.5	5	Low	10	0.5	5
GB_202	Public	10	1.5	15	Yes	10	1	10	No	10	0.5	5	Medium	5	0.5	2.5
GB_203-1&2	Street ROW	7	1.5	10.5	No	0	1	0	Yes	10	0.5	5	High	0	0.5	0
LKR-163	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
LKR-178	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
LKR-179	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
LKR-649A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0

Site ID	Educational Opportunity				Pollutant Removal - VRRM													
	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit <sup>1</sup>	Size-Adjusted N Removal Credit	Size-Adjusted N Removal Credit <sup>1</sup>	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
GB_128D	Street w/ sidewalks	5	0.5	2.5	0.54	3.86	Street Bioretention	55%	64%	43%	33%	33%	39%	39%	0.18	1.50	32.03	694
GB_128E	Street w/ sidewalks	5	0.5	2.5	0.54	3.89	Street Bioretention	55%	64%	46%	36%	36%	42%	42%	0.19	1.62	32.30	686
GB_129A	Street w/ sidewalks	5	0.5	2.5	1.97	14.07	Street Bioretention	55%	64%	25%	19%	19%	23%	23%	0.38	3.17	41.54	355
GB_129B	Street w/ sidewalks	5	0.5	2.5	2.01	14.37	Street Bioretention	55%	64%	29%	23%	23%	27%	27%	0.46	3.87	51.71	162
GB_131A	Street w/ sidewalks	5	0.5	2.5	0.95	6.79	Street Bioretention	55%	64%	30%	24%	24%	28%	28%	0.23	1.90	42.39	331
GB_131B	Street w/ sidewalks	5	0.5	2.5	1.27	9.10	Street Bioretention	55%	64%	52%	39%	39%	46%	46%	0.50	4.15	42.48	328
GB_132A	Street w/ sidewalks	5	0.5	2.5	3.33	23.82	Street Bioretention	55%	64%	28%	22%	22%	26%	26%	0.74	6.20	55.44	113
GB_132B	Street w/ sidewalks	5	0.5	2.5	0.85	6.05	Street Bioretention	55%	64%	101%	55%	55%	64%	64%	0.46	3.87	47.80	218
GB_134	Street w/o sidewalk	0	0.5	0	1.84	13.14	Street Bioretention	55%	64%	22%	16%	16%	19%	19%	0.30	2.52	36.44	526
GB_138	Street w/ sidewalks	5	0.5	2.5	1.83	13.08	Street Bioretention	55%	64%	23%	17%	17%	20%	20%	0.32	2.64	39.18	429
GB_139	Street w/ sidewalks	5	0.5	2.5	2.09	14.98	Street Bioretention	55%	64%	20%	14%	14%	17%	17%	0.30	2.48	39.22	427
GB_141	Street w/ sidewalks	5	0.5	2.5	2.39	17.09	Street Bioretention	55%	64%	38%	30%	30%	35%	35%	0.72	6.01	58.86	86
GB_142	Street w/ sidewalks	5	0.5	2.5	1.34	9.60	Street Bioretention	55%	64%	37%	30%	30%	35%	35%	0.41	3.37	47.73	219
GB_143A	Street w/ sidewalks	5	0.5	2.5	4.37	31.26	Street Bioretention	55%	64%	19%	12%	12%	14%	14%	0.52	4.34	52.25	156
GB_143B	Street w/ sidewalks	5	0.5	2.5	0.90	6.46	Street Bioretention	55%	64%	103%	56%	55%	65%	64%	0.50	4.13	34.12	616
GB_144B	Street w/ sidewalks	5	0.5	2.5	4.24	30.34	Street Bioretention	55%	64%	15%	6%	6%	7%	7%	0.26	2.15	38.04	464
GB_145A	Street w/ sidewalks	5	0.5	2.5	1.02	7.33	Street Bioretention	55%	64%	63%	44%	44%	52%	52%	0.45	3.77	47.50	224
GB_145B	Street w/ sidewalks	5	0.5	2.5	1.39	9.94	Street Bioretention	55%	64%	52%	39%	39%	46%	46%	0.54	4.53	51.52	166
GB_145C	Street w/ sidewalks	5	0.5	2.5	1.38	9.90	Street Bioretention	55%	64%	33%	27%	27%	31%	31%	0.37	3.11	39.98	401
GB_200	Arterial Rd	0	0.5	0	1.85	13.21	Street Bioretention	55%	64%	19%	13%	13%	15%	15%	0.24	1.98	28.22	823
GB_201	Park	8	0.5	4	11.25	80.51	Dry Swale	52%	55%	37%	28%	28%	29%	29%	3.13	23.69	157.32	1
GB_202	Park	8	0.5	4	2.35	16.81	Bioretention	55%	64%	13%	3%	3%	4%	4%	0.08	0.63	61.70	73
GB_203-1&2	Street w/ sidewalks	5	0.5	2.5	1.33	9.49	Street Bioretention	55%	64%	54%	40%	40%	46%	46%	0.53	4.40	43.47	307
LKR-163	Alongside a walking path	5	0.5	2.5	3.39	24.25	Bioretention	55%	64%	60%	43%	43%	50%	50%	1.46	12.13	86.35	16
LKR-178	Private backyards	0	0.5	0	0.30	2.13	Bioretention	55%	64%	294%	63%	55%	74%	64%	0.16	1.37	14.36	1017
LKR-179	Private yards	0	0.5	0	0.87	6.24	Bioretention	55%	64%	345%	63%	55%	74%	64%	0.48	3.99	31.23	732
LKR-649A	Residential streets with Sidewalks	5	0.5	2.5	3.97	28.44	Street Bioretention	55%	64%	24%	18%	18%	21%	21%	0.72	6.01	57.96	92



Site ID	Pollutant Removal - CSN											Rank
	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	
GB_128D	0.41	5.49	270.64	0.51	52.6%	0.22	45.1%	2.48	56.4%	152.61	32.92	731
GB_128E	0.41	5.75	260.80	0.57	56.1%	0.23	48.0%	2.76	60.1%	156.63	33.25	720
GB_129A	1.51	22.14	877.24	0.34	40.7%	0.61	34.9%	7.73	43.6%	382.49	47.37	305
GB_129B	1.53	21.43	955.78	0.36	42.7%	0.66	36.6%	7.85	45.7%	437.10	56.48	160
GB_131A	0.72	9.25	496.41	0.34	41.2%	0.30	35.4%	3.27	44.2%	219.36	44.12	366
GB_131B	0.97	13.45	610.51	0.64	59.5%	0.58	51.0%	6.85	63.8%	389.26	44.47	360
GB_132A	2.55	36.69	1,524.94	0.36	42.8%	1.09	36.7%	13.47	45.8%	698.77	64.09	89
GB_132B	0.64	8.50	427.98	1.17	72.7%	0.47	62.1%	5.28	77.9%	333.46	47.86	293
GB_134	1.41	21.21	791.43	0.30	37.6%	0.53	32.2%	6.84	40.3%	318.65	42.14	420
GB_138	1.41	21.42	773.52	0.32	39.5%	0.56	33.9%	7.27	42.4%	327.70	45.16	346
GB_139	1.62	25.31	845.99	0.30	37.3%	0.60	32.0%	8.11	40.0%	338.39	46.87	313
GB_141	1.83	27.16	1,052.37	0.51	52.7%	0.97	45.2%	12.27	56.4%	594.01	64.98	80
GB_142	1.03	14.70	618.87	0.48	50.8%	0.52	43.6%	6.41	54.5%	337.17	50.65	244
GB_143A	3.36	51.20	1,846.23	0.26	33.9%	1.14	29.0%	14.87	36.3%	670.13	67.70	65
GB_143B	0.68	8.26	499.11	1.10	71.6%	0.49	61.2%	5.05	76.7%	382.93	33.91	694
GB_144B	3.26	48.99	1,828.04	0.20	27.5%	0.90	23.6%	11.54	29.5%	539.18	54.02	193
GB_145A	0.79	12.12	426.77	0.90	67.7%	0.53	57.9%	7.02	72.6%	309.83	49.54	268
GB_145B	1.06	14.82	661.71	0.65	59.7%	0.63	51.1%	7.57	63.9%	422.98	53.75	199
GB_145C	1.05	14.07	693.09	0.39	45.0%	0.47	38.6%	5.43	48.2%	334.26	42.50	409
GB_200	1.41	19.00	913.21	0.23	30.4%	0.43	26.1%	4.96	32.6%	297.90	32.99	727
GB_201	8.67	132.55	4,720.71	0.52	53.2%	4.61	45.6%	60.49	57.0%	2,691.86	194.37	1
GB_202	1.80	25.07	1,117.97	0.16	22.6%	0.40	19.2%	4.82	24.2%	270.07	69.92	56
GB_203-1&2	1.01	13.91	642.58	0.66	60.1%	0.61	51.4%	7.16	64.4%	413.55	45.46	339
LKR-163	2.58	35.01	1,671.51	0.72	62.5%	1.61	53.5%	18.72	66.9%	1,118.59	90.25	19
LKR-178	0.24	5.31	34.35	15.10	85.0%	0.20	70.0%	3.72	85.0%	29.20	15.35	1017
LKR-179	0.69	12.86	234.40	7.59	85.0%	0.58	70.0%	9.00	85.0%	199.24	33.82	698
LKR-649A	3.07	48.06	1,604.42	0.35	42.1%	1.29	36.1%	17.37	45.1%	723.83	72.22	47

Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%IC	%Turf	P (in)	Rv	Water Quality Volume (CF)	Treatment Volume (CF)	Treatment Volume Sum for Projects in Series*	% Water Quality Volume Treated
LKR-649B	Lucky Run	#4908 25th Street South	Street Bioretention	0.83	61%	39%	1.00	0.67	2004.48	1275.00		0.64
LKR-649C	Lucky Run	#2505 South Culpeper Street	Bioretention	1.80	26%	74%	1.00	0.41	2677.63	1893.00		0.71
LKR-650A	Lucky Run	#5000 25th Street South	Street Bioretention	1.02	47%	53%	1.00	0.56	2084.93	745.52		0.36
LKR-650B	Lucky Run	#2416 South Dinwiddie Street	Street Bioretention	1.53	38%	62%	1.00	0.50	2762.51	803.40		0.29
LKR-650C	Lucky Run	#2421 South Dinwiddie Street	Street Bioretention	3.36	30%	70%	1.00	0.44	5354.40	901.20		0.17
LKR-652	Lucky Run	23rd Street South and South Columbus Street	Street Bioretention	2.43	43%	57%	1.00	0.53	4709.48	1538.40		0.33
LKR-654	Lucky Run	#2108 South Dinwiddie Street	Street Bioretention	0.74	53%	47%	1.00	0.61	1630.25	931.20		0.57
LKR-655A	Lucky Run	#1429 south Greenbrier Street	Street Bioretention	0.79	62%	38%	1.00	0.67	1928.82	845.20		0.44
LKR-655B	Lucky Run	#1428 South Greenbrier Street	Street Bioretention	0.38	93%	7%	1.00	0.90	1239.94	846.00		0.68
LKR-659	Lucky Run	29th Street South and South Buchanan Street	Street Bioretention	2.34	49%	51%	1.00	0.58	4907.10	2541.60		0.52
LKR-660	Lucky Run	#2919 South Buchanan Street	Street Bioretention	1.35	67%	33%	1.00	0.71	3474.94	1409.20		0.41
LLB_2000A	Lower Long Branch	Bike Trail at North Bedford and Arlington Boulevard	Bioretention	0.97	20%	80%	1.00	0.36	1278.12	3036.00		2.38
LLB_2000B	Lower Long Branch	Bike Trail at North Bedford and Arlington Boulevard	Bioretention	0.40	28%	73%	1.00	0.42	610.93	1130.40		1.85
LLB_2000C	Lower Long Branch	Bike Trail at North Bedford and Arlington Boulevard	Bioretention	0.52	17%	83%	1.00	0.35	653.76	1836.00		2.81
LLB_2000D	Lower Long Branch	Bike Trail at North Bedford and Arlington Boulevard	Bioretention	2.10	6%	94%	1.00	0.26	1995.05	1806.00		0.91
LLB_2000E	Lower Long Branch	Bike Trail at North Bedford and Arlington Boulevard	Bioretention	1.30	35%	65%	1.00	0.48	2257.13	519.50		0.23
LLB_2000F	Lower Long Branch	Bike Trail at North Bedford and Arlington Boulevard	Bioretention	2.74	22%	78%	1.00	0.38	3778.10	1026.00		0.27
LLB_2000G	Lower Long Branch	Bike Trail at North Bedford and Arlington Boulevard	Bioretention	1.76	39%	61%	1.00	0.50	3207.47	1504.20		0.47
LLB_252A	Lower Long Branch	Walter Reed Drive and S.Uhle Street	Wet Pond	1.93	7%	93%	1.00	0.27	1886.00	3983.10		2.11
LLB_252B	Lower Long Branch	The Myerton	Bioretention	0.80	76%	24%	1.00	0.78	2255.32	1576.20		0.70
LLB_264	Lower Long Branch	Towers Park, 801 S Scott Street	Grass Channel	1.74	94%	6%	1.00	0.91	5735.40	9615.40		1.68
LLB_272	Lower Long Branch	1601 26th Street South- The Park	Disconnection	1.68	78%	22%	1.00	0.79	4833.80	4833.80		1.00

Site ID	Phosphorus Removal - VRRM				Phosphorus Removal - CSN				Impervious Area Acreage				Potential Utility or Site Constraints			
	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
LKR-649B	0.56	5.58	2.5	13.94	0.59	5.86	2.5	14.65	0.51	2.53	2	5.06	Medium	5	1.5	7.5
LKR-649C	0.79	7.90	2.5	19.76	0.94	9.37	2.5	23.43	0.47	2.34	2	4.68	High	0	1.5	0
LKR-650A	0.38	3.75	2.5	9.38	0.48	4.76	2.5	11.90	0.48	2.40	2	4.79	Medium	5	1.5	7.5
LKR-650B	0.40	4.01	2.5	10.03	0.59	5.88	2.5	14.71	0.58	2.91	2	5.81	Medium	5	1.5	7.5
LKR-650C	0.32	3.19	2.5	7.98	0.84	8.36	2.5	20.91	1.01	5.04	2	10.08	Low	10	1.5	15
LKR-652	0.77	7.66	2.5	19.15	1.04	10.42	2.5	26.04	1.04	5.22	2	10.45	High	0	1.5	0
LKR-654	0.43	4.29	2.5	10.73	0.47	4.66	2.5	11.66	0.39	1.96	2	3.92	Low	10	1.5	15
LKR-655A	0.41	4.11	2.5	10.28	0.47	4.65	2.5	11.63	0.49	2.45	2	4.90	Low	10	1.5	15
LKR-655B	0.36	3.61	2.5	9.02	0.35	3.51	2.5	8.77	0.35	1.77	2	3.53	High	0	1.5	0
LKR-659	1.19	11.86	2.5	29.66	1.36	13.62	2.5	34.05	1.15	5.73	2	11.47	Medium	5	1.5	7.5
LKR-660	0.71	7.05	2.5	17.63	0.79	7.87	2.5	19.67	0.90	4.52	2	9.05	Medium	5	1.5	7.5
LLB_2000A	0.44	4.42	2.5	11.04	0.53	5.33	2.5	13.34	0.19	0.95	2	1.90	Medium	5	1.5	7.5
LLB_2000B	0.21	2.11	2.5	5.28	0.24	2.44	2.5	6.10	0.11	0.55	2	1.10	Medium	5	1.5	7.5
LLB_2000C	0.23	2.26	2.5	5.65	0.27	2.74	2.5	6.84	0.09	0.45	2	0.90	Medium	5	1.5	7.5
LLB_2000D	0.66	6.62	2.5	16.55	0.86	8.55	2.5	21.38	0.12	0.60	2	1.20	Medium	5	1.5	7.5
LLB_2000E	0.25	2.46	2.5	6.15	0.42	4.19	2.5	10.47	0.46	2.30	2	4.60	Medium	5	1.5	7.5
LLB_2000F	0.51	5.05	2.5	12.63	0.93	9.34	2.5	23.35	0.60	3.00	2	6.00	Medium	5	1.5	7.5
LLB_2000G	0.72	7.22	2.5	18.04	0.90	8.95	2.5	22.38	0.68	3.40	2	6.80	Medium	5	1.5	7.5
LLB_252A	0.59	5.92	2.5	14.81	0.81	8.06	2.5	20.16	0.13	0.65	2	1.30	Low	10	1.5	15
LLB_252B	0.66	6.61	2.5	16.52	0.66	6.63	2.5	16.57	0.61	3.05	2	6.10	Low	10	1.5	15
LLB_264	1.46	14.59	2.5	36.49	2.07	20.71	2.5	51.78	1.64	8.20	2	16.40	Medium	5	1.5	7.5
LLB_272	0.76	7.59	2.5	18.98	1.60	16.01	2.5	40.02	1.32	6.59	2	13.18	Low	10	1.5	15

Site ID	Property Ownership				Potential for Quick Implementation				Existing Drainage Problem/Hotspot				County Maintenance Burden			
	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
LKR-649B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LKR-649C	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
LKR-650A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LKR-650B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LKR-650C	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LKR-652	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LKR-654	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LKR-655A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LKR-655B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LKR-659	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LKR-660	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LLB_2000A	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
LLB_2000B	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
LLB_2000C	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
LLB_2000D	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
LLB_2000E	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
LLB_2000F	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
LLB_2000G	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
LLB_252A	Public	10	1.5	15	Yes	10	1	10		10	0.5	5	Medium	5	0.5	2.5
LLB_252B	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
LLB_264	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
LLB_272	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Low	10	0.5	5

Site ID	Educational Opportunity				Pollutant Removal - VRRM													
	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit <sup>1</sup>	Size-Adjusted N Removal Credit	Size-Adjusted N Removal Credit <sup>1</sup>	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
LKR-649B	Residential streets with Sidewalks	5	0.5	2.5	1.26	9.01	Street Bioretention	55%	64%	64%	44%	44%	52%	52%	0.56	4.64	39.50	417
LKR-649C	Adjacent to walking path	8	0.5	4	1.68	12.04	Bioretention	55%	64%	71%	47%	47%	55%	55%	0.79	6.58	41.44	358
LKR-650A	Residential streets with Sidewalks	5	0.5	2.5	1.31	9.37	Street Bioretention	55%	64%	36%	29%	29%	33%	33%	0.38	3.12	34.68	599
LKR-650B	Residential streets with Sidewalks	5	0.5	2.5	1.74	12.42	Street Bioretention	55%	64%	29%	23%	23%	27%	27%	0.40	3.34	36.34	532
LKR-650C	Residential streets with Sidewalks	5	0.5	2.5	3.36	24.07	Street Bioretention	55%	64%	17%	9%	9%	11%	11%	0.32	2.66	46.06	255
LKR-652	Residential streets with Sidewalks	5	0.5	2.5	2.96	21.17	Street Bioretention	55%	64%	33%	26%	26%	30%	30%	0.77	6.38	42.60	325
LKR-654	Residential streets with Sidewalks	5	0.5	2.5	1.02	7.33	Street Bioretention	55%	64%	57%	42%	42%	49%	49%	0.43	3.57	42.65	324
LKR-655A	Residential streets with Sidewalks	5	0.5	2.5	1.21	8.67	Street Bioretention	55%	64%	44%	34%	34%	39%	39%	0.41	3.42	43.18	317
LKR-655B	Residential streets with Sidewalks	5	0.5	2.5	0.78	5.57	Street Bioretention	55%	64%	68%	46%	46%	54%	54%	0.36	3.00	25.56	897
LKR-659	Residential streets with Sidewalks	5	0.5	2.5	3.08	22.06	Street Bioretention	55%	64%	52%	38%	38%	45%	45%	1.19	9.88	61.63	74
LKR-660	Residential streets with Sidewalks	5	0.5	2.5	2.18	15.62	Street Bioretention	55%	64%	41%	32%	32%	38%	38%	0.71	5.87	47.17	229
LLB_2000A	Bike Trail and Park Area	8	0.5	4	0.80	5.74	Bioretention	55%	64%	238%	63%	55%	73%	64%	0.44	3.68	41.94	342
LLB_2000B	Bike Trail and Park Area	8	0.5	4	0.38	2.75	Bioretention	55%	64%	185%	62%	55%	72%	64%	0.21	1.76	35.38	568
LLB_2000C	Bike Trail and Park Area	8	0.5	4	0.41	2.94	Bioretention	55%	64%	281%	63%	55%	74%	64%	0.23	1.88	35.55	560
LLB_2000D	Bike Trail and Park Area	8	0.5	4	1.25	8.97	Bioretention	55%	64%	91%	53%	53%	61%	61%	0.66	5.51	46.75	237
LLB_2000E	Bike Trail and Park Area	8	0.5	4	1.42	10.15	Bioretention	55%	64%	23%	17%	17%	20%	20%	0.25	2.05	39.75	408
LLB_2000F	Bike Trail and Park Area	8	0.5	4	2.37	16.98	Bioretention	55%	64%	27%	21%	21%	25%	25%	0.51	4.20	47.63	222
LLB_2000G	Bike Trail and Park Area	8	0.5	4	2.02	14.42	Bioretention	55%	64%	47%	36%	36%	42%	42%	0.72	6.01	53.84	132
LLB_252A		5	0.5	2.5	1.18	8.48	Wet Pond	50%	30%	211%	57%	50%	34%	30%	0.59	2.54	66.11	46
LLB_252B	Grassy area by houses and streets		0.5	0	1.42	10.14	Bioretention	55%	64%	70%	47%	47%	54%	54%	0.66	5.50	40.12	398
LLB_264	Public Park		0.5	0	3.60	25.78	Grass Channel	41%	44%	168%	45%	41%	49%	44%	1.46	11.34	80.39	25
LLB_272	Private property	0	0.5	0	3.04	21.73	Disconnection	25%	25%	100%	25%	25%	25%	25%	0.76	5.43	52.16	158

Site ID	Pollutant Removal - CSN											Rank
	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	
LKR-649B	0.95	11.80	682.05	0.69	61.5%	0.59	52.7%	6.21	65.9%	449.47	40.21	484
LKR-649C	1.30	21.30	630.45	1.11	71.9%	0.94	61.4%	13.08	77.0%	485.55	45.11	348
LKR-650A	1.00	13.53	645.81	0.43	47.7%	0.48	40.9%	5.54	51.1%	329.99	37.20	587
LKR-650B	1.33	19.35	783.22	0.38	44.2%	0.59	37.9%	7.34	47.4%	370.96	41.02	460
LKR-650C	2.60	40.68	1,357.90	0.25	32.2%	0.84	27.6%	11.23	34.5%	468.42	58.99	128
LKR-652	2.26	31.56	1,407.61	0.41	46.1%	1.04	39.5%	12.48	49.4%	694.82	49.49	269
LKR-654	0.78	10.11	528.34	0.65	59.9%	0.47	51.3%	5.19	64.2%	339.26	43.58	390
LKR-655A	0.92	11.28	659.82	0.48	50.8%	0.47	43.6%	4.91	54.4%	358.95	44.53	359
LKR-655B	0.58	6.23	476.07	0.66	60.2%	0.35	51.5%	3.21	64.5%	306.83	25.31	926
LKR-659	2.35	31.35	1,544.61	0.61	58.0%	1.36	49.7%	15.59	62.2%	960.44	66.01	75
LKR-660	1.65	19.74	1,218.47	0.43	47.7%	0.79	41.0%	8.09	51.2%	623.31	49.22	273
LLB_2000A	0.63	11.06	255.95	4.40	85.0%	0.53	70.0%	7.74	85.0%	217.56	44.24	365
LLB_2000B	0.30	4.77	148.18	2.83	82.1%	0.24	70.0%	3.34	85.0%	125.96	36.20	620
LLB_2000C	0.32	5.85	121.24	5.62	85.0%	0.27	70.0%	4.09	85.0%	103.05	36.74	602
LLB_2000D	1.01	21.96	161.65	4.15	85.0%	0.86	70.0%	15.37	85.0%	137.41	51.58	236
LLB_2000E	1.09	16.21	619.68	0.31	38.4%	0.42	33.0%	5.35	41.2%	255.13	44.07	370
LLB_2000F	1.85	31.67	808.27	0.47	50.5%	0.93	43.3%	13.72	54.1%	437.38	58.35	137
LLB_2000G	1.54	22.34	916.04	0.61	58.0%	0.90	49.7%	11.10	62.1%	569.03	58.18	138
LLB_252A	0.95	20.32	175.24	8.44	85.0%	0.81	70.0%	14.22	85.0%	148.95	71.46	50
LLB_252B	1.07	12.20	821.74	0.71	62.2%	0.66	53.2%	6.49	66.6%	547.45	40.17	486
LLB_264	2.70	28.66	2,209.28	1.62	76.8%	2.07	65.7%	18.82	82.3%	1,819.24	95.68	14
LLB_272	2.28	25.87	1,775.29	1.01	70.1%	1.60	59.9%	15.50	75.1%	1,333.67	73.19	43

Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%C	%Turf	P (in)	Rv	Water Quality Volume (CF)	Treatment Volume (CF)	Treatment Volume Sum for Projects in Series*	% Water Quality Volume Treated
LLB_750	Lower Long Branch	Long Branch Elementary School 33 North Fillmore Street Arlington	Stormwater Planters	0.23	99%	1%	1.00	0.94	788.40	123.00		0.16
LLB_751-1&2	Lower Long Branch	709 North Garfield Street	Street Bioretention	1.19	62%	38%	1.00	0.67	2911.26	600.00	600.00	0.21
LLB_752-1&2	Lower Long Branch	Clarendon United Methodist Church 605 North Irving Street	Dry Swale	2.15	57%	43%	1.00	0.64	4976.37	763.95	763.95	0.15
LLB_803A	Lower Long Branch	815 North Kenmore Street	Street Bioretention	0.77	99%	1%	1.00	0.94	2628.85	459.50		0.17
LLB_803B-1&2	Lower Long Branch	803 North Kenmore Street	Street Bioretention	0.91	68%	32%	1.00	0.72	2369.66	1137.30	1137.30	0.48
LLB_807	Lower Long Branch	1015 North Irving Street	Street Bioretention	0.47	74%	26%	1.00	0.76	1302.81	1562.00		1.20
LLB_811-1&2	Lower Long Branch	Henry Clay Park- 3011 7th Street North	Street Bioretention	1.84	45%	55%	1.00	0.55	3668.84	2868.60	2868.60	0.78
LLB_815	Lower Long Branch	3103 North Persing Drive	Street Bioretention	0.78	59%	41%	1.00	0.65	1852.11	581.63		0.31
LLB_819-1&2	Lower Long Branch	703 North Fillmore Street	Street Bioretention	0.97	62%	38%	1.00	0.67	2364.58	894.00	894.00	0.38
LLB_822-1&2	Lower Long Branch	3201 5th Street North	Street Bioretention	0.60	61%	39%	1.00	0.66	1442.19	759.50	759.50	0.53
LLB_825	Lower Long Branch	3233 North Pershing Street	Street Bioretention	0.96	53%	47%	1.00	0.60	2103.99	432.00		0.21
LLB_828A	Lower Long Branch	3101 North Highland Street	Street Bioretention	1.22	56%	44%	1.00	0.63	2771.45	546.00		0.20
LLB_832	Lower Long Branch	2507 North Persing Drive	Street Bioretention	0.46	63%	37%	1.00	0.68	1135.83	1114.00		0.98
LLB_833	Lower Long Branch	402 N. Cleveland Street	Street Bioretention	1.71	53%	47%	1.00	0.61	3777.02	468.75		0.12
LLB_839	Lower Long Branch	302 North Bryant Street	Street Bioretention	0.66	56%	44%	1.00	0.63	1507.54	1348.20		0.89
LLB_840	Lower Long Branch	2551 Washington Boulevard	Bioretention	0.61	59%	41%	1.00	0.65	1441.11	4201.50		2.92
LLB_842	Lower Long Branch	2503 Washington Boulevard	Bioretention	0.36	61%	39%	1.00	0.67	870.47	2125.85		2.44
LLB_843	Lower Long Branch	237 North Barton Street	Street Bioretention	0.82	46%	54%	1.00	0.56	1661.81	610.00		0.37
LLB_845	Lower Long Branch	204 North Barton Street	Street Bioretention	1.06	49%	51%	1.00	0.58	2224.46	328.50		0.15
LLB_846	Lower Long Branch	2504 Washington Boulevard	Bioretention	0.34	71%	29%	1.00	0.74	907.50	2007.00		2.21
LLB_848	Lower Long Branch	2410 Washington Boulevard	Bioretention	0.34	65%	35%	1.00	0.69	854.50	759.38		0.89
LLB_849	Lower Long Branch	110 North Cleveland Street	Street Bioretention	0.50	72%	28%	1.00	0.75	1353.79	1047.00		0.77

Site ID	Phosphorus Removal - VRRM				Phosphorus Removal - CSN				Impervious Area Acreage				Potential Utility or Site Constraints			
	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
LLB_750	0.04	0.41	2.5	1.01	0.08	0.78	2.5	1.95	0.23	1.14	2	2.28	Medium	5	1.5	7.5
LLB_751-1&2	0.26	2.60	2.5	6.50	0.41	4.12	2.5	10.30	0.74	3.70	2	7.40	Medium	5	1.5	7.5
LLB_752-1&2	0.24	2.42	2.5	6.05	0.56	5.64	2.5	14.11	1.23	6.15	2	12.30	Medium	5	1.5	7.5
LLB_803A	0.18	1.77	2.5	4.43	0.29	2.87	2.5	7.18	0.76	3.80	2	7.60	Medium	5	1.5	7.5
LLB_803B-1&2	0.54	5.39	2.5	13.47	0.59	5.91	2.5	14.77	0.62	3.10	2	6.20	Medium	5	1.5	7.5
LLB_807	0.45	4.50	2.5	11.26	0.45	4.52	2.5	11.31	0.35	1.75	2	3.50	Medium	5	1.5	7.5
LLB_811-1&2	1.15	11.45	2.5	28.63	1.21	12.12	2.5	30.31	0.83	4.15	2	8.30	Medium	5	1.5	7.5
LLB_815	0.29	2.91	2.5	7.27	0.36	3.65	2.5	9.12	0.46	2.32	2	4.64	High	0	1.5	0
LLB_819-1&2	0.45	4.49	2.5	11.22	0.52	5.22	2.5	13.04	0.60	3.00	2	6.00	Medium	5	1.5	7.5
LLB_822-1&2	0.35	3.55	2.5	8.87	0.39	3.87	2.5	9.66	0.36	1.82	2	3.63	Medium	5	1.5	7.5
LLB_825	0.19	1.88	2.5	4.70	0.31	3.12	2.5	7.81	0.50	2.52	2	5.05	High	0	1.5	0
LLB_828A	0.22	2.24	2.5	5.61	0.39	3.91	2.5	9.78	0.68	3.39	2	6.78	High	0	1.5	0
LLB_832	0.39	3.89	2.5	9.74	0.38	3.83	2.5	9.57	0.29	1.45	2	2.90	Medium	5	1.5	7.5
LLB_833	0.08	0.77	2.5	1.92	0.36	3.64	2.5	9.09	0.91	4.55	2	9.10	Medium	5	1.5	7.5
LLB_839	0.50	4.99	2.5	12.47	0.50	5.03	2.5	12.57	0.37	1.85	2	3.70	Medium	5	1.5	7.5
LLB_840	0.50	4.98	2.5	12.45	0.58	5.83	2.5	14.57	0.36	1.80	2	3.60	Medium	5	1.5	7.5
LLB_842	0.30	3.01	2.5	7.52	0.33	3.30	2.5	8.25	0.22	1.10	2	2.20	Medium	5	1.5	7.5
LLB_843	0.31	3.07	2.5	7.68	0.39	3.87	2.5	9.68	0.38	1.90	2	3.80	Medium	5	1.5	7.5
LLB_845	0.09	0.85	2.5	2.13	0.26	2.57	2.5	6.43	0.52	2.60	2	5.20	Medium	5	1.5	7.5
LLB_846	0.31	3.14	2.5	7.84	0.34	3.37	2.5	8.43	0.24	1.20	2	2.40	Medium	5	1.5	7.5
LLB_848	0.28	2.81	2.5	7.03	0.28	2.79	2.5	6.99	0.22	1.10	2	2.20	Medium	5	1.5	7.5
LLB_849	0.42	4.20	2.5	10.50	0.42	4.17	2.5	10.43	0.36	1.80	2	3.60	Medium	5	1.5	7.5



Site ID	Property Ownership				Potential for Quick Implementation				Existing Drainage Problem/Hotspot				County Maintenance Burden			
	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
LLB_750	School	4	1.5	6	Yes	10	1	10	No	0	0.5	0	Low	10	0.5	5
LLB_751-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LLB_752-1&2	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
LLB_803A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LLB_803B-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LLB_807	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LLB_811-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LLB_815	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LLB_819-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LLB_822-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LLB_825	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LLB_828A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LLB_832	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LLB_833	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LLB_839	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LLB_840	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
LLB_842	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
LLB_843	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LLB_845	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LLB_846	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
LLB_848	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
LLB_849	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0

Site ID	Educational Opportunity				Pollutant Removal - VRRM													
	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit <sup>1</sup>	Size-Adjusted N-Removal Credit	Size-Adjusted N-Removal Credit <sup>1</sup>	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
LLB_750	School	10	0.5	5	0.50	3.54	Stormwater Planters	55%	64%	16%	8%	8%	10%	10%	0.04	0.34	36.80	513
LLB_751-1&2	Park	8	0.5	4	1.83	13.09	Street Bioretention	55%	64%	21%	14%	14%	17%	17%	0.26	2.16	35.90	550
LLB_752-1&2	Residential Streets w/ Sidewalks	5	0.5	2.5	3.13	22.37	Dry Swale	52%	55%	15%	8%	8%	8%	8%	0.24	1.83	30.85	746
LLB_803A	Residential Streets w/ Sidewalks	5	0.5	2.5	1.65	11.82	Street Bioretention	55%	64%	17%	11%	11%	12%	12%	0.18	1.48	32.53	683
LLB_803B-1&2	Residential Streets w/ Sidewalks	5	0.5	2.5	1.49	10.65	Street Bioretention	55%	64%	48%	36%	36%	42%	42%	0.54	4.48	40.17	397
LLB_807		0	0.5	0	0.82	5.86	Street Bioretention	55%	64%	120%	58%	55%	67%	64%	0.45	3.75	32.76	671
LLB_811-1&2	Park	8	0.5	4	2.31	16.49	Street Bioretention	55%	64%	78%	50%	50%	58%	58%	1.15	9.53	58.93	85
LLB_815	Residential Streets w/ Sidewalks	5	0.5	2.5	1.16	8.32	Street Bioretention	55%	64%	31%	25%	25%	29%	29%	0.29	2.42	24.91	914
LLB_819-1&2	Residential Streets w/ Sidewalks	5	0.5	2.5	1.49	10.63	Street Bioretention	55%	64%	38%	30%	30%	35%	35%	0.45	3.74	37.72	482
LLB_822-1&2	Residential Streets w/ Sidewalks	5	0.5	2.5	0.91	6.48	Street Bioretention	55%	64%	53%	39%	39%	46%	46%	0.35	2.95	33.01	657
LLB_825	Residential Streets w/ Sidewalks	5	0.5	2.5	1.32	9.46	Street Bioretention	55%	64%	21%	14%	14%	17%	17%	0.19	1.56	22.75	959
LLB_828A	Residential Streets w/ Sidewalks	5	0.5	2.5	1.74	12.46	Street Bioretention	55%	64%	20%	13%	13%	15%	15%	0.22	1.87	25.39	904
LLB_832	Residential Streets w/ Sidewalks	5	0.5	2.5	0.71	5.11	Street Bioretention	55%	64%	98%	55%	55%	63%	63%	0.39	3.24	33.14	653
LLB_833	Residential Streets w/ Sidewalks	5	0.5	2.5	2.37	16.98	Street Bioretention	55%	64%	12%	3%	3%	4%	4%	0.08	0.64	31.52	722
LLB_839	Residential Streets w/ Sidewalks	5	0.5	2.5	0.95	6.78	Street Bioretention	55%	64%	89%	53%	53%	61%	61%	0.50	4.15	36.67	518
LLB_840		0	0.5	0	0.91	6.48	Bioretention	55%	64%	292%	63%	55%	74%	64%	0.50	4.15	41.05	368
LLB_842		0	0.5	0	0.55	3.91	Bioretention	55%	64%	244%	63%	55%	73%	64%	0.30	2.50	34.72	596
LLB_843	Residential Streets w/ Sidewalks	5	0.5	2.5	1.04	7.47	Street Bioretention	55%	64%	37%	29%	29%	34%	34%	0.31	2.56	36.48	525
LLB_845	Residential Streets w/ Sidewalks	5	0.5	2.5	1.40	10.00	Street Bioretention	55%	64%	15%	6%	6%	7%	7%	0.09	0.71	32.33	685
LLB_846		0	0.5	0	0.57	4.08	Bioretention	55%	64%	221%	63%	55%	73%	64%	0.31	2.61	35.24	573
LLB_848		0	0.5	0	0.54	3.84	Bioretention	55%	64%	89%	52%	52%	61%	61%	0.28	2.34	34.23	613
LLB_849	Residential Streets w/ Sidewalks	5	0.5	2.5	0.85	6.08	Street Bioretention	55%	64%	77%	49%	49%	57%	57%	0.42	3.50	34.60	601

Site ID	Pollutant Removal - CSN											Rank
	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	
LLB_750	0.37	3.87	307.42	0.15	21.0%	0.08	17.9%	0.69	22.5%	69.20	37.73	566
LLB_751-1&2	1.38	17.01	996.87	0.22	29.8%	0.41	25.5%	4.34	31.9%	318.04	39.70	501
LLB_752-1&2	2.37	30.00	1,656.96	0.17	23.8%	0.56	20.3%	6.10	25.5%	422.61	38.91	526
LLB_803A	1.24	12.91	1,023.81	0.17	23.3%	0.29	19.8%	2.56	24.9%	255.08	35.28	655
LLB_803B-1&2	1.12	13.37	835.21	0.51	52.6%	0.59	45.1%	6.03	56.3%	470.52	41.47	439
LLB_807	0.62	7.11	471.49	1.23	73.4%	0.45	62.8%	4.46	78.7%	371.10	32.81	736
LLB_811-1&2	1.76	24.16	1,118.11	0.95	68.9%	1.21	58.9%	14.24	73.9%	825.92	60.61	114
LLB_815	0.88	11.00	624.88	0.35	41.4%	0.36	35.5%	3.91	44.3%	277.09	26.76	896
LLB_819-1&2	1.12	13.84	808.27	0.41	46.4%	0.52	39.8%	5.51	49.7%	402.03	39.54	508
LLB_822-1&2	0.69	8.51	489.57	0.58	56.4%	0.39	48.3%	4.11	60.4%	295.67	33.80	700
LLB_825	1.00	13.09	679.85	0.24	31.1%	0.31	26.7%	3.49	33.3%	226.57	25.86	918
LLB_828A	1.32	16.89	913.61	0.22	29.6%	0.39	25.4%	4.28	31.7%	289.80	29.56	829
LLB_832	0.54	6.60	390.66	1.06	71.0%	0.38	60.6%	4.00	76.0%	297.08	32.97	729
LLB_833	1.80	23.40	1,225.88	0.14	20.2%	0.36	17.2%	4.01	21.6%	264.96	38.69	534
LLB_839	0.72	9.16	498.43	1.00	70.0%	0.50	59.8%	5.48	75.0%	373.77	36.77	600
LLB_840	0.69	8.59	484.96	3.22	85.0%	0.58	70.0%	6.01	85.0%	412.22	43.17	400
LLB_842	0.41	5.12	296.37	2.66	79.8%	0.33	69.0%	3.53	85.0%	251.91	35.45	648
LLB_843	0.80	10.84	511.91	0.44	48.6%	0.39	41.7%	4.52	52.1%	266.73	38.48	543
LLB_845	1.06	14.21	700.50	0.17	24.2%	0.26	20.6%	2.93	25.9%	181.31	36.63	608
LLB_846	0.43	5.05	323.31	2.30	78.5%	0.34	67.1%	3.39	84.4%	272.81	35.83	633
LLB_848	0.41	4.92	296.37	0.95	68.9%	0.28	58.9%	2.90	73.8%	218.84	34.19	682
LLB_849	0.64	7.48	485.23	0.80	65.1%	0.42	55.7%	4.17	69.8%	338.51	34.53	673

Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%IC	%Turf	P (in)	Rv	Water Quality Volume (CF)	Treatment Volume (CF)	Treatment Volume Sum for Projects in Series*	% Water Quality Volume Treated
LLB_852	Lower Long Branch	Arlington Church of Christ- 1st Place North	Street Bioretention	0.43	59%	41%	1.00	0.65	1012.72	521.25		0.51
LLB_853	Lower Long Branch	2613 Arlington Boulevard	Dry Swale	0.79	28%	72%	1.00	0.42	1213.91	1989.40		1.64
LLB_854	Lower Long Branch	2515 1st Place South	Street Bioretention	1.22	46%	54%	1.00	0.56	2458.24	890.00		0.36
LLB_857-1&2	Lower Long Branch	100 South Hudson Place	Street Bioretention	1.59	35%	65%	1.00	0.48	2751.61	658.00	658.00	0.24
LLB_858-1&2	Lower Long Branch	124 South Hudson Street	Street Bioretention	1.16	41%	59%	1.00	0.52	2198.33	650.00	650.00	0.30
LLB_859-1&2	Lower Long Branch	3000 2nd Street South	Street Bioretention	2.90	42%	58%	1.00	0.52	5525.84	867.00	867.00	0.16
LLB_860	Lower Long Branch	3011 2nd St S	Street Bioretention	3.20	49%	51%	1.00	0.58	6715.86	1104.20		0.16
LLB_862	Lower Long Branch	315 South Garfield Street	Street Bioretention	0.95	60%	40%	1.00	0.66	2269.11	642.00		0.28
LLB_863-1&2	Lower Long Branch	401 S Fenwick St	Street Bioretention	0.89	63%	37%	1.00	0.68	2194.70	1074.00	1074.00	0.49
LLB_867	Lower Long Branch	507 South Adams Street	Street Bioretention	1.05	66%	34%	1.00	0.70	2666.96	543.00		0.20
LLB_869	Lower Long Branch	2220 2nd St S	Street Bioretention	1.20	55%	45%	1.00	0.62	2707.25	624.00		0.23
LLB_870	Lower Long Branch	2211 6th Street S	Street Bioretention	1.27	65%	35%	1.00	0.70	3213.64	399.00		0.12
LLB_871	Lower Long Branch	2201 6th Street S	Street Bioretention	2.31	55%	45%	1.00	0.62	5210.14	1282.00		0.25
LLB_872	Lower Long Branch	600 S Courthouse Rd	Street Bioretention	0.55	84%	16%	1.00	0.83	1658.18	846.00		0.51
LLB_874	Lower Long Branch	700 S Adams St	Street Bioretention	1.85	44%	56%	1.00	0.54	3650.33	568.00		0.16
LLB_877	Lower Long Branch	2100 8th Street S	Street Bioretention	1.98	54%	46%	1.00	0.61	4390.12	689.80		0.16
LLB_881	Lower Long Branch	1017 S Quinn Street	Street Bioretention	1.19	51%	49%	1.00	0.59	2566.77	323.00		0.13
LLB_885	Lower Long Branch	1601 13th Street South	Street Bioretention	0.93	54%	46%	1.00	0.61	2067.65	723.00		0.35
LLB_886	Lower Long Branch	1531 13th Road South	Street Bioretention	1.22	61%	39%	1.00	0.67	2961.72	984.00		0.33
LLB_894	Lower Long Branch	1013 S Queen Street	Street Bioretention	0.70	49%	51%	1.00	0.57	1459.99	894.00		0.61
LLB_903	Lower Long Branch	1300 Army Navy Drive- Horizon House Condominium	Street Bioretention	0.85	96%	4%	1.00	0.92	2851.73	3141.00		1.10
LLB_906A	Lower Long Branch	1401 21st Street South	Street Bioretention	0.81	40%	60%	1.00	0.51	1494.83	477.75		0.32

Site ID	Phosphorus Removal - VRRM				Phosphorus Removal - CSN				Impervious Area Acreage				Potential Utility or Site Constraints			
	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
LLB_852	0.24	2.45	2.5	6.12	0.27	2.70	2.5	6.75	0.25	1.26	2	2.53	Medium	5	1.5	7.5
LLB_853	0.40	3.97	2.5	9.92	0.46	4.65	2.5	11.62	0.22	1.10	2	2.20	Low	10	1.5	15
LLB_854	0.45	4.55	2.5	11.36	0.57	5.69	2.5	14.23	0.56	2.80	2	5.60	Medium	5	1.5	7.5
LLB_857-1&2	0.30	3.00	2.5	7.50	0.53	5.26	2.5	13.15	0.56	2.80	2	5.59	Medium	5	1.5	7.5
LLB_858-1&2	0.32	3.19	2.5	7.98	0.46	4.61	2.5	11.52	0.48	2.40	2	4.80	High	0	1.5	0
LLB_859-1&2	0.28	2.84	2.5	7.10	0.71	7.13	2.5	17.83	1.21	6.06	2	12.11	Medium	5	1.5	7.5
LLB_860	0.40	4.00	2.5	10.01	0.85	8.50	2.5	21.26	1.57	7.85	2	15.70	Medium	5	1.5	7.5
LLB_862	0.32	3.19	2.5	7.97	0.41	4.14	2.5	10.35	0.57	2.85	2	5.70	Medium	5	1.5	7.5
LLB_863-1&2	0.51	5.07	2.5	12.68	0.56	5.62	2.5	14.04	0.56	2.80	2	5.60	Medium	5	1.5	7.5
LLB_867	0.24	2.38	2.5	5.96	0.37	3.68	2.5	9.19	0.69	3.45	2	6.90	Medium	5	1.5	7.5
LLB_869	0.30	2.95	2.5	7.38	0.43	4.34	2.5	10.85	0.66	3.30	2	6.60	Medium	5	1.5	7.5
LLB_870	0.07	0.65	2.5	1.63	0.29	2.89	2.5	7.22	0.83	4.15	2	8.30	Low	10	1.5	15
LLB_871	0.59	5.95	2.5	14.87	0.88	8.78	2.5	21.96	1.27	6.35	2	12.70	Medium	5	1.5	7.5
LLB_872	0.40	4.01	2.5	10.02	0.41	4.12	2.5	10.30	0.46	2.30	2	4.60	Medium	5	1.5	7.5
LLB_874	0.19	1.88	2.5	4.69	0.46	4.58	2.5	11.44	0.82	4.10	2	8.20	Medium	5	1.5	7.5
LLB_877	0.23	2.26	2.5	5.64	0.52	5.19	2.5	12.98	1.06	5.30	2	10.60	Medium	5	1.5	7.5
LLB_881	0.05	0.52	2.5	1.30	0.25	2.54	2.5	6.34	0.61	3.05	2	6.10	Medium	5	1.5	7.5
LLB_885	0.36	3.59	2.5	8.98	0.45	4.49	2.5	11.23	0.50	2.50	2	5.00	Low	10	1.5	15
LLB_886	0.50	5.02	2.5	12.56	0.60	6.01	2.5	15.03	0.75	3.75	2	7.50	Low	10	1.5	15
LLB_894	0.40	3.99	2.5	9.97	0.44	4.37	2.5	10.93	0.34	1.70	2	3.40	Medium	5	1.5	7.5
LLB_903	0.99	9.85	2.5	24.64	0.95	9.51	2.5	23.77	0.82	4.10	2	8.20	Medium	5	1.5	7.5
LLB_906A	0.23	2.35	2.5	5.87	0.33	3.34	2.5	8.36	0.32	1.60	2	3.20	Medium	5	1.5	7.5

Site ID	Property Ownership				Potential for Quick Implementation				Existing Drainage Problem/Hotspot				County Maintenance Burden			
	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
LLB_852	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LLB_853	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
LLB_854	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LLB_857-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LLB_858-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LLB_859-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LLB_860	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LLB_862	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LLB_863-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LLB_867	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LLB_869	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LLB_870	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LLB_871	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LLB_872	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LLB_874	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LLB_877	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LLB_881	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LLB_885	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LLB_886	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LLB_894	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LLB_903	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LLB_906A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0

Site ID	Educational Opportunity				Pollutant Removal - VRRM													
	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit <sup>1</sup>	Size-Adjusted N Removal Credit	Size-Adjusted N Removal Credit <sup>1</sup>	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
LLB_852	Residential Streets w/ Sidewalks	5	0.5	2.5	0.64	4.55	Street Bioretention	55%	64%	51%	38%	38%	45%	45%	0.24	2.04	29.15	798
LLB_853	Residential Streets w/ Sidewalks	5	0.5	2.5	0.76	5.46	Dry Swale	52%	55%	164%	58%	52%	61%	55%	0.40	3.00	47.12	231
LLB_854	Residential Streets w/ Sidewalks	5	0.5	2.5	1.54	11.05	Street Bioretention	55%	64%	36%	29%	29%	34%	34%	0.45	3.78	37.46	491
LLB_857-1&2	Residential Streets w/ Sidewalks	5	0.5	2.5	1.73	12.37	Street Bioretention	55%	64%	24%	17%	17%	20%	20%	0.30	2.50	33.59	639
LLB_858-1&2	Residential Streets w/ Sidewalks	5	0.5	2.5	1.38	9.88	Street Bioretention	55%	64%	30%	23%	23%	27%	27%	0.32	2.66	25.78	892
LLB_859-1&2	Residential Streets w/ Sidewalks	5	0.5	2.5	3.47	24.84	Street Bioretention	55%	64%	16%	8%	8%	10%	10%	0.28	2.36	39.71	409
LLB_860	Street with sidewalk		0.5	0	4.22	30.19	Street Bioretention	55%	64%	16%	9%	9%	11%	11%	0.40	3.33	43.71	297
LLB_862	Street with sidewalk		0.5	0	1.43	10.20	Street Bioretention	55%	64%	28%	22%	22%	26%	26%	0.32	2.65	31.67	715
LLB_863-1&2	Residential Streets w/ Sidewalks	5	0.5	2.5	1.38	9.86	Street Bioretention	55%	64%	49%	37%	37%	43%	43%	0.51	4.22	38.78	446
LLB_867	Street with sidewalk		0.5	0	1.68	11.99	Street Bioretention	55%	64%	20%	14%	14%	17%	17%	0.24	1.98	30.86	744
LLB_869	Street with sidewalk		0.5	0	1.70	12.17	Street Bioretention	55%	64%	23%	17%	17%	20%	20%	0.30	2.46	31.98	698
LLB_870	Street with sidewalk		0.5	0	2.02	14.44	Street Bioretention	55%	64%	12%	3%	3%	4%	4%	0.07	0.54	35.43	564
LLB_871	Street with sidewalk		0.5	0	3.27	23.42	Street Bioretention	55%	64%	25%	18%	18%	21%	21%	0.59	4.95	45.57	266
LLB_872	Street with sidewalk		0.5	0	1.04	7.45	Street Bioretention	55%	64%	51%	38%	38%	45%	45%	0.40	3.34	32.62	676
LLB_874	Street with sidewalk		0.5	0	2.29	16.41	Street Bioretention	55%	64%	16%	8%	8%	10%	10%	0.19	1.56	30.89	741
LLB_877	Street with sidewalk		0.5	0	2.76	19.73	Street Bioretention	55%	64%	16%	8%	8%	10%	10%	0.23	1.88	34.24	612
LLB_881	Street with sidewalk		0.5	0	1.61	11.54	Street Bioretention	55%	64%	13%	3%	3%	4%	4%	0.05	0.43	25.40	902
LLB_885	Street with sidewalk		0.5	0	1.30	9.29	Street Bioretention	55%	64%	35%	28%	28%	32%	32%	0.36	2.99	39.48	418
LLB_886	Street with sidewalk		0.5	0	1.86	13.31	Street Bioretention	55%	64%	33%	27%	27%	31%	31%	0.50	4.18	45.56	267
LLB_894	Street with sidewalk		0.5	0	0.92	6.56	Street Bioretention	55%	64%	61%	43%	43%	51%	51%	0.40	3.32	31.37	727
LLB_903	Street with sidewalk	5	0.5	2.5	1.79	12.82	Street Bioretention	55%	64%	110%	57%	55%	66%	64%	0.99	8.20	53.34	141
LLB_906A	Street with sidewalk	5	0.5	2.5	0.94	6.72	Street Bioretention	55%	64%	32%	25%	25%	29%	29%	0.23	1.95	29.57	786

Site ID	Pollutant Removal - CSN											Rank
	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	
LLB_852	0.48	6.05	340.26	0.57	56.0%	0.27	48.0%	2.90	60.0%	204.18	29.77	820
LLB_853	0.59	9.45	296.39	2.49	78.8%	0.46	67.7%	6.39	84.9%	251.51	48.82	277
LLB_854	1.18	16.09	754.39	0.44	48.3%	0.57	41.5%	6.67	51.8%	390.68	40.33	480
LLB_857-1&2	1.33	19.81	753.31	0.32	39.6%	0.53	34.0%	6.73	42.4%	319.44	39.24	521
LLB_858-1&2	1.06	14.94	646.62	0.37	43.6%	0.46	37.4%	5.59	46.7%	302.17	29.32	837
LLB_859-1&2	2.65	37.43	1,631.81	0.20	26.9%	0.71	23.0%	8.60	28.8%	469.72	50.45	251
LLB_860	3.21	42.88	2,114.98	0.19	26.5%	0.85	22.6%	9.71	28.4%	599.90	54.96	184
LLB_862	1.08	13.44	767.86	0.31	38.4%	0.41	32.9%	4.42	41.1%	315.52	34.05	691
LLB_863-1&2	1.04	12.76	754.39	0.53	53.9%	0.56	46.2%	5.90	57.7%	435.54	40.14	488
LLB_867	1.27	15.26	929.51	0.22	29.1%	0.37	24.9%	3.80	31.1%	289.42	34.09	685
LLB_869	1.29	16.57	889.10	0.26	33.6%	0.43	28.8%	4.78	36.0%	320.38	35.45	647
LLB_870	1.53	18.42	1,118.11	0.13	19.0%	0.29	16.1%	2.96	20.3%	226.98	41.02	459
LLB_871	2.48	31.89	1,710.84	0.28	35.4%	0.88	30.3%	9.67	37.9%	648.17	52.66	218
LLB_872	0.78	8.66	619.68	0.51	52.7%	0.41	45.2%	3.91	56.4%	349.60	32.90	733
LLB_874	1.75	24.20	1,104.64	0.19	26.1%	0.46	22.3%	5.41	28.0%	309.32	37.64	571
LLB_877	2.09	27.14	1,427.95	0.18	24.8%	0.52	21.2%	5.74	26.6%	379.15	41.58	434
LLB_881	1.23	16.13	821.74	0.15	20.7%	0.25	17.6%	2.84	22.2%	182.07	30.44	801
LLB_885	0.99	12.76	673.56	0.40	45.5%	0.45	39.1%	4.99	48.8%	328.64	41.73	430
LLB_886	1.41	17.38	1,010.34	0.36	42.7%	0.60	36.6%	6.37	45.7%	462.17	48.03	289
LLB_894	0.70	9.36	458.02	0.72	62.6%	0.44	53.6%	5.02	67.1%	307.34	32.33	754
LLB_903	1.34	14.13	1,104.64	1.06	70.9%	0.95	60.6%	8.56	76.0%	839.40	52.47	221
LLB_906A	0.72	10.33	431.08	0.41	46.5%	0.33	39.9%	4.12	49.8%	214.69	32.06	769



Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%IC	%Turf	P (in)	Rv	Water Quality Volume (CF)	Treatment Volume (CF)	Treatment Volume Sum for Projects in Series*	% Water Quality Volume Treated
LLB_906B	Lower Long Branch	1400 21st Street South	Street Bioretention	0.71	48%	52%	1.00	0.57	1467.97	306.63		0.21
LLB_908A	Lower Long Branch	2109 South Pierce Street	Street Bioretention	0.62	52%	48%	1.00	0.60	1343.10	778.00		0.58
LLB_908B	Lower Long Branch	2108 South Pierce Street	Street Bioretention	0.79	47%	53%	1.00	0.56	1611.36	1059.00		0.66
LLB_910	Lower Long Branch	1607 22nd Street South	Bioretention	1.07	51%	49%	1.00	0.60	2311.95	2557.75		1.11
LLB_911	Lower Long Branch	2306 South Pierce Street	Street Bioretention	0.75	45%	55%	1.00	0.55	1499.92	1414.00		0.94
LLB_912	Lower Long Branch	1512 23rd Road Street	Street Bioretention	2.78	35%	65%	1.00	0.47	4790.51	714.00		0.15
LLB_913	Lower Long Branch	1627 23rd Street South	Street Bioretention	2.79	42%	58%	1.00	0.53	5328.48	970.00		0.18
LLB_917	Lower Long Branch	2362 South Queen Street	Street Bioretention	0.42	69%	31%	1.00	0.72	1103.88	2550.00		2.31
LLB_924	Lower Long Branch	25th Street South	Street Bioretention	0.73	63%	37%	1.00	0.68	1801.93	1446.00		0.80
LPE-15A	Little Pimmit Run East	North George Mason Drive and 27th Street North - median in northern section of intersection	Bioretention	0.32	77%	23%	1.00	0.78	910.87	3305.00		3.63
LPE-15B	Little Pimmit Run East	North George Mason Drive and 27th Street North - southwest corner of intersection	Street Bioretention	2.42	19%	81%	1.00	0.36	3142.03	1864.00		0.59
LPE-15C	Little Pimmit Run East	North George Mason Drive between 26th Road North and 26th Street North - eastern side	Street Bioretention	0.56	34%	66%	1.00	0.47	950.70	1314.00		1.38
LPE-15D	Little Pimmit Run East	North George Mason Drive between 26th Road North and 26th Street North - western side	Street Bioretention	0.28	52%	48%	1.00	0.60	611.29	874.00		1.43
LPE-15F	Little Pimmit Run East	North George Mason Drive and 26th Street North - west side of street	Street Bioretention	1.44	26%	74%	1.00	0.41	2143.17	522.00		0.24
LPE-15G	Little Pimmit Run East	North George Mason Drive and 25th Place North - west side of street	Street Bioretention	1.42	31%	69%	1.00	0.44	2291.49	1457.00		0.64
LPE-15H	Little Pimmit Run East	North George Mason Drive and 25th Place North - east side of street	Street Bioretention	1.23	28%	72%	1.00	0.42	1881.12	566.00		0.30
LPE-15I	Little Pimmit Run East	Median at intersection of North George Mason Drive and 27th Street North	Bioretention	0.21	58%	42%	1.00	0.65	492.85	1150.00		2.33
LPE-15J	Little Pimmit Run East	North George Mason Drive and 27th Street North - east side of street	Street Bioretention	1.09	32%	68%	1.00	0.45	1782.04	1754.00		0.98
LPE-17A	Little Pimmit Run East	Marymount College - parking lot on North Glebe Road	Bioretention	0.82	57%	43%	1.00	0.64	1893.15	3738.00		1.97
LPE-17B	Little Pimmit Run East	Marymount College - parking lot on North Glebe Road	Bioretention	0.91	45%	55%	1.00	0.55	1813.45	925.50		0.51
LPE-18A	Little Pimmit Run East	Rock Spring Country Club	Bioretention	0.43	88%	12%	1.00	0.86	1349.57	1271.25		0.94
LPE-18B	Little Pimmit Run East	Rock Spring Country Club	Rainwater Harvesting (cistern)	0.39	98%	2%	1.00	0.93	1320.54	667.00		0.51
LPE-18C	Little Pimmit Run East	Rock Spring Country Club	Underground Detention Retrofit	0.29	94%	6%	1.00	0.90	951.31	N/A		N/A
LPE-200A	Little Pimmit Run East	Yorktown Dr. east of Greenbrier St.	Impervious Cover Removal	0.03	100%	0%	1.00	0.95	79.50	79.50		1.00
LPE-200B	Little Pimmit Run East	Yorktown Dr. east of Greenbrier St.	Impervious Cover Removal	0.06	100%	0%	1.00	0.95	158.99	158.99		1.00
LPE-201	Little Pimmit Run East	#2425 N. Columbus St.	Bioretention	1.38	28%	72%	1.00	0.42	2108.77	2857.50		1.36

Site ID	Phosphorus Removal - VRRM				Phosphorus Removal - CSN				Impervious Area Acreage				Potential Utility or Site Constraints			
	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
LLB_906B	0.13	1.31	2.5	3.28	0.23	2.28	2.5	5.69	0.34	1.70	2	3.40	Medium	5	1.5	7.5
LLB_908A	0.35	3.54	2.5	8.84	0.39	3.88	2.5	9.71	0.32	1.60	2	3.20	Medium	5	1.5	7.5
LLB_908B	0.45	4.55	2.5	11.37	0.50	4.99	2.5	12.49	0.37	1.85	2	3.70	Medium	5	1.5	7.5
LLB_910	0.80	7.99	2.5	19.97	0.82	8.17	2.5	20.44	0.55	2.75	2	5.50	Medium	5	1.5	7.5
LLB_911	0.51	5.07	2.5	12.67	0.52	5.20	2.5	13.00	0.34	1.70	2	3.40	High	0	1.5	0
LLB_912	0.18	1.84	2.5	4.59	0.64	6.36	2.5	15.91	0.97	4.85	2	9.70	Medium	5	1.5	7.5
LLB_913	0.40	4.00	2.5	10.00	0.78	7.76	2.5	19.40	1.17	5.85	2	11.70	High	0	1.5	0
LLB_917	0.38	3.81	2.5	9.54	0.41	4.11	2.5	10.28	0.29	1.45	2	2.90	Medium	5	1.5	7.5
LLB_924	0.57	5.69	2.5	14.22	0.57	5.73	2.5	14.32	0.46	2.30	2	4.60	Medium	5	1.5	7.5
LPE-15A	0.31	3.15	2.5	7.87	0.37	3.66	2.5	9.15	0.25	1.24	2	2.47	Medium	5	1.5	7.5
LPE-15B	0.84	8.43	2.5	21.08	1.11	11.12	2.5	27.81	0.46	2.28	2	4.56	Medium	5	1.5	7.5
LPE-15C	0.33	3.29	2.5	8.21	0.36	3.58	2.5	8.96	0.19	0.95	2	1.90	Medium	5	1.5	7.5
LPE-15D	0.21	2.11	2.5	5.28	0.22	2.25	2.5	5.61	0.15	0.73	2	1.46	Medium	5	1.5	7.5
LPE-15F	0.24	2.45	2.5	6.12	0.46	4.64	2.5	11.60	0.37	1.87	2	3.75	Medium	5	1.5	7.5
LPE-15G	0.64	6.37	2.5	15.93	0.76	7.57	2.5	18.94	0.44	2.18	2	4.37	Medium	5	1.5	7.5
LPE-15H	0.28	2.84	2.5	7.11	0.46	4.55	2.5	11.38	0.34	1.70	2	3.39	Medium	5	1.5	7.5
LPE-15I	0.17	1.70	2.5	4.26	0.19	1.86	2.5	4.64	0.12	0.61	2	1.23	Medium	5	1.5	7.5
LPE-15J	0.61	6.11	2.5	15.27	0.65	6.50	2.5	16.24	0.34	1.72	2	3.44	Medium	5	1.5	7.5
LPE-17A	0.65	6.54	2.5	16.36	0.71	7.07	2.5	17.67	0.47	2.34	2	4.67	Low	10	1.5	15
LPE-17B	0.44	4.38	2.5	10.96	0.51	5.09	2.5	12.72	0.41	2.05	2	4.10	Low	10	1.5	15
LPE-18A	0.46	4.56	2.5	11.40	0.43	4.34	2.5	10.85	0.38	1.90	2	3.80	Low	10	1.5	15
LPE-18B	0.23	2.29	2.5	5.73	0.32	3.18	2.5	7.95	0.38	1.90	2	3.81	Low	10	1.5	15
LPE-18C	0.00	0.00	2.5	0.00	0.00	0.00	2.5	0.00	0.27	1.36	2	2.72	Low	10	1.5	15
LPE-200A	0.05	0.50	2.5	1.25	0.03	0.31	2.5	0.76	0.03	0.15	2	0.30	Medium	5	1.5	7.5
LPE-200B	0.10	1.00	2.5	2.50	0.06	0.61	2.5	1.53	0.06	0.30	2	0.60	Medium	5	1.5	7.5
LPE-201	0.73	7.29	2.5	18.22	0.80	8.03	2.5	20.07	0.38	1.90	2	3.80	High	0	1.5	0

Site ID	Property Ownership				Potential for Quick Implementation				Existing Drainage Problem/Hotspot				County Maintenance Burden			
	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
LLB_906B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LLB_908A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LLB_908B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LLB_910	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
LLB_911	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LLB_912	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LLB_913	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LLB_917	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LLB_924	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LPE-15A	Street ROW	7	1.5	10.5	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
LPE-15B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LPE-15C	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LPE-15D	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LPE-15F	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LPE-15G	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LPE-15H	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LPE-15I	Street ROW	7	1.5	10.5	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
LPE-15J	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LPE-17A	Private	0	1.5	0	No	0	1	0	Yes	10	0.5	5	Medium	5	0.5	2.5
LPE-17B	Private	0	1.5	0	No	0	1	0	Yes	10	0.5	5	Medium	5	0.5	2.5
LPE-18A	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
LPE-18B	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
LPE-18C	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
LPE-200A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
LPE-200B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
LPE-201	Private	0	1.5	0	No	0	1	0	Yes	10	0.5	5	Medium	5	0.5	2.5

Site ID	Educational Opportunity				Pollutant Removal - VRRM													
	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit <sup>1</sup>	Size-Adjusted N-Removal Credit	Size-Adjusted N-Removal Credit <sup>1</sup>	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
LLB_906B	street with sidewalk	5	0.5	2.5	0.92	6.60	Street Bioretention	55%	64%	21%	14%	14%	17%	17%	0.13	1.09	27.18	848
LLB_908A	Street with sidewalk	5	0.5	2.5	0.84	6.04	Street Bioretention	55%	64%	58%	42%	42%	49%	49%	0.35	2.94	32.54	682
LLB_908B	Street with sidewalk	5	0.5	2.5	1.01	7.24	Street Bioretention	55%	64%	66%	45%	45%	52%	52%	0.45	3.79	35.57	558
LLB_910	Grassy area by houses and streets	5	0.5	2.5	1.45	10.39	Bioretention	55%	64%	111%	57%	55%	66%	64%	0.80	6.65	52.97	144
LLB_911	Street with sidewalk	5	0.5	2.5	0.94	6.74	Street Bioretention	55%	64%	94%	54%	54%	63%	63%	0.51	4.22	29.07	802
LLB_912	Street with sidewalk	5	0.5	2.5	3.01	21.53	Street Bioretention	55%	64%	15%	6%	6%	7%	7%	0.18	1.53	34.79	592
LLB_913	Street with sidewalk	5	0.5	2.5	3.35	23.95	Street Bioretention	55%	64%	18%	12%	12%	14%	14%	0.40	3.33	34.70	598
LLB_917	Street with sidewalk	5	0.5	2.5	0.69	4.96	Street Bioretention	55%	64%	231%	63%	55%	73%	64%	0.38	3.18	32.94	663
LLB_924	Street with sidewalk	5	0.5	2.5	1.13	8.10	Street Bioretention	55%	64%	80%	50%	50%	58%	58%	0.57	4.74	39.32	424
LPE-15A	Median in street	0	0.5	0	0.57	4.09	Bioretention	55%	64%	363%	63%	55%	74%	64%	0.31	2.62	40.84	375
LPE-15B	Residential street w/ sidewalks	5	0.5	2.5	1.97	14.12	Street Bioretention	55%	64%	59%	43%	43%	50%	50%	0.84	7.02	46.14	252
LPE-15C	Residential street w/ sidewalks	5	0.5	2.5	0.60	4.27	Street Bioretention	55%	64%	138%	60%	55%	70%	64%	0.33	2.73	30.61	760
LPE-15D	Residential street w/ sidewalks	5	0.5	2.5	0.38	2.75	Street Bioretention	55%	64%	143%	60%	55%	70%	64%	0.21	1.76	27.24	844
LPE-15F	Residential street w/ sidewalks	5	0.5	2.5	1.35	9.63	Street Bioretention	55%	64%	24%	18%	18%	21%	21%	0.24	2.04	30.36	765
LPE-15G	Residential street w/ sidewalks	5	0.5	2.5	1.44	10.30	Street Bioretention	55%	64%	64%	44%	44%	52%	52%	0.64	5.31	40.80	377
LPE-15H	Residential street w/ sidewalks	5	0.5	2.5	1.18	8.46	Street Bioretention	55%	64%	30%	24%	24%	28%	28%	0.28	2.37	31.00	737
LPE-15I	Median	0	0.5	0	0.31	2.22	Bioretention	55%	64%	233%	63%	55%	73%	64%	0.17	1.42	35.98	548
LPE-15J	Residential street w/ sidewalks	5	0.5	2.5	1.12	8.01	Street Bioretention	55%	64%	98%	55%	55%	63%	63%	0.61	5.09	39.21	428
LPE-17A	School	10	0.5	5	1.19	8.51	Bioretention	55%	64%	197%	62%	55%	72%	64%	0.65	5.45	48.53	207
LPE-17B	School	10	0.5	5	1.14	8.15	Bioretention	55%	64%	51%	38%	38%	45%	45%	0.44	3.65	42.56	327
LPE-18A	Park	8	0.5	4	0.85	6.07	Bioretention	55%	64%	94%	54%	54%	63%	63%	0.46	3.79	36.69	516
LPE-18B	Park	8	0.5	4	0.83	5.94	Rainwater Harvesting (cistern)	40%	40%	51%	28%	28%	28%	28%	0.23	1.64	33.54	640
LPE-18C	Underground Detention Facility	0	0.5	0	0.60	4.28	Underground Detention Retrofit	15%	0%	N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	20.22	991
LPE-200A	Roadway median	0	0.5	0	0.07	0.47	Impervious Cover Removal	77%	77%	100%	77%	77%	77%	77%	0.05	0.36	24.55	920
LPE-200B	Roadway median	0	0.5	0	0.13	0.93	Impervious Cover Removal	77%	77%	100%	77%	77%	77%	77%	0.10	0.72	26.10	878
LPE-201	Residential street w/ sidewalks	5	0.5	2.5	1.32	9.48	Bioretention	55%	64%	136%	60%	55%	69%	64%	0.73	6.07	32.02	695

Site ID	Pollutant Removal - CSN											
	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	Rank
LLB_906B	0.70	9.46	458.02	0.25	32.4%	0.23	27.8%	2.63	34.7%	159.08	29.59	827
LLB_908A	0.64	8.42	431.08	0.67	60.6%	0.39	51.9%	4.37	64.9%	279.76	33.41	714
LLB_908B	0.77	10.47	498.43	0.79	64.7%	0.50	55.4%	5.80	69.4%	345.74	36.69	604
LLB_910	1.10	14.51	740.92	1.28	74.0%	0.82	63.3%	9.18	79.4%	587.95	53.44	205
LLB_911	0.72	9.86	458.02	1.15	72.3%	0.52	61.8%	6.10	77.5%	355.03	29.40	834
LLB_912	2.31	34.58	1,306.71	0.20	27.5%	0.64	23.5%	8.14	29.5%	385.04	46.11	332
LLB_913	2.56	36.04	1,576.13	0.23	30.3%	0.78	26.0%	9.36	32.5%	511.97	44.10	367
LLB_917	0.52	6.20	390.66	2.42	78.6%	0.41	67.4%	4.18	84.6%	330.59	33.68	704
LLB_924	0.86	10.47	619.68	0.87	66.9%	0.57	57.2%	5.99	71.7%	444.31	39.42	514
LPE-15A	0.43	4.90	333.14	3.68	85.0%	0.37	70.0%	3.43	85.0%	283.17	42.12	421
LPE-15B	1.54	27.47	614.83	1.13	72.0%	1.11	61.6%	16.91	77.2%	474.59	52.87	214
LPE-15C	0.46	6.93	255.95	1.91	78.0%	0.36	66.7%	4.62	83.7%	214.22	31.36	782
LPE-15D	0.29	3.81	197.08	1.65	76.9%	0.22	65.8%	2.51	82.5%	162.66	27.58	878
LPE-15F	1.04	17.05	504.90	0.38	44.4%	0.46	38.1%	6.50	47.6%	240.39	35.85	632
LPE-15G	1.11	17.27	588.42	0.92	68.2%	0.76	58.3%	10.07	73.1%	430.02	43.80	379
LPE-15H	0.91	14.69	456.94	0.46	49.8%	0.46	42.7%	6.27	53.3%	243.71	35.28	656
LPE-15I	0.23	2.95	165.29	2.58	79.2%	0.19	68.2%	2.01	85.0%	140.50	36.37	613
LPE-15J	0.86	13.31	463.41	1.40	75.3%	0.65	64.3%	8.57	80.7%	373.86	40.18	485
LPE-17A	0.90	11.43	629.51	2.20	78.4%	0.71	67.0%	7.66	84.3%	530.39	49.84	264
LPE-17B	0.87	11.95	552.45	0.62	58.5%	0.51	50.1%	5.99	62.7%	346.48	44.32	363
LPE-18A	0.64	6.91	511.50	0.92	68.3%	0.43	58.4%	4.03	73.2%	374.23	36.15	622
LPE-18B	0.62	6.51	512.98	0.48	51.2%	0.32	43.9%	2.86	54.9%	281.50	35.76	634
LPE-18C	0.45	4.76	365.88	0.00	0.0%	0.00	0.0%	0.00	0.0%	0.00	20.22	996
LPE-200A	0.05	0.51	40.41	0.73	62.8%	0.03	53.8%	0.27	67.3%	27.20	24.06	950
LPE-200B	0.10	1.01	80.83	0.73	62.8%	0.06	53.8%	0.54	67.3%	54.41	25.13	928
LPE-201	1.03	16.48	511.77	2.07	78.3%	0.80	66.9%	11.03	84.1%	430.28	33.87	696

Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%IC	%Turf	P (in)	Rv	Water Quality Volume (CF)	Treatment Volume (CF)	Treatment Volume Sum for Projects in Series*	% Water Quality Volume Treated
LPE-23-1&2&3	Little Pimmit Run East	33rd Road North between Williamsburg Blvd and Little Falls Road	Street Bioretention	0.76	54%	46%	1.00	0.62	1697.37	3437.00		2.02
LPE-24A	Little Pimmit Run East	Williamsburg St. at 34th St.	Bioretention	1.48	27%	73%	1.00	0.42	2241.89	1435.00		0.64
LPE-24B	Little Pimmit Run East	Williamsburg St. at 34th St.	Bioretention	0.95	49%	51%	1.00	0.58	2002.53	845.00		0.42
LPE-25A-1&2	Little Pimmit Run East	35th St. between Little Falls and Williamsburg St.	Street Bioretention	2.48	33%	67%	1.00	0.46	4163.66	1204.00		0.29
LPE-25B-1&2	Little Pimmit Run East	35th Street North and Williamsburg Blvd	Street Bioretention	1.59	36%	64%	1.00	0.48	2779.84	1699.00		0.61
LPE-25C-1&2	Little Pimmit Run East	36th St. between Little Falls and Williamsburg St. (South side of street)	Street Bioretention	0.77	53%	47%	1.00	0.61	1705.62	1094.00		0.64
LPE-26A	Little Pimmit Run East	34th St. at Dickerson Rd.	Street Bioretention	0.36	54%	46%	1.00	0.62	805.82	335.25		0.42
LPE-26B	Little Pimmit Run East	35th St. at Dickerson Rd.	Street Bioretention	0.34	55%	45%	1.00	0.62	765.20	335.25		0.44
LPE-29A	Little Pimmit Run East	North Dumbarton Street and 38th Street North	Street Bioretention	0.90	32%	68%	1.00	0.45	1476.35	670.50		0.45
LPE-29B	Little Pimmit Run East	North Dumbarton Street and 38th Street North	Bioswale	1.58	35%	65%	1.00	0.47	2711.28	806.50		0.30
LPE-304	Little Pimmit Run East	Rock Springs Park	Bioretention	0.27	74%	26%	1.00	0.76	743.75	1170.00		1.57
LPE-32A	Little Pimmit Run East	George Mason Dr. between Little Falls and 37th St.	Dry Swale	0.92	45%	55%	1.00	0.55	1837.07	640.00		0.35
LPE-32B	Little Pimmit Run East	George Mason Dr. between Little Falls and 37th St.	Bioretention	1.77	39%	61%	1.00	0.50	3230.29	1807.50		0.56
LPE-58A	Little Pimmit Run East	Jamestown Elementary School	Bioretention	0.51	89%	11%	1.00	0.87	1615.11	1338.75		0.83
LPE-58B	Little Pimmit Run East	Jamestown Elementary School	Rainwater Harvesting (cistern)	0.19	99%	1%	1.00	0.95	652.04	73.33		0.11
LPE-58C	Little Pimmit Run East	Jamestown Elementary School	Rainwater Harvesting (cistern)	0.13	97%	3%	1.00	0.93	437.97	58.66		0.13
LPE-58D	Little Pimmit Run East	Jamestown Elementary School	Bioswale	0.14	98%	2%	1.00	0.94	476.17	2370.00		4.98
LPE-58E	Little Pimmit Run East	Jamestown Elementary School	Rain Garden	0.00	100%	0%	1.00	0.95	11.38	74.00		6.50
LPE-63A	Little Pimmit Run East	Yorktown High School	Bioswale	1.17	59%	41%	1.00	0.65	2757.08	1110.00		0.40
LPE-63B	Little Pimmit Run East	Yorktown High School	Street Bioretention	0.49	49%	51%	1.00	0.58	1024.83	218.50		0.21
LPR_693A	Little Pimmit Run	Across from 4701 38th Street North	Street Bioretention	0.40	43%	58%	1.00	0.53	769.92	554.00		0.72
LPR_693B	Little Pimmit Run	3700 North Albemarle Street	Street Bioretention	0.26	42%	58%	1.00	0.53	499.13	534.00		1.07
LPR_694	Little Pimmit Run	3712 North Albemarle Street	Street Bioretention	2.43	20%	80%	1.00	0.36	3212.55	939.00		0.29
LPW-100A	Little Pimmit Run West	John Marshall Dr. and 35th St.	Street Bioretention	0.47	49%	51%	1.00	0.58	985.88	458.75		0.47
LPW-100B	Little Pimmit Run West	John Marshall Dr. and 35th St.	Street Bioretention	2.73	30%	70%	1.00	0.44	4315.47	2138.00		0.50
LPW-100C	Little Pimmit Run West	John Marshall Dr. and 35th St.	Street Bioretention	0.35	68%	32%	1.00	0.72	908.60	2090.50		2.30
LPW-100D	Little Pimmit Run West	John Marshall Dr. and 35th St.	Street Bioretention	0.88	56%	44%	1.00	0.63	2013.14	489.00		0.24
LPW-101	Little Pimmit Run West	35th St. North and N. Ohio St.	Street Bioretention	0.82	58%	42%	1.00	0.64	1910.37	792.75		0.41
LPW-102	Little Pimmit Run West	35th St. North and N. Ohio St.	Street Bioretention	0.63	48%	52%	1.00	0.57	1307.63	2502.00		1.91
LPW-103	Little Pimmit Run West	35th St. between N. Potomac St. and N. Powhatan St.	Street Bioretention	1.18	48%	52%	1.00	0.57	2448.02	2524.00		1.03
LPW-35A-1&2	Little Pimmit Run West	Knights of Columbus	Bioretention	1.20	90%	10%	1.00	0.87	3806.43	4070.00		1.07
LPW-35B	Little Pimmit Run West	Knights of Columbus	Bioretention	0.18	57%	43%	1.00	0.64	417.22	588.75		1.41
LPW-35C	Little Pimmit Run West	Knights of Columbus	Bioretention	0.15	91%	9%	1.00	0.88	481.77	2470.00		5.13
LPW-35D	Little Pimmit Run West	Knights of Columbus	Stormwater Planters	0.01	77%	23%	1.00	0.78	28.39	26.50		0.93

Site ID	Phosphorus Removal - VRRM				Phosphorus Removal - CSN				Impervious Area Acreage				Potential Utility or Site Constraints			
	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
LPE-23-1&2&3	0.59	5.87	2.5	14.66	0.64	6.35	2.5	15.88	0.41	2.06	2	4.12	Medium	5	1.5	7.5
LPE-24A	0.63	6.31	2.5	15.78	0.76	7.60	2.5	19.00	0.40	2.00	2	4.00	Medium	5	1.5	7.5
LPE-24B	0.42	4.21	2.5	10.52	0.50	4.98	2.5	12.45	0.47	2.35	2	4.69	Medium	5	1.5	7.5
LPE-25A-1&2	0.59	5.85	2.5	14.63	0.92	9.23	2.5	23.08	0.82	4.12	2	8.24	Medium	5	1.5	7.5
LPE-25B-1&2	0.76	7.59	3.5	26.57	0.88	8.81	3.5	30.85	0.57	2.85	2	5.70	Medium	5	1.5	7.5
LPE-25C-1&2	0.48	4.80	2.5	12.00	0.51	5.12	2.5	12.80	0.41	2.06	2	4.12	Medium	5	1.5	7.5
LPE-26A	0.17	1.66	2.5	4.15	0.19	1.94	2.5	4.86	0.20	0.98	2	1.96	Medium	5	1.5	7.5
LPE-26B	0.16	1.63	2.5	4.08	0.19	1.90	2.5	4.74	0.19	0.93	2	1.86	Medium	5	1.5	7.5
LPE-29A	0.32	3.25	2.5	8.12	0.43	4.26	2.5	10.65	0.29	1.43	2	2.86	Medium	5	1.5	7.5
LPE-29B	0.29	2.90	2.5	7.25	0.60	6.04	2.5	15.10	0.55	2.74	2	5.47	Medium	5	1.5	7.5
LPE-304	0.26	2.57	2.5	6.43	0.27	2.70	2.5	6.75	0.20	1.00	2	1.99	Medium	5	1.5	7.5
LPE-32A	0.30	3.02	2.5	7.55	0.42	4.17	2.5	10.43	0.42	2.08	2	4.16	Medium	5	1.5	7.5
LPE-32B	0.83	8.33	2.5	20.82	0.98	9.75	2.5	24.38	0.69	3.43	2	6.86	Medium	5	1.5	7.5
LPE-58A	0.51	5.14	2.5	12.86	0.50	4.97	2.5	12.43	0.46	2.28	2	4.56	Medium	5	1.5	7.5
LPE-58B	0.01	0.05	2.5	0.13	0.05	0.48	2.5	1.19	0.19	0.94	2	1.89	Low	10	1.5	15
LPE-58C	0.01	0.09	2.5	0.23	0.04	0.38	2.5	0.95	0.13	0.63	2	1.26	Low	10	1.5	15
LPE-58D	0.12	1.21	2.5	3.03	0.19	1.90	2.5	4.76	0.14	0.69	2	1.38	Low	10	1.5	15
LPE-58E	0.00	0.04	2.5	0.10	0.00	0.05	2.5	0.11	0.00	0.02	2	0.03	Low	10	1.5	15
LPE-63A	0.41	4.12	2.5	10.30	0.64	6.40	2.5	16.00	0.69	3.44	2	6.88	Medium	5	1.5	7.5
LPE-63B	0.10	0.98	2.5	2.45	0.16	1.61	2.5	4.01	0.24	1.20	2	2.39	Medium	5	1.5	7.5
LPR_693A	0.23	2.29	2.5	5.71	0.25	2.50	2.5	6.26	0.17	0.85	2	1.70	Low	10	1.5	15
LPR_693B	0.17	1.72	2.5	4.31	0.18	1.79	2.5	4.47	0.11	0.55	2	1.10	Medium	5	1.5	7.5
LPR_694	0.47	4.67	2.5	11.66	0.86	8.59	2.5	21.47	0.48	2.40	2	4.80	Medium	5	1.5	7.5
LPW-100A	0.22	2.22	2.5	5.55	0.26	2.59	2.5	6.48	0.23	1.15	2	2.30	Low	10	1.5	15
LPW-100B	1.01	10.09	2.5	25.22	1.32	13.16	2.5	32.91	0.81	4.03	2	8.06	Low	10	1.5	15
LPW-100C	0.31	3.14	2.5	7.85	0.34	3.39	2.5	8.47	0.24	1.19	2	2.37	Low	10	1.5	15
LPW-100D	0.23	2.30	2.5	5.75	0.33	3.34	2.5	8.35	0.49	2.47	2	4.95	Low	10	1.5	15
LPW-101	0.39	3.94	2.5	9.85	0.45	4.53	2.5	11.34	0.47	2.37	2	4.74	Low	10	1.5	15
LPW-102	0.45	4.52	2.5	11.30	0.49	4.91	2.5	12.27	0.30	1.52	2	3.04	Low	10	1.5	15
LPW-103	0.85	8.46	2.5	21.15	0.86	8.59	2.5	21.48	0.57	2.84	2	5.68	Low	10	1.5	15
LPW-35A-1&2	1.32	13.15	2.5	32.88	1.27	12.67	2.5	31.68	1.07	5.37	2	10.75	Low	10	1.5	15
LPW-35B	0.14	1.44	2.5	3.60	0.15	1.52	2.5	3.80	0.10	0.52	2	1.03	Low	10	1.5	15
LPW-35C	0.17	1.66	2.5	4.16	0.19	1.93	2.5	4.82	0.14	0.68	2	1.37	Low	10	1.5	15
LPW-35D	0.01	0.10	2.5	0.24	0.01	0.09	2.5	0.23	0.01	0.04	2	0.08	Low	10	1.5	15

Site ID	Property Ownership				Potential for Quick Implementation				Existing Drainage Problem/Hotspot				County Maintenance Burden			
	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
LPE-23-1&2&3	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LPE-24A	Street ROW	7	1.5	10.5	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
LPE-24B	Street ROW	7	1.5	10.5	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
LPE-25A-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LPE-25B-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LPE-25C-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LPE-26A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LPE-26B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LPE-29A	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
LPE-29B	Private	0	1.5	0	No	0	1	0	Yes	10	0.5	5	Low	10	0.5	5
LPE-304	Public	10	1.5	15	Yes	10	1	10	Yes	10	0.5	5	Medium	5	0.5	2.5
LPE-32A	Street ROW	7	1.5	10.5	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
LPE-32B	Street ROW	7	1.5	10.5	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
LPE-58A	School	4	1.5	6	No	0	1	0	Yes	10	0.5	5	Medium	5	0.5	2.5
LPE-58B	School	4	1.5	6	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
LPE-58C	School	4	1.5	6	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
LPE-58D	School	4	1.5	6	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
LPE-58E	School	4	1.5	6	Yes	10	1	10	Yes	10	0.5	5	Medium	5	0.5	2.5
LPE-63A	School	4	1.5	6	Yes	10	1	10	No	0	0.5	0	Low	10	0.5	5
LPE-63B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LPR_693A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LPR_693B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LPR_694	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LPW-100A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LPW-100B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LPW-100C	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LPW-100D	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LPW-101	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LPW-102	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LPW-103	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LPW-35A-1&2	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
LPW-35B	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
LPW-35C	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
LPW-35D	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Low	10	0.5	5



Site ID	Educational Opportunity				Pollutant Removal - VRRM													
	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit <sup>1</sup>	Size-Adjusted N Removal Credit	Size-Adjusted N Removal Credit <sup>1</sup>	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
LPE-23-1&2&3	Residential street w/ sidewalks	5	0.5	2.5	1.07	7.63	Street Bioretention	55%	64%	202%	62%	55%	73%	64%	0.59	4.88	39.28	426
LPE-24A	Median	0	0.5	0	1.41	10.08	Bioretention	55%	64%	64%	45%	45%	52%	52%	0.63	5.25	50.28	181
LPE-24B	Median	0	0.5	0	1.26	9.00	Bioretention	55%	64%	42%	33%	33%	39%	39%	0.42	3.50	45.71	263
LPE-25A-1&2	Residential street w/ sidewalks	5	0.5	2.5	2.62	18.71	Street Bioretention	55%	64%	29%	22%	22%	26%	26%	0.59	4.87	43.37	314
LPE-25B-1&2	Residential street w/ sidewalks	5	0.5	2.5	1.75	12.49	Street Bioretention	55%	64%	61%	43%	43%	51%	51%	0.76	6.32	52.77	146
LPE-25C-1&2	Residential street w/ sidewalks	5	0.5	2.5	1.07	7.67	Street Bioretention	55%	64%	64%	45%	45%	52%	52%	0.48	4.00	36.62	520
LPE-26A	Residential street w/ sidewalks	5	0.5	2.5	0.51	3.62	Street Bioretention	55%	64%	42%	33%	33%	38%	38%	0.17	1.38	26.61	864
LPE-26B	Residential street w/ sidewalks	5	0.5	2.5	0.48	3.44	Street Bioretention	55%	64%	44%	34%	34%	39%	39%	0.16	1.36	26.44	870
LPE-29A	Street	0	0.5	0	0.93	6.64	Street Bioretention	55%	64%	45%	35%	35%	41%	41%	0.32	2.70	20.98	980
LPE-29B	Park	8	0.5	4	1.70	12.19	Bioswale	41%	44%	30%	17%	17%	18%	18%	0.29	2.25	34.22	614
LPE-304	Park	8	0.5	4	0.47	3.34	Bioretention	55%	64%	157%	61%	55%	71%	64%	0.26	2.14	52.42	151
LPE-32A	Residential street w/ sidewalks	5	0.5	2.5	1.15	8.26	Dry Swale	52%	55%	35%	26%	26%	28%	28%	0.30	2.28	44.71	281
LPE-32B	Roadway median	0	0.5	0	2.03	14.52	Bioretention	55%	64%	56%	41%	41%	48%	48%	0.83	6.93	58.18	90
LPE-58A	School	10	0.5	5	1.01	7.26	Bioretention	55%	64%	83%	51%	51%	59%	59%	0.51	4.28	43.41	311
LPE-58B	School	10	0.5	5	0.41	2.93	Rainwater Harvesting (cistern)	40%	40%	11%	1%	1%	1%	1%	0.01	0.04	33.02	656
LPE-58C	School	10	0.5	5	0.28	1.97	Rainwater Harvesting (cistern)	40%	40%	13%	3%	3%	3%	3%	0.01	0.07	32.49	684
LPE-58D	School	10	0.5	5	0.30	2.14	Bioswale	41%	44%	498%	47%	41%	51%	44%	0.12	0.94	35.40	566
LPE-58E	School	10	0.5	5	0.01	0.05	Rain Garden	55%	64%	650%	63%	55%	74%	64%	0.00	0.03	43.63	301
LPE-63A	School	10	0.5	5	1.73	12.39	Bioswale	41%	44%	40%	24%	24%	26%	26%	0.41	3.20	50.68	174
LPE-63B	Residential street w/ sidewalks	10	0.5	5	0.64	4.61	Street Bioretention	55%	64%	21%	15%	15%	18%	18%	0.10	0.82	27.84	832
LPR_693A	Residential Street	5	0.5	2.5	0.48	3.46	Street Bioretention	55%	64%	72%	47%	47%	55%	55%	0.23	1.90	35.41	565
LPR_693B	Residential Street	5	0.5	2.5	0.31	2.24	Street Bioretention	55%	64%	107%	56%	55%	65%	64%	0.17	1.44	25.91	882
LPR_694	Residential Street	5	0.5	2.5	2.02	14.44	Street Bioretention	55%	64%	29%	23%	23%	27%	27%	0.47	3.88	36.96	505
LPW-100A	Residential Street w/ sidewalks		0.5	0	0.62	4.43	Street Bioretention	55%	64%	47%	36%	36%	42%	42%	0.22	1.85	33.35	648
LPW-100B	Residential Street w/ sidewalks	5	0.5	2.5	2.71	19.40	Street Bioretention	55%	64%	50%	37%	37%	43%	43%	1.01	8.40	61.28	77
LPW-100C	Residential street w/ sidewalks	5	0.5	2.5	0.57	4.08	Street Bioretention	55%	64%	230%	63%	55%	73%	64%	0.31	2.61	38.22	457
LPW-100D	Residential street w/ sidewalks	5	0.5	2.5	1.26	9.05	Street Bioretention	55%	64%	24%	18%	18%	21%	21%	0.23	1.91	38.69	450
LPW-101	Residential street w/ sidewalks	5	0.5	2.5	1.20	8.59	Street Bioretention	55%	64%	41%	33%	33%	38%	38%	0.39	3.28	42.59	326
LPW-102	Residential street w/ sidewalks	5	0.5	2.5	0.82	5.88	Street Bioretention	55%	64%	191%	62%	55%	72%	64%	0.45	3.76	42.33	334
LPW-103	Residential street w/ sidewalks	5	0.5	2.5	1.54	11.00	Street Bioretention	55%	64%	103%	56%	55%	65%	64%	0.85	7.04	54.83	117
LPW-35A-1&2	Church parking lot	8	0.5	4	2.39	17.11	Bioretention	55%	64%	107%	56%	55%	65%	64%	1.32	10.95	65.13	52
LPW-35B	Church	8	0.5	4	0.26	1.88	Bioretention	55%	64%	141%	60%	55%	70%	64%	0.14	1.20	26.14	877
LPW-35C	Church	8	0.5	4	0.30	2.17	Bioretention	55%	64%	513%	63%	55%	74%	64%	0.17	1.39	27.03	856
LPW-35D	Church	8	0.5	4	0.02	0.13	Stormwater Planters	55%	64%	93%	54%	54%	62%	62%	0.01	0.08	24.32	927

Site ID	Pollutant Removal - CSN											
	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	Rank
LPE-23-1&2&3	0.81	10.45	554.34	2.30	78.4%	0.64	67.1%	7.01	84.4%	467.74	40.49	472
LPE-24A	1.09	17.62	538.85	0.99	69.7%	0.76	59.6%	10.49	74.7%	402.33	53.50	203
LPE-24B	0.96	12.75	632.34	0.50	52.0%	0.50	44.6%	5.69	55.7%	352.47	47.65	298
LPE-25A-1&2	2.01	30.57	1,109.83	0.40	45.9%	0.92	39.3%	12.03	49.1%	545.23	51.82	232
LPE-25B-1&2	1.34	19.88	767.66	0.82	65.7%	0.88	56.2%	11.17	70.4%	540.48	57.05	150
LPE-25C-1&2	0.81	10.55	554.47	0.73	62.9%	0.51	53.8%	5.68	67.4%	373.70	37.41	579
LPE-26A	0.38	4.95	263.50	0.47	50.6%	0.19	43.4%	2.15	54.2%	142.78	27.31	885
LPE-26B	0.36	4.69	250.97	0.50	52.0%	0.19	44.6%	2.09	55.7%	139.86	27.11	889
LPE-29A	0.71	11.00	385.14	0.65	59.6%	0.43	51.0%	5.62	63.9%	245.92	23.51	961
LPE-29B	1.31	19.62	736.87	0.41	46.1%	0.60	39.6%	7.77	49.4%	364.07	42.07	424
LPE-304	0.35	4.07	268.48	1.62	76.8%	0.27	65.7%	2.68	82.4%	221.12	52.75	216
LPE-32A	0.88	12.09	560.40	0.42	47.4%	0.42	40.6%	4.91	50.8%	284.43	47.59	300
LPE-32B	1.56	22.48	923.59	0.73	62.7%	0.98	53.7%	12.06	67.2%	620.42	61.73	104
LPE-58A	0.76	8.23	614.02	0.81	65.4%	0.50	55.9%	4.60	70.0%	429.98	42.98	401
LPE-58B	0.31	3.20	254.34	0.11	15.5%	0.05	13.1%	0.42	16.6%	42.33	34.08	689
LPE-58C	0.21	2.17	169.87	0.13	18.4%	0.04	15.6%	0.34	19.7%	33.46	33.21	721
LPE-58D	0.22	2.34	185.23	4.75	85.0%	0.19	70.0%	1.64	85.0%	157.44	37.13	590
LPE-58E	0.01	0.06	4.45	6.18	85.0%	0.00	70.0%	0.04	85.0%	3.78	43.65	386
LPE-63A	1.31	16.45	926.61	0.44	48.8%	0.64	41.9%	6.89	52.3%	484.36	56.38	161
LPE-63B	0.49	6.56	322.06	0.25	32.8%	0.16	28.1%	1.84	35.1%	113.03	29.41	833
LPR_693A	0.37	5.18	229.01	0.90	67.7%	0.25	57.9%	3.00	72.5%	166.14	35.96	627
LPR_693B	0.24	3.37	148.18	1.34	74.6%	0.18	63.8%	2.15	80.0%	118.54	26.07	910
LPR_694	1.58	27.73	646.62	0.54	54.5%	0.86	46.7%	12.95	58.4%	377.32	46.77	316
LPW-100A	0.47	6.30	310.38	0.55	55.0%	0.26	47.1%	2.97	58.9%	182.82	34.28	678
LPW-100B	2.09	32.96	1,085.51	0.73	62.9%	1.32	53.8%	17.73	67.3%	731.09	68.97	60
LPW-100C	0.43	5.14	319.81	2.43	78.6%	0.34	67.4%	3.46	84.6%	270.66	38.84	528
LPW-100D	0.96	12.22	666.15	0.27	34.8%	0.33	29.9%	3.65	37.3%	248.46	41.29	444
LPW-101	0.91	11.47	638.27	0.46	49.9%	0.45	42.8%	4.91	53.4%	340.97	44.08	369
LPW-102	0.63	8.41	408.99	2.27	78.4%	0.49	67.1%	5.64	84.3%	344.92	43.30	396
LPW-103	1.17	15.74	765.43	1.22	73.4%	0.86	62.7%	9.87	78.6%	601.87	55.16	176
LPW-35A-1&2	1.79	19.38	1,447.88	1.04	70.7%	1.27	60.4%	11.71	75.8%	1,096.98	63.93	90
LPW-35B	0.20	2.51	139.02	1.57	76.5%	0.15	65.5%	1.65	82.1%	114.07	26.33	902
LPW-35C	0.23	2.44	184.02	4.98	85.0%	0.19	70.0%	1.71	85.0%	156.41	27.69	876
LPW-35D	0.01	0.15	10.37	0.95	68.8%	0.01	58.9%	0.09	73.8%	7.65	24.31	948

Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%IC	%Turf	P (in)	Rv	Water Quality Volume (CF)	Treatment Volume (CF)	Treatment Volume Sum for Projects in Series*	% Water Quality Volume Treated
LPW-35E	Little Pimmit Run West	Knights of Columbus	Stormwater Planters	0.02	100%	0%	1.00	0.95	68.97	160.00		2.32
LPW-35F	Little Pimmit Run West	Knights of Columbus	Stormwater Planters	0.01	82%	18%	1.00	0.82	29.72	26.50		0.89
LPW-35G	Little Pimmit Run West	Knights of Columbus	Stormwater Planters	0.03	100%	0%	1.00	0.95	103.46	160.00		1.55
LPW-37A	Little Pimmit Run West	Williamsburg St. near Harrison St.	Street Bioretention	2.70	59%	41%	1.00	0.65	6396.85	4758.00		0.74
LPW-42A-1&2	Little Pimmit Run West	John Marshall Dr. from 36th St. North to 37th St. North	Street Bioretention	0.38	69%	31%	1.00	0.72	995.36	1358.25		1.36
LPW-42B-1&2	Little Pimmit Run West	John Marshall Dr. from 36th St. to 37th St.	Street Bioretention	1.17	44%	56%	1.00	0.54	2283.43	1872.00		0.82
LPW-43A	Little Pimmit Run West	Williamsburg St. between N. Kensington Blvd and N. Powhatan St.	Street Bioretention	0.67	43%	57%	1.00	0.53	1293.73	2232.00		1.73
LPW-43D	Little Pimmit Run West	Williamsburg St. between N. Kensington Blvd and N. Powhatan St.	Street Bioretention	0.33	47%	53%	1.00	0.56	671.62	1242.00		1.85
LPW-43E	Little Pimmit Run West	Williamsburg St. between N. Kensington Blvd and N. Powhatan St.	Street Bioretention	0.36	61%	39%	1.00	0.66	865.97	702.00		0.81
LPW-43G	Little Pimmit Run West	Williamsburg St. between N. Kensington Blvd and N. Powhatan St.	Street Bioretention	0.70	47%	53%	1.00	0.56	1426.86	1782.00		1.25
LPW-44	Little Pimmit Run West	John Marshall Dr. Median	Bioretention	4.08	45%	55%	1.00	0.55	8075.54	5733.75		0.71
LPW-45A	Little Pimmit Run West	34th St. North and 33rd St. North	Street Bioretention	0.31	61%	39%	1.00	0.66	748.13	972.00		1.30
LPW-45B	Little Pimmit Run West	33rd St. North and 34th St. North	Street Bioretention	2.80	22%	78%	1.00	0.38	3900.48	2412.00		0.62
LPW-46A	Little Pimmit Run West	32nd Street North and North Kensington Street	Street Bioretention	0.90	55%	45%	1.00	0.62	2026.20	1782.00		0.88
LPW-46B	Little Pimmit Run West	North Kensington Street and 33rd Street North	Street Bioretention	3.59	35%	65%	1.00	0.47	6163.45	2380.50		0.39
LPW-48A-1&2&3	Little Pimmit Run West	John Marshall Drive and Little Falls Road	Street Bioretention	4.40	36%	64%	1.00	0.48	7659.61	4648.75		0.61
LPW-48B-1&2	Little Pimmit Run West	John Marshall Drive and Little Falls Road	Street Bioretention	1.85	60%	40%	1.00	0.66	4413.50	4291.25		0.97
LPW-54	Little Pimmit Run West	Median at Williamsburg Blvd and North Powhatan Street	Bioretention	0.64	46%	54%	1.00	0.56	1295.47	4493.25		3.47
LPW-59A	Little Pimmit Run West	Williamsburg Middle School	Rain Garden	0.16	94%	6%	1.00	0.91	528.18	1330.25		2.52
LPW-59B	Little Pimmit Run West	Williamsburg Middle School	Bioswale	0.08	79%	21%	1.00	0.80	231.36	873.00		3.77
LPW-59C	Little Pimmit Run West	Williamsburg Middle School	Bioretention	0.26	2%	98%	1.00	0.23	220.36	2232.50		10.13
LPW-59D	Little Pimmit Run West	Williamsburg Middle School	Rain Garden	0.08	95%	5%	1.00	0.92	266.08	1911.50		7.18
LPW-60A	Little Pimmit Run West	Minor Hill Park	Bioretention	3.34	22%	78%	1.00	0.38	4649.71	922.50		0.20
LPW-60B	Little Pimmit Run West	Minor Hill Park	Bioretention	1.71	92%	8%	1.00	0.89	5537.61	2808.75		0.51
LPW-61A	Little Pimmit Run West	Nottingham Elementary School	Bioretention	2.53	13%	87%	1.00	0.31	2881.94	5078.00		1.76
LPW-61B	Little Pimmit Run West	Nottingham Elementary School	Bioretention	0.16	1%	100%	1.00	0.22	129.90	1049.00		8.08
LPW-63	Little Pimmit Run West	Yorktown High School	Dry Swale	1.28	29%	71%	1.00	0.44	2021.75	10104.00		5.00
LPW-64	Little Pimmit Run West	West of Wemerson Rd.	Dry Swale	1.11	51%	49%	1.00	0.59	2380.19	970.00		0.41
LR-100	Lubber Run	Langston Brown Community Center, 4854 Lee Highway	Permeable Pavement	0.48	95%	5%	1.00	0.92	1609.39	1600.00		0.99
LR-101	Lubber Run	Mount Salvation Baptist Church, 1961 North Culpepper Street	Rain Garden	0.04	100%	0%	1.00	0.95	141.03	279.00		1.98
LR-103A	Lubber Run	Virginia Hospital Center, 1701 North George Mason Drive	Rain Garden	0.05	90%	10%	1.00	0.88	170.53	171.50		1.01
LR-103B	Lubber Run	Virginia Hospital Center, 1701 North George Mason Drive	Rain Garden	0.06	89%	11%	1.00	0.87	176.36	171.50		0.97
LR-103C	Lubber Run	Virginia Hospital Center, 1701 North George Mason Drive	Dry Swale	0.30	66%	34%	1.00	0.70	758.68	829.00		1.09

Site ID	Phosphorus Removal - VRRM				Phosphorus Removal - CSN				Impervious Area Acreage				Potential Utility or Site Constraints			
	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
LPW-35E	0.02	0.24	2.5	0.60	0.03	0.25	2.5	0.63	0.02	0.10	2	0.20	Low	10	1.5	15
LPW-35F	0.01	0.10	2.5	0.25	0.01	0.09	2.5	0.24	0.01	0.04	2	0.08	Low	10	1.5	15
LPW-35G	0.04	0.36	2.5	0.89	0.04	0.37	2.5	0.92	0.03	0.15	2	0.30	Low	10	1.5	15
LPW-37A	1.95	19.48	2.5	48.70	2.00	19.98	2.5	49.94	1.60	8.00	2	16.00	Medium	5	1.5	7.5
LPW-42A-1&2	0.34	3.44	2.5	8.60	0.36	3.56	2.5	8.90	0.26	1.31	2	2.61	Medium	5	1.5	7.5
LPW-42B-1&2	0.72	7.24	2.5	18.11	0.77	7.69	2.5	19.22	0.51	2.55	2	5.09	Medium	5	1.5	7.5
LPW-43A	0.45	4.47	2.5	11.18	0.49	4.87	2.5	12.17	0.29	1.43	2	2.86	Medium	5	1.5	7.5
LPW-43D	0.23	2.32	2.5	5.80	0.25	2.52	2.5	6.30	0.15	0.77	2	1.54	Medium	5	1.5	7.5
LPW-43E	0.27	2.75	2.5	6.87	0.28	2.78	2.5	6.94	0.22	1.09	2	2.18	Medium	5	1.5	7.5
LPW-43G	0.49	4.93	2.5	12.33	0.52	5.19	2.5	12.98	0.33	1.64	2	3.28	Medium	5	1.5	7.5
LPW-44	2.40	23.98	2.5	59.94	2.59	25.94	2.5	64.85	1.82	9.09	2	18.18	Medium	5	1.5	7.5
LPW-45A	0.26	2.59	2.5	6.46	0.27	2.68	2.5	6.70	0.19	0.94	2	1.89	Medium	5	1.5	7.5
LPW-45B	1.07	10.65	2.5	26.63	1.35	13.54	2.5	33.84	0.63	3.14	2	6.28	Medium	5	1.5	7.5
LPW-46A	0.66	6.63	2.5	16.57	0.67	6.74	2.5	16.86	0.49	2.47	2	4.93	Medium	5	1.5	7.5
LPW-46B	1.20	11.98	2.5	29.94	1.60	16.02	2.5	40.06	1.24	6.22	2	12.44	Medium	5	1.5	7.5
LPW-48A-1&2&3	2.07	20.69	2.5	51.73	2.43	24.26	2.5	60.65	1.56	7.82	2	15.65	Medium	5	1.5	7.5
LPW-48B-1&2	1.51	15.11	2.5	37.76	1.49	14.93	2.5	37.31	1.11	5.54	2	11.08	Medium	5	1.5	7.5
LPW-54	0.45	4.48	2.5	11.19	0.53	5.27	2.5	13.19	0.30	1.48	2	2.96	Low	10	1.5	15
LPW-59A	0.18	1.83	2.5	4.56	0.20	1.95	2.5	4.88	0.15	0.76	2	1.51	Medium	5	1.5	7.5
LPW-59B	0.06	0.59	2.5	1.47	0.09	0.93	2.5	2.32	0.06	0.32	2	0.63	Medium	5	1.5	7.5
LPW-59C	0.08	0.76	2.5	1.90	0.10	0.96	2.5	2.39	0.00	0.02	2	0.05	Medium	5	1.5	7.5
LPW-59D	0.09	0.92	2.5	2.30	0.11	1.06	2.5	2.66	0.08	0.38	2	0.76	Medium	5	1.5	7.5
LPW-60A	0.38	3.76	2.5	9.41	0.93	9.31	2.5	23.26	0.75	3.74	2	7.48	Low	10	1.5	15
LPW-60B	1.32	13.22	2.5	33.04	1.35	13.49	2.5	33.72	1.57	7.87	2	15.74	Low	10	1.5	15
LPW-61A	1.00	9.96	2.5	24.90	1.22	12.16	2.5	30.40	0.33	1.63	2	3.25	Medium	5	1.5	7.5
LPW-61B	0.04	0.45	2.5	1.12	0.06	0.57	2.5	1.41	0.00	0.00	2	0.01	Low	10	1.5	15
LPW-63	0.66	6.61	2.5	16.51	0.83	8.34	2.5	20.85	0.38	1.89	2	3.77	Medium	5	1.5	7.5
LPW-64	0.46	4.57	2.5	11.41	0.58	5.76	2.5	14.41	0.56	2.82	2	5.64	Medium	5	1.5	7.5
LR-100	0.59	5.91	2.5	14.78	0.52	5.22	2.5	13.05	0.46	2.31	2	4.62	Low	10	1.5	15
LR-101	0.05	0.49	2.5	1.22	0.05	0.52	2.5	1.29	0.04	0.20	2	0.41	Low	10	1.5	15
LR-103A	0.06	0.59	2.5	1.47	0.06	0.56	2.5	1.40	0.05	0.24	2	0.48	Low	10	1.5	15
LR-103B	0.06	0.60	2.5	1.51	0.06	0.57	2.5	1.43	0.05	0.25	2	0.50	Low	10	1.5	15
LR-103C	0.25	2.48	2.5	6.20	0.26	2.61	2.5	6.52	0.20	0.98	2	1.97	High	0	1.5	0

Site ID	Property Ownership				Potential for Quick Implementation				Existing Drainage Problem/Hotspot				County Maintenance Burden			
	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
LPW-35E	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
LPW-35F	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
LPW-35G	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
LPW-37A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LPW-42A-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LPW-42B-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LPW-43A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LPW-43D	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LPW-43E	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LPW-43G	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LPW-44	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
LPW-45A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LPW-45B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LPW-46A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LPW-46B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LPW-48A-1&2&3	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LPW-48B-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LPW-54	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
LPW-59A	School	4	1.5	6	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
LPW-59B	School	4	1.5	6	Yes	10	1	10	No	0	0.5	0	Low	10	0.5	5
LPW-59C	School	4	1.5	6	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
LPW-59D	School	4	1.5	6	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
LPW-60A	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
LPW-60B	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
LPW-61A	School	4	1.5	6	Yes	10	1	10	Yes	10	0.5	5	Medium	5	0.5	2.5
LPW-61B	School	4	1.5	6	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
LPW-63	School	4	1.5	6	Yes	10	1	10	Yes	10	0.5	5	Medium	5	0.5	2.5
LPW-64	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
LR-100	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	High	0	0.5	0
LR-101	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
LR-103A	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
LR-103B	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
LR-103C	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5

Site ID	Educational Opportunity				Pollutant Removal - VRRM													
	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit <sup>1</sup>	Size-Adjusted N Removal Credit	Size-Adjusted N Removal Credit <sup>1</sup>	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
LPW-35E	Church	8	0.5	4	0.04	0.31	Stormwater Planters	55%	64%	232%	63%	55%	73%	64%	0.02	0.20	24.80	916
LPW-35F	Church	8	0.5	4	0.02	0.13	Stormwater Planters	55%	64%	89%	53%	53%	61%	61%	0.01	0.08	24.33	926
LPW-35G	Church	8	0.5	4	0.07	0.47	Stormwater Planters	55%	64%	155%	61%	55%	70%	64%	0.04	0.30	25.19	907
LPW-37A	Roadway median	0	0.5	0	4.02	28.75	Street Bioretention	55%	64%	74%	48%	48%	56%	56%	1.95	16.22	82.70	20
LPW-42A-1&2	Residential street w/ sidewalks	5	0.5	2.5	0.63	4.47	Street Bioretention	55%	64%	136%	60%	55%	70%	64%	0.34	2.86	31.71	710
LPW-42B-1&2	Residential street w/ sidewalks	5	0.5	2.5	1.43	10.26	Street Bioretention	55%	64%	82%	50%	50%	59%	59%	0.72	6.03	43.70	298
LPW-43A	Residential street w/ sidewalks	5	0.5	2.5	0.81	5.81	Street Bioretention	55%	64%	173%	61%	55%	71%	64%	0.45	3.72	34.54	602
LPW-43D	Residential street w/ sidewalks	5	0.5	2.5	0.42	3.02	Street Bioretention	55%	64%	185%	62%	55%	72%	64%	0.23	1.93	27.84	833
LPW-43E	Residential street w/ sidewalks	5	0.5	2.5	0.54	3.89	Street Bioretention	55%	64%	81%	50%	50%	59%	59%	0.27	2.29	29.55	787
LPW-43G	Residential street w/ sidewalks	5	0.5	2.5	0.90	6.41	Street Bioretention	55%	64%	125%	59%	55%	68%	64%	0.49	4.10	36.10	539
LPW-44	Residential street w/ sidewalks	5	0.5	2.5	5.07	36.30	Bioretention	55%	64%	71%	47%	47%	55%	55%	2.40	19.96	115.62	4
LPW-45A	Residential street w/ sidewalks	5	0.5	2.5	0.47	3.36	Street Bioretention	55%	64%	130%	59%	55%	69%	64%	0.26	2.15	28.85	809
LPW-45B	Residential street w/ sidewalks	5	0.5	2.5	2.45	17.53	Street Bioretention	55%	64%	62%	43%	43%	51%	51%	1.07	8.87	53.41	139
LPW-46A	Residential street w/ sidewalks	5	0.5	2.5	1.27	9.11	Street Bioretention	55%	64%	88%	52%	52%	61%	61%	0.66	5.52	42.01	338
LPW-46B	Residential street w/ sidewalks	5	0.5	2.5	3.87	27.70	Street Bioretention	55%	64%	39%	31%	31%	36%	36%	1.20	9.97	62.88	71
LPW-48A-1&2&3	Residential street w/ sidewalks	5	0.5	2.5	4.81	34.43	Street Bioretention	55%	64%	61%	43%	43%	50%	50%	2.07	17.22	87.87	14
LPW-48B-1&2	Residential street w/ sidewalks	5	0.5	2.5	2.77	19.84	Street Bioretention	55%	64%	97%	54%	54%	63%	63%	1.51	12.57	69.34	38
LPW-54	Median	0	0.5	0	0.81	5.82	Bioretention	55%	64%	347%	63%	55%	74%	64%	0.45	3.73	56.65	102
LPW-59A	School	10	0.5	5	0.33	2.37	Rain Garden	55%	64%	252%	63%	55%	73%	64%	0.18	1.52	37.07	502
LPW-59B	School	10	0.5	5	0.15	1.04	Bioswale	41%	44%	377%	47%	41%	51%	44%	0.06	0.46	35.60	556
LPW-59C	School	10	0.5	5	0.14	0.99	Bioretention	55%	64%	1013%	63%	55%	74%	64%	0.08	0.63	32.95	662
LPW-59D	School	10	0.5	5	0.17	1.20	Rain Garden	55%	64%	718%	63%	55%	74%	64%	0.09	0.77	24.06	932
LPW-60A	Park	8	0.5	4	2.92	20.90	Bioretention	55%	64%	20%	13%	13%	15%	15%	0.38	3.13	53.39	140
LPW-60B	Park	8	0.5	4	3.48	24.89	Bioretention	55%	64%	51%	38%	38%	44%	44%	1.32	11.00	85.28	17
LPW-61A	School	10	0.5	5	1.81	12.95	Bioretention	55%	64%	176%	62%	55%	72%	64%	1.00	8.29	64.15	61
LPW-61B	School	10	0.5	5	0.08	0.58	Bioretention	55%	64%	808%	63%	55%	74%	64%	0.04	0.37	39.63	412
LPW-63	School	10	0.5	5	1.27	9.09	Dry Swale	52%	55%	500%	60%	52%	63%	55%	0.66	5.00	56.29	105
LPW-64	Private backyards	0	0.5	0	1.50	10.70	Dry Swale	52%	55%	41%	31%	31%	32%	32%	0.46	3.45	27.05	855
LR-100	Community Center	8	0.5	4	1.01	7.23	Permeable Pavement	59%	59%	99%	58%	58%	58%	58%	0.59	4.23	63.39	66
LR-101	Church	8	0.5	4	0.09	0.63	Rain Garden	55%	64%	198%	62%	55%	72%	64%	0.05	0.41	23.13	950
LR-103A	Hospital	5	0.5	2.5	0.11	0.77	Rain Garden	55%	64%	101%	55%	55%	64%	64%	0.06	0.49	24.46	923
LR-103B	Hospital	5	0.5	2.5	0.11	0.79	Rain Garden	55%	64%	97%	54%	54%	63%	63%	0.06	0.50	24.51	922
LR-103C		5	0.5	2.5	0.48	3.41	Dry Swale	52%	55%	109%	53%	52%	56%	55%	0.25	1.88	13.17	1021

Site ID	Pollutant Removal - CSN											Rank
	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	
LPW-35E	0.03	0.34	26.94	2.20	78.4%	0.03	67.0%	0.23	84.3%	22.70	24.83	937
LPW-35F	0.01	0.16	11.05	0.89	67.5%	0.01	57.7%	0.09	72.4%	7.99	24.32	947
LPW-35G	0.05	0.51	40.41	1.47	75.8%	0.04	64.8%	0.33	81.3%	32.84	25.22	927
LPW-37A	3.04	38.06	2,155.80	0.82	65.6%	2.00	56.1%	21.37	70.3%	1,516.30	83.94	26
LPW-42A-1&2	0.47	5.60	351.73	1.43	75.5%	0.36	64.6%	3.62	80.9%	284.70	32.01	771
LPW-42B-1&2	1.10	15.24	685.82	1.01	70.1%	0.77	60.0%	9.14	75.2%	515.56	44.81	354
LPW-43A	0.62	8.69	385.68	2.15	78.3%	0.49	67.0%	5.82	84.2%	324.69	35.53	641
LPW-43D	0.32	4.37	207.46	2.22	78.4%	0.25	67.1%	2.93	84.3%	174.84	28.34	861
LPW-43E	0.41	5.11	294.08	0.89	67.4%	0.28	57.6%	2.94	72.2%	212.44	29.62	825
LPW-43G	0.68	9.27	441.18	1.50	76.0%	0.52	65.0%	6.03	81.5%	359.59	36.76	601
LPW-44	3.87	53.43	2,448.93	0.87	67.0%	2.59	57.3%	30.61	71.8%	1,757.86	120.53	7
LPW-45A	0.36	4.40	254.47	1.42	75.4%	0.27	64.4%	2.84	80.8%	205.61	29.09	842
LPW-45B	1.91	32.46	846.13	1.06	70.9%	1.35	60.6%	19.69	76.0%	643.38	60.62	112
LPW-46A	0.97	12.41	664.67	0.99	69.8%	0.67	59.7%	7.41	74.8%	497.21	42.29	415
LPW-46B	2.98	44.60	1,675.82	0.53	53.8%	1.60	46.1%	20.58	57.7%	966.34	73.00	44
LPW-48A-1&2&3	3.70	54.93	2,107.57	0.82	65.6%	2.43	56.1%	30.84	70.3%	1,482.06	96.80	12
LPW-48B-1&2	2.10	26.15	1,492.61	1.07	71.1%	1.49	60.8%	15.89	76.2%	1,137.40	68.89	61
LPW-54	0.62	8.45	398.75	4.18	85.0%	0.53	70.0%	5.92	85.0%	338.94	58.65	131
LPW-59A	0.25	2.64	203.55	2.43	78.6%	0.20	67.4%	1.78	84.6%	172.26	37.39	580
LPW-59B	0.11	1.23	85.14	3.81	85.0%	0.09	70.0%	0.86	85.0%	72.37	36.45	611
LPW-59C	0.11	2.65	6.47	128.13	85.0%	0.10	70.0%	1.86	85.0%	5.50	33.44	713
LPW-59D	0.13	1.32	102.79	6.90	85.0%	0.11	70.0%	0.93	85.0%	87.37	24.42	944
LPW-60A	2.27	38.71	1,007.78	0.34	40.9%	0.93	35.1%	13.59	43.8%	441.72	67.24	69
LPW-60B	2.61	27.91	2,120.91	0.49	51.8%	1.35	44.4%	12.39	55.5%	1,176.18	85.97	22
LPW-61A	1.43	27.68	437.95	4.30	85.0%	1.22	70.0%	19.38	85.0%	372.26	69.65	57
LPW-61B	0.07	1.62	1.08	361.23	85.0%	0.06	70.0%	1.13	85.0%	0.92	39.92	492
LPW-63	0.98	15.45	508.13	7.38	85.0%	0.83	70.0%	10.82	85.0%	431.91	60.62	113
LPW-64	1.14	15.01	759.37	0.47	50.7%	0.58	43.5%	6.52	54.3%	412.44	30.05	809
LR-100	0.76	8.00	621.83	0.95	69.0%	0.52	59.0%	4.72	73.9%	459.73	61.67	105
LR-101	0.07	0.69	55.10	1.88	77.9%	0.05	66.6%	0.46	83.6%	46.07	23.20	966
LR-103A	0.08	0.87	64.93	0.98	69.5%	0.06	59.4%	0.52	74.5%	48.37	24.38	946
LR-103B	0.08	0.90	66.95	0.95	68.9%	0.06	58.9%	0.53	73.8%	49.43	24.43	943
LR-103C	0.36	4.32	265.25	1.16	72.5%	0.26	62.0%	2.68	77.7%	206.18	13.49	1023

Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%IC	%Turf	P (in)	Rv	Water Quality Volume (CF)	Treatment Volume (CF)	Treatment Volume Sum for Projects in Series*	% Water Quality Volume Treated
LR-103D	Lubber Run	Virginia Hospital Center, 1701 North George Mason Drive	Impervious Cover Removal	0.01	100%	0%	1.00	0.95	26.83	26.83		1.00
LR-103E	Lubber Run	Virginia Hospital Center, 1701 North George Mason Drive	Disconnection	0.07	90%	10%	1.00	0.87	222.69	222.69		1.00
LR-103F	Lubber Run	Virginia Hospital Center, 1701 North George Mason Drive	Green Roof	1.11	100%	0%	1.00	0.95	3838.35	4040.37		1.05
LR-105	Lubber Run	Lacey Woods Park, 1200 North George Mason Drive	Bioswale	0.46	40%	60%	1.00	0.51	864.00	1928.25		2.23
LR-106A	Lubber Run	Saint Ann Catholic Church, 5312 North 10th Street	Bioretention	0.30	99%	1%	1.00	0.95	1033.35	1470.00		1.42
LR-106B	Lubber Run	Saint Ann Catholic Church, 5312 North 10th Street	Stormwater Planters	0.03	96%	4%	1.00	0.92	110.06	115.00		1.04
LR-107A	Lubber Run	Arlington Traditional School, 855 North Edison Street	Bioretention	0.43	95%	5%	1.00	0.91	1415.80	3332.50		2.35
LR-107B	Lubber Run	Arlington Traditional School, 855 North Edison Street	Rain Garden	0.13	92%	8%	1.00	0.89	425.21	350.00		0.82
LR-109A	Lubber Run	Fields Park, 775 North George Mason Drive	Bioswale	2.18	0%	100%	1.00	0.22	1744.90	972.00		0.56
LR-109B	Lubber Run	Fields Park, 775 North George Mason Drive	Bioswale	0.23	88%	12%	1.00	0.86	729.85	1101.00		1.51
LR-113	Lubber Run	North Park Drive and 4th Road North Townhomes	Constructed Wetland	1.82	50%	50%	1.00	0.58	3865.35	3124.50		0.81
LR-114A	Lubber Run	Lubber Run Community Center, 300 North Park Drive	Permeable Pavement	0.30	100%	0%	1.00	0.95	1034.55	5266.80		5.09
LR-114C	Lubber Run	Lubber Run Community Center, 300 North Park Drive	Bioretention	0.92	90%	10%	1.00	0.88	2949.69	2910.00		0.99
LR-114D	Lubber Run	Lubber Run Community Center, 300 North Park Drive	Permeable Pavement	0.05	100%	0%	1.00	0.95	179.32	907.20		5.06
LR-118	Lubber Run	Barrett Elementary School, 4401 North Henderson Road	Rain Garden	0.08	0%	100%	1.00	0.22	63.89	169.00		2.65
LR-120	Lubber Run	Ballston Court Apartments, 528 North Thomas Street	Rainwater Harvesting (Cistern)	0.02	100%	0%	1.00	0.95	82.76	100.00		1.21
LR-121	Lubber Run	1st Presbyterian Church, 601 North Vermont Street	Bioretention	0.73	84%	16%	1.00	0.83	2203.93	8298.50		3.77
LR-124A	Lubber Run	Boston Garden and Carlyn Springs Apartments, 4318 North Carlin Springs Road	Bioswale	0.37	59%	41%	1.00	0.65	865.45	244.50		0.28
LR-128	Lubber Run	Kettler Ice Rink, 627 North Glebe Road	Impervious Cover Removal	0.35	100%	0%	1.00	0.95	923.29	923.29		1.00
LR-132	Lubber Run	Marymount University - Ballston Campus, 2807 North Glebe Road	Permeable Pavement	1.20	99%	1%	1.00	0.94	4101.03	4200.00		1.02
LR-134A	Lubber Run	Capital Hospice, 4715 North 15th Street	Bioretention	0.25	83%	17%	1.00	0.83	761.98	337.50		0.44
LR-134B	Lubber Run	Capital Hospice, 4715 North 15th Street	Rain Garden	0.17	86%	14%	1.00	0.85	516.04	510.00		0.99
LR-135	Lubber Run	Mount Olivet United Methodist Church, 1500 North Glebe Road	Rain Garden	0.06	85%	15%	1.00	0.84	185.01	182.50		0.99
LR-136	Lubber Run	Mt. Olivet United Methodist Church, 1500 North Glebe Road	Bioretention	1.05	90%	10%	1.00	0.88	3336.64	2576.25		0.77
LR-137 (Option 1)	Lubber Run	Calvary Gospel Church, 1770 North Glebe Road	Bioretention	0.81	56%	44%	1.00	0.63	1834.25	1170.00		0.64
LR-137 (Option 2)	Lubber Run	Calvary Gospel Church, 1800 North Glebe Road	Dry Swale	0.81	56%	44%	1.00	0.63	1834.25	960.00		0.52
LR-139	Lubber Run	Safeway, 5101 Wilson Boulevard	Street Bioretention	0.81	100%	0%	1.00	0.95	2793.29	2460.00		0.88
LR-400A	Lubber Run	20th Street North and North Edison Street	Street Bioretention	1.05	51%	49%	1.00	0.59	2262.65	416.56		0.18
LR-401	Lubber Run	Bromptons at Ballston, intersection of North Stuart Street and 11th Street North	Permeable Pavement	0.29	95%	5%	1.00	0.91	974.87	1000.00		1.03
LR-450	Lubber Run	3rd Street North between North Park Drive and North Columbus Street	Street Bioretention	1.66	45%	55%	1.00	0.55	3305.15	4482.00		1.36



Site ID	Phosphorus Removal - VRRM				Phosphorus Removal - CSN				Impervious Area Acreage				Potential Utility or Site Constraints			
	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
LR-103D	0.02	0.17	2.5	0.42	0.01	0.10	2.5	0.26	0.01	0.05	2	0.10	Low	10	1.5	15
LR-103E	0.03	0.35	2.5	0.87	0.07	0.73	2.5	1.82	0.06	0.31	2	0.63	Low	10	1.5	15
LR-103F	1.09	10.85	2.5	27.13	1.26	12.60	2.5	31.51	1.11	5.57	2	11.13	Low	10	1.5	15
LR-105	0.22	2.20	2.5	5.50	0.34	3.43	2.5	8.58	0.19	0.93	2	1.86	Low	10	1.5	15
LR-106A	0.36	3.57	2.5	8.93	0.36	3.63	2.5	9.08	0.30	1.50	2	2.99	Medium	5	1.5	7.5
LR-106B	0.04	0.38	2.5	0.95	0.04	0.36	2.5	0.90	0.03	0.16	2	0.32	Low	10	1.5	15
LR-107A	0.49	4.89	2.5	12.23	0.52	5.22	2.5	13.05	0.41	2.03	2	4.06	Low	10	1.5	15
LR-107B	0.14	1.35	2.5	3.38	0.13	1.30	2.5	3.25	0.12	0.60	2	1.21	Low	10	1.5	15
LR-109A	0.33	3.31	2.5	8.28	0.00	0.00	2.5	0.00	0.00	0.00	2	0.00	Medium	5	1.5	7.5
LR-109B	0.19	1.86	2.5	4.64	0.26	2.61	2.5	6.52	0.21	1.03	2	2.05	Medium	5	1.5	7.5
LR-113	1.11	11.09	2.5	27.73	1.27	12.72	2.5	31.79	0.91	4.54	2	9.09	Medium	5	1.5	7.5
LR-114A	0.38	3.82	2.5	9.55	0.41	4.13	2.5	10.33	0.30	1.50	2	3.00	Medium	5	1.5	7.5
LR-114C	1.01	10.11	2.5	25.28	0.96	9.60	2.5	23.99	0.83	4.17	2	8.35	Medium	5	1.5	7.5
LR-114D	0.07	0.66	2.5	1.65	0.07	0.72	2.5	1.79	0.05	0.26	2	0.52	Medium	5	1.5	7.5
LR-118	0.02	0.22	2.5	0.55	0.00	0.00	2.5	0.00	0.00	0.00	2	0.00	Medium	5	1.5	7.5
LR-120	0.02	0.21	2.5	0.52	0.03	0.28	2.5	0.70	0.02	0.12	2	0.24	Low	10	1.5	15
LR-121	0.76	7.62	2.5	19.04	0.88	8.83	2.5	22.09	0.61	3.06	2	6.12	Low	10	1.5	15
LR-124A	0.09	0.90	2.5	2.24	0.16	1.58	2.5	3.96	0.22	1.08	2	2.16	Low	10	1.5	15
LR-128	0.58	5.82	2.5	14.55	0.35	3.55	2.5	8.87	0.35	1.74	2	3.49	High	0	1.5	0
LR-132	1.51	15.14	2.5	37.84	1.34	13.38	2.5	33.44	1.19	5.93	2	11.86	Low	10	1.5	15
LR-134A	0.17	1.65	2.5	4.13	0.17	1.74	2.5	4.36	0.21	1.06	2	2.11	Medium	5	1.5	7.5
LR-134B	0.18	1.77	2.5	4.42	0.17	1.69	2.5	4.22	0.14	0.72	2	1.44	Medium	5	1.5	7.5
LR-135	0.06	0.63	2.5	1.59	0.06	0.61	2.5	1.51	0.05	0.26	2	0.52	Low	10	1.5	15
LR-136	1.04	10.35	2.5	25.88	1.00	9.99	2.5	24.98	0.94	4.72	2	9.43	Medium	5	1.5	7.5
LR-137 (Option 1)	0.51	5.10	2.5	12.75	0.55	5.45	2.5	13.63	0.45	2.25	2	4.50	Low	10	1.5	15
LR-137 (Option 2)	0.43	4.27	2.5	10.67	0.50	4.98	2.5	12.45	0.45	2.25	2	4.50	Medium	5	1.5	7.5
LR-139	0.92	9.19	2.5	22.99	0.87	8.68	2.5	21.69	0.81	4.05	2	8.10	Low	10	1.5	15
LR-400A	0.17	1.70	2.5	4.25	0.31	3.11	2.5	7.77	0.54	2.68	2	5.36	Medium	5	1.5	7.5
LR-401	0.36	3.60	2.5	9.00	0.32	3.19	2.5	7.98	0.28	1.40	2	2.79	Medium	5	1.5	7.5
LR-450	1.14	11.42	2.5	28.55	1.22	12.20	2.5	30.50	0.75	3.74	2	7.47	Low	10	1.5	15

Site ID	Property Ownership				Potential for Quick Implementation				Existing Drainage Problem/Hotspot				County Maintenance Burden			
	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
LR-103D	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
LR-103E	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
LR-103F	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
LR-105	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Low	10	0.5	5
LR-106A	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
LR-106B	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
LR-107A	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
LR-107B	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
LR-109A	Public	10	1.5	15	Yes	10	1	10	Yes	10	0.5	5	Low	10	0.5	5
LR-109B	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Low	10	0.5	5
LR-113	Private	0	1.5	0	No	0	1	0	Yes	10	0.5	5	Low	10	0.5	5
LR-114A	Public	10	1.5	15	No	0	1	0	Yes	10	0.5	5	High	0	0.5	0
LR-114C	Public	10	1.5	15	Yes	10	1	10	Yes	10	0.5	5	Medium	5	0.5	2.5
LR-114D	Public	10	1.5	15	No	0	1	0	Yes	10	0.5	5	High	0	0.5	0
LR-118	School	4	1.5	6	Yes	10	1	10	Yes	10	0.5	5	Medium	5	0.5	2.5
LR-120	Private	0	1.5	0	Yes	10	1	10	No	0	0.5	0	Low	10	0.5	5
LR-121	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
LR-124A	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
LR-128	Public	10	1.5	15	No	0	1	0	Yes	10	0.5	5	Low	10	0.5	5
LR-132	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-134A	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
LR-134B	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
LR-135	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
LR-136	Private	0	1.5	0	No	0	1	0	Yes	10	0.5	5	Medium	5	0.5	2.5
LR-137 (Option 1)	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
LR-137 (Option 2)	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
LR-139	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-400A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-401	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-450	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0

Site ID	Educational Opportunity				Pollutant Removal - VRRM													
	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit <sup>1</sup>	Size-Adjusted N-Removal Credit	Size-Adjusted N-Removal Credit <sup>1</sup>	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
LR-103D	Driveway	0	0.5	0	0.02	0.16	Impervious Cover Removal	77%	77%	100%	77%	77%	77%	77%	0.02	0.12	20.52	986
LR-103E	Hospital	0	0.5	0	0.14	1.00	Disconnection	25%	25%	100%	25%	25%	25%	25%	0.03	0.25	21.50	973
LR-103F	Hospital	0	0.5	0	2.41	17.25	Green Roof	45%	45%	105%	46%	45%	46%	45%	1.09	7.76	58.26	89
LR-105	Park	8	0.5	4	0.54	3.88	Bioswale	41%	44%	223%	46%	41%	50%	44%	0.22	1.71	56.36	103
LR-106A	Church	10	0.5	5	0.65	4.64	Bioretention	55%	64%	142%	60%	55%	70%	64%	0.36	2.97	26.92	858
LR-106B	Church	10	0.5	5	0.07	0.49	Stormwater Planters	55%	64%	104%	56%	55%	65%	64%	0.04	0.32	26.27	875
LR-107A	School	10	0.5	5	0.89	6.36	Bioretention	55%	64%	235%	63%	55%	73%	64%	0.49	4.07	63.79	62
LR-107B	School	10	0.5	5	0.27	1.91	Rain Garden	55%	64%	82%	51%	51%	59%	59%	0.14	1.13	52.09	159
LR-109A	Park	8	0.5	4	1.10	7.84	Bioswale	41%	44%	56%	30%	30%	33%	33%	0.33	2.57	54.78	119
LR-109B	Park	8	0.5	4	0.46	3.28	Bioswale	41%	44%	151%	44%	41%	48%	44%	0.19	1.44	48.19	211
LR-113	Townhome Complex	0	0.5	0	2.43	17.37	Constructed Wetland	50%	25%	81%	46%	46%	23%	23%	1.11	3.97	54.32	127
LR-114A	Community Center	8	0.5	4	0.65	4.65	Permeable Pavement	59%	59%	509%	68%	59%	68%	59%	0.38	2.73	44.05	288
LR-114C	Community Center	8	0.5	4	1.85	13.26	Bioretention	55%	64%	99%	55%	55%	63%	63%	1.01	8.42	77.63	27
LR-114D	Community Center	8	0.5	4	0.11	0.81	Permeable Pavement	59%	59%	506%	68%	59%	68%	59%	0.07	0.47	33.67	632
LR-118	School	10	0.5	5	0.04	0.29	Rain Garden	55%	64%	265%	63%	55%	74%	64%	0.02	0.18	36.55	524
LR-120	Very little	0	0.5	0	0.05	0.37	Rainwater Harvesting (Cistern)	40%	40%	121%	42%	40%	42%	40%	0.02	0.15	30.76	751
LR-121	Church with high traffic daycare	10	0.5	5	1.38	9.91	Bioretention	55%	64%	377%	63%	55%	74%	64%	0.76	6.34	50.16	183
LR-124A	No	0	0.5	0	0.54	3.89	Bioswale	41%	44%	28%	16%	16%	18%	18%	0.09	0.70	24.40	924
LR-128	Adjacent to Ice Rink	5	0.5	2.5	0.76	5.41	Impervious Cover Removal	77%	77%	100%	77%	77%	77%	77%	0.58	4.16	45.54	268
LR-132	School	10	0.5	5	2.58	18.43	Permeable Pavement	59%	59%	102%	59%	59%	59%	59%	1.51	10.83	69.71	37
LR-134A	Hospice	5	0.5	2.5	0.48	3.42	Bioretention	55%	64%	44%	35%	35%	40%	40%	0.17	1.37	18.74	1002
LR-134B	Hospice	5	0.5	2.5	0.32	2.32	Rain Garden	55%	64%	99%	55%	55%	63%	63%	0.18	1.47	18.37	1005
LR-135	Church	8	0.5	4	0.12	0.83	Rain Garden	55%	64%	99%	55%	55%	63%	63%	0.06	0.53	26.10	879
LR-136	Church	8	0.5	4	2.10	15.00	Bioretention	55%	64%	77%	49%	49%	57%	57%	1.04	8.62	54.31	129
LR-137 (Option 1)	Church	8	0.5	4	1.15	8.24	Bioretention	55%	64%	64%	44%	44%	52%	52%	0.51	4.25	38.75	448
LR-137 (Option 2)	Church	8	0.5	4	1.15	8.24	Dry Swale	52%	55%	52%	37%	37%	39%	39%	0.43	3.23	29.16	797
LR-139	Parking lot	0	0.5	0	1.76	12.56	Street Bioretention	55%	64%	88%	52%	52%	61%	61%	0.92	7.65	46.09	253
LR-400A	Residential street w/ sidewalks	5	0.5	2.5	1.42	10.17	Street Bioretention	55%	64%	18%	12%	12%	14%	14%	0.17	1.41	30.11	772
LR-401	Residential area	5	0.5	2.5	0.61	4.38	Permeable Pavement	59%	59%	103%	59%	59%	59%	59%	0.36	2.57	21.79	969
LR-450	Street	0	0.5	0	2.08	14.86	Street Bioretention	55%	64%	136%	60%	55%	69%	64%	1.14	9.51	61.52	75

Site ID	Pollutant Removal - CSN											Rank
	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	
LR-103D	0.02	0.17	13.61	0.73	62.9%	0.01	53.8%	0.09	67.4%	9.17	20.36	995
LR-103E	0.10	1.13	84.73	0.98	69.4%	0.07	59.3%	0.67	74.4%	63.03	22.45	976
LR-103F	1.80	18.77	1,499.41	1.00	69.9%	1.26	59.8%	11.21	74.9%	1,123.21	62.64	99
LR-105	0.42	5.94	250.50	2.86	82.6%	0.34	70.0%	4.16	85.0%	212.92	59.44	125
LR-106A	0.49	5.06	403.06	1.35	74.8%	0.36	63.9%	3.24	80.2%	323.11	27.07	891
LR-106B	0.05	0.55	42.57	1.00	69.9%	0.04	59.8%	0.33	75.0%	31.91	26.22	904
LR-107A	0.67	7.05	546.53	2.26	78.4%	0.52	67.1%	4.73	84.3%	460.87	64.61	86
LR-107B	0.20	2.14	162.87	0.80	65.0%	0.13	55.6%	1.19	69.7%	113.45	51.96	229
LR-109A	0.90	22.00	0.00	0.00	0.0%	0.00	0.0%	0.00	0.0%	0.00	46.50	324
LR-109B	0.34	3.74	276.38	1.48	75.9%	0.26	64.9%	2.43	81.3%	224.80	50.07	259
LR-113	1.85	24.54	1,224.40	0.95	68.8%	1.27	58.8%	14.44	73.8%	903.00	58.38	136
LR-114A	0.49	5.06	404.14	4.84	85.0%	0.41	70.0%	3.54	85.0%	343.52	44.83	352
LR-114C	1.39	14.97	1,124.44	0.96	69.1%	0.96	59.1%	8.84	74.1%	832.72	76.34	37
LR-114D	0.08	0.88	70.05	4.81	85.0%	0.07	70.0%	0.61	85.0%	59.54	33.81	699
LR-118	0.03	0.81	0.00	0.00	0.0%	0.00	0.0%	0.00	0.0%	0.00	36.00	625
LR-120	0.04	0.40	32.33	1.15	72.4%	0.03	61.8%	0.25	77.5%	25.07	30.94	792
LR-121	1.04	11.49	824.57	3.73	85.0%	0.88	70.0%	8.05	85.0%	700.89	53.21	210
LR-124A	0.41	5.16	291.22	0.31	38.5%	0.16	33.0%	1.70	41.2%	120.03	26.12	909
LR-128	0.57	5.88	469.86	0.73	62.8%	0.35	53.7%	3.16	67.3%	316.15	39.86	497
LR-132	1.93	20.13	1,597.95	0.98	69.4%	1.34	59.3%	11.95	74.4%	1,188.69	65.30	77
LR-134A	0.36	3.99	284.24	0.44	48.5%	0.17	41.6%	1.66	52.0%	147.78	18.97	1005
LR-134B	0.24	2.67	194.39	0.97	69.4%	0.17	59.3%	1.58	74.3%	144.53	18.16	1010
LR-135	0.09	0.96	69.51	0.97	69.4%	0.06	59.3%	0.57	74.4%	51.69	26.03	913
LR-136	1.57	16.97	1,270.33	0.75	63.6%	1.00	54.4%	9.23	68.1%	865.61	53.41	206
LR-137 (Option 1)	0.87	11.16	605.53	0.72	62.4%	0.55	53.4%	5.96	66.8%	404.63	39.62	504
LR-137 (Option 2)	0.87	11.16	605.53	0.59	57.0%	0.50	48.8%	5.45	61.1%	369.72	30.95	790
LR-139	1.31	13.66	1,091.17	0.84	66.1%	0.87	56.6%	7.72	70.9%	773.25	44.79	355
LR-400A	1.08	14.25	722.46	0.21	28.8%	0.31	24.6%	3.51	30.8%	222.56	33.63	706
LR-401	0.46	4.86	375.85	0.99	69.7%	0.32	59.5%	2.90	74.6%	280.55	20.77	992
LR-450	1.58	21.79	1,006.30	1.65	77.0%	1.22	65.9%	14.35	82.6%	830.99	63.47	92

Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%C	%Turf	P (in)	Rv	Water Quality Volume (CF)	Treatment Volume (CF)	Treatment Volume Sum for Projects in Series*	% Water Quality Volume Treated
LR-500B	Lubber Run	23rd Street North and North Edison Street	Street Bioretention	0.55	56%	44%	1.00	0.63	1245.92	283.75		0.23
LR-501A	Lubber Run	22nd Street North near 5131 and 5128 and North Emerson Street	Street Bioretention	0.60	46%	54%	1.00	0.56	1210.10	652.50		0.54
LR-501B	Lubber Run	22nd Street North near 5131 and 5128 and North Emerson Street	Street Bioretention	0.36	76%	24%	1.00	0.78	1010.29	558.75		0.55
LR-501C	Lubber Run	22nd Street North and North Emerson Street	Street Bioretention	0.34	60%	40%	1.00	0.66	823.54	433.75		0.53
LR-502A	Lubber Run	22nd Street North and North George Mason Drive	Street Bioretention	0.91	53%	47%	1.00	0.61	1998.79	829.50		0.42
LR-502B	Lubber Run	22nd Street North and North George Mason Drive	Street Bioretention	1.26	83%	17%	1.00	0.83	3796.12	1369.00		0.36
LR-503	Lubber Run	Patrick Henry Drive and North Greenbrier Street	Street Bioretention	0.67	69%	31%	1.00	0.73	1772.63	804.00		0.45
LR-504	Lubber Run	Intersection of 20th Street North and North George Mason Drive	Street Bioretention	0.71	55%	45%	1.00	0.62	1596.36	672.00		0.42
LR-505-1&2	Lubber Run	2101 North Emerson Street	Street Bioretention	1.15	54%	46%	1.00	0.62	2578.74	879.00		0.34
LR-506-1&2	Lubber Run	Intersection of 20th Street North and North Emerson Street	Street Bioretention	0.56	60%	40%	1.00	0.66	1350.50	700.88		0.52
LR-507A-1&2	Lubber Run	2005 North Cameron Street	Street Bioretention	1.42	45%	55%	1.00	0.55	2813.96	446.25		0.16
LR-507B-1&2	Lubber Run	2006 North Cameron Street	Street Bioretention	0.37	68%	32%	1.00	0.72	971.91	415.13		0.43
LR-508A (option A1)	Lubber Run	19th Road North and North Emerson Street	Street Bioretention	0.62	54%	46%	1.00	0.62	1387.08	1289.00		0.93
LR-508A (option A2)	Lubber Run	19th Road North and North Emerson Street	Street Bioretention	1.08	59%	41%	1.00	0.65	2571.76	1289.00		0.50
LR-508B	Lubber Run	20th Road North and North Emerson Street	Street Bioretention	0.93	56%	44%	1.00	0.63	2111.28	254.25		0.12
LR-509-1&2	Lubber Run	1823 North Harrison Street	Street Bioretention	0.40	92%	8%	1.00	0.89	1296.13	2061.50		1.59
LR-510 (option 2)	Lubber Run	5100 block of 19th Street North	Street Bioretention	0.60	63%	37%	1.00	0.68	1481.81	1347.00		0.91
LR-514-1&2	Lubber Run	4935-4941 19th Street North	Street Bioretention	6.27	22%	78%	1.00	0.38	8694.51	972.00		0.11
LR-517-1&2	Lubber Run	4653 17th Street North	Street Bioretention	3.25	26%	74%	1.00	0.41	4860.07	1368.00		0.28
LR-519A	Lubber Run	1638 North Buchanan Street	Street Bioretention	1.31	44%	56%	1.00	0.54	2554.43	434.75		0.17
LR-519B (option B1)	Lubber Run	4743 North Buchanan Street	Street Bioretention	0.48	71%	29%	1.00	0.74	1294.34	633.00		0.49
LR-519B (option B2)	Lubber Run	4743 North Buchanan Street	Street Bioretention	1.53	55%	45%	1.00	0.62	3468.12	633.00		0.18
LR-520	Lubber Run	4945 17th Road North, intersection with North Cameron Street	Street Bioretention	4.23	39%	61%	1.00	0.50	7736.15	1679.00		0.22
LR-524A	Lubber Run	1800 block of North Dinwiddie Street	Street Bioretention	0.80	59%	41%	1.00	0.65	1880.58	389.38		0.21
LR-524B	Lubber Run	1800 Block North Dinwiddie Street	Street Bioretention	1.38	36%	64%	1.00	0.48	2411.28	335.63		0.14
LR-526	Lubber Run	17th Road North and North Edison Street	Street Bioretention	2.48	39%	61%	1.00	0.50	4545.36	644.50		0.14
LR-527 (option 1)	Lubber Run	5008 17th Street North	Street Bioretention	1.17	51%	49%	1.00	0.60	2533.62	771.25		0.30
LR-527 (option 2)	Lubber Run	5008 17th Street North	Street Bioretention	2.72	43%	57%	1.00	0.54	5301.18	771.25		0.15

Site ID	Phosphorus Removal - VRRM				Phosphorus Removal - CSN				Impervious Area Acreage				Potential Utility or Site Constraints			
	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
LR-500B	0.13	1.29	2.5	3.23	0.20	1.97	2.5	4.92	0.31	1.53	2	3.06	High	0	1.5	0
LR-501A	0.30	3.03	2.5	7.57	0.35	3.46	2.5	8.66	0.28	1.38	2	2.77	Medium	5	1.5	7.5
LR-501B	0.26	2.60	2.5	6.51	0.27	2.66	2.5	6.65	0.27	1.37	2	2.74	Medium	5	1.5	7.5
LR-501C	0.20	2.03	2.5	5.07	0.22	2.21	2.5	5.53	0.21	1.04	2	2.07	Medium	5	1.5	7.5
LR-502A	0.41	4.12	2.5	10.30	0.48	4.85	2.5	12.11	0.48	2.40	2	4.80	High	0	1.5	0
LR-502B	0.70	7.02	2.5	17.55	0.76	7.60	2.5	19.00	1.05	5.26	2	10.53	Low	10	1.5	15
LR-503	0.39	3.90	2.5	9.75	0.43	4.26	2.5	10.66	0.47	2.33	2	4.66	Low	10	1.5	15
LR-504	0.34	3.35	2.5	8.39	0.39	3.87	2.5	9.68	0.39	1.94	2	3.88	Medium	5	1.5	7.5
LR-505-1&2	0.45	4.48	2.5	11.20	0.55	5.49	2.5	13.73	0.63	3.13	2	6.27	Medium	5	1.5	7.5
LR-506-1&2	0.33	3.27	2.5	8.16	0.36	3.59	2.5	8.98	0.34	1.70	2	3.40	Medium	5	1.5	7.5
LR-507A-1&2	0.14	1.45	2.5	3.62	0.36	3.58	2.5	8.94	0.63	3.17	2	6.34	High	0	1.5	0
LR-507B-1&2	0.20	2.04	2.5	5.11	0.23	2.26	2.5	5.66	0.25	1.27	2	2.55	High	0	1.5	0
LR-508A (option A1)	0.46	4.64	2.5	11.60	0.47	4.69	2.5	11.73	0.34	1.68	2	3.37	Medium	5	1.5	7.5
LR-508A (option A2)	0.61	6.14	2.5	15.34	0.67	6.74	2.5	16.86	0.64	3.22	2	6.44	Medium	5	1.5	7.5
LR-508B	0.04	0.43	2.5	1.07	0.19	1.95	2.5	4.87	0.52	2.58	2	5.17	Medium	5	1.5	7.5
LR-509-1&2	0.45	4.48	2.5	11.20	0.47	4.65	2.5	11.64	0.37	1.84	2	3.69	Medium	5	1.5	7.5
LR-510 (option 2)	0.49	4.92	2.5	12.30	0.49	4.90	2.5	12.24	0.38	1.89	2	3.78	Medium	5	1.5	7.5
LR-514-1&2	0.10	0.99	2.5	2.46	1.12	11.19	2.5	27.98	1.39	6.96	2	13.92	Medium	5	1.5	7.5
LR-517-1&2	0.68	6.83	2.5	17.08	1.15	11.48	2.5	28.70	0.86	4.28	2	8.56	Low	10	1.5	15
LR-519A	0.17	1.72	2.5	4.31	0.35	3.47	2.5	8.68	0.57	2.85	2	5.70	Low	10	1.5	15
LR-519B (option B1)	0.30	2.99	2.5	7.48	0.32	3.23	2.5	8.08	0.34	1.72	2	3.44	Medium	5	1.5	7.5
LR-519B (option B2)	0.26	2.60	2.5	6.51	0.46	4.61	2.5	11.51	0.85	4.23	2	8.47	Medium	5	1.5	7.5
LR-520	0.74	7.41	2.5	18.52	1.33	13.29	2.5	33.22	1.64	8.22	2	16.44	Low	10	1.5	15
LR-524A	0.17	1.68	2.5	4.20	0.27	2.72	2.5	6.79	0.47	2.35	2	4.69	Low	10	1.5	15
LR-524B	0.07	0.70	2.5	1.76	0.30	3.00	2.5	7.49	0.49	2.47	2	4.93	Low	10	1.5	15
LR-526	0.17	1.74	2.5	4.35	0.55	5.54	2.5	13.84	0.97	4.84	2	9.67	High	0	1.5	0
LR-527 (option 1)	0.38	3.83	2.5	9.57	0.51	5.08	2.5	12.70	0.60	3.01	2	6.03	Medium	5	1.5	7.5
LR-527 (option 2)	0.20	2.03	2.5	5.08	0.63	6.33	2.5	15.82	1.18	5.90	2	11.80	Medium	5	1.5	7.5

Site ID	Property Ownership				Potential for Quick Implementation				Existing Drainage Problem/Hotspot				County Maintenance Burden			
	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
LR-500B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-501A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-501B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-501C	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-502A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-502B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-503	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-504	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-505-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-506-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-507A-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-507B-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-508A (option A1)	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-508A (option A2)	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-508B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-509-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-510 (option 2)	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-514-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-517-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-519A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-519B (option B1)	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-519B (option B2)	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-520	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-524A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-524B	Street ROW	7	1.5	10.5	No	0	1	0	Yes	10	0.5	5	High	0	0.5	0
LR-526	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-527 (option 1)	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-527 (option 2)	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0

Site ID	Educational Opportunity				Pollutant Removal - VRRM													
	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit <sup>1</sup>	Size-Adjusted N-Removal Credit	Size-Adjusted N Removal Credit <sup>1</sup>	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
LR-500B	Street	0	0.5	0	0.78	5.60	Street Bioretention	55%	64%	23%	16%	16%	19%	19%	0.13	1.07	16.78	1010
LR-501A	Residential street w/ sidewalks	5	0.5	2.5	0.76	5.44	Street Bioretention	55%	64%	54%	40%	40%	46%	46%	0.30	2.52	30.84	747
LR-501B	Residential street w/ sidewalks	5	0.5	2.5	0.63	4.54	Street Bioretention	55%	64%	55%	41%	41%	48%	48%	0.26	2.17	29.75	783
LR-501C	Residential street w/ sidewalks	5	0.5	2.5	0.52	3.70	Street Bioretention	55%	64%	53%	39%	39%	46%	46%	0.20	1.69	27.64	839
LR-502A	Residential street w/ sidewalks	5	0.5	2.5	1.26	8.98	Street Bioretention	55%	64%	42%	33%	33%	38%	38%	0.41	3.43	28.11	826
LR-502B	Residential street w/ sidewalks	5	0.5	2.5	2.39	17.06	Street Bioretention	55%	64%	36%	29%	29%	34%	34%	0.70	5.84	56.07	107
LR-503	Residential street w/ sidewalks	5	0.5	2.5	1.11	7.97	Street Bioretention	55%	64%	45%	35%	35%	41%	41%	0.39	3.25	42.42	330
LR-504	Residential street w/ sidewalks	5	0.5	2.5	1.00	7.18	Street Bioretention	55%	64%	42%	33%	33%	39%	39%	0.34	2.79	32.77	669
LR-505-1&2	Residential street w/ sidewalks	5	0.5	2.5	1.62	11.59	Street Bioretention	55%	64%	34%	28%	28%	32%	32%	0.45	3.73	37.97	468
LR-506-1&2	Residential street w/ sidewalks	5	0.5	2.5	0.85	6.07	Street Bioretention	55%	64%	52%	38%	38%	45%	45%	0.33	2.72	32.06	693
LR-507A-1&2	Residential street w/ sidewalks	5	0.5	2.5	1.77	12.65	Street Bioretention	55%	64%	16%	8%	8%	10%	10%	0.14	1.20	22.95	957
LR-507B-1&2	Residential street w/ sidewalks	5	0.5	2.5	0.61	4.37	Street Bioretention	55%	64%	43%	33%	33%	39%	39%	0.20	1.70	20.65	984
LR-508A (option A1)	Residential street w/ sidewalks	5	0.5	2.5	0.87	6.23	Street Bioretention	55%	64%	93%	53%	53%	62%	62%	0.46	3.86	35.47	562
LR-508A (option A2)	Residential street w/ sidewalks	5	0.5	2.5	1.62	11.56	Street Bioretention	55%	64%	50%	38%	38%	44%	44%	0.61	5.11	42.28	335
LR-508B	Residential street w/ sidewalks	5	0.5	2.5	1.33	9.49	Street Bioretention	55%	64%	12%	3%	3%	4%	4%	0.04	0.36	26.74	862
LR-509-1&2	Street	0	0.5	0	0.81	5.83	Street Bioretention	55%	64%	159%	61%	55%	71%	64%	0.45	3.73	32.88	665
LR-510 (option 2)	Residential street w/ sidewalks	5	0.5	2.5	0.93	6.66	Street Bioretention	55%	64%	91%	53%	53%	61%	61%	0.49	4.09	36.57	523
LR-514-1&2	Residential street w/ sidewalks	5	0.5	2.5	5.46	39.08	Street Bioretention	55%	64%	11%	2%	2%	2%	2%	0.10	0.82	36.89	509
LR-517-1&2	Residential street w/ sidewalks	5	0.5	2.5	3.05	21.84	Street Bioretention	55%	64%	28%	22%	22%	26%	26%	0.68	5.69	53.63	136
LR-519A	Residential street w/ sidewalks	5	0.5	2.5	1.60	11.48	Street Bioretention	55%	64%	17%	11%	11%	12%	12%	0.17	1.43	38.00	466
LR-519B (option B1)	Residential street w/ sidewalks	5	0.5	2.5	0.81	5.82	Street Bioretention	55%	64%	49%	37%	37%	43%	43%	0.30	2.49	31.41	726
LR-519B (option B2)	Residential street w/ sidewalks	5	0.5	2.5	2.18	15.59	Street Bioretention	55%	64%	18%	12%	12%	14%	14%	0.26	2.17	35.48	561
LR-520	Residential street w/ sidewalks	5	0.5	2.5	4.86	34.77	Street Bioretention	55%	64%	22%	15%	15%	18%	18%	0.74	6.17	62.96	70
LR-524A	Residential street w/ sidewalks	5	0.5	2.5	1.18	8.45	Street Bioretention	55%	64%	21%	14%	14%	17%	17%	0.17	1.40	36.89	508
LR-524B	Residential street w/ sidewalks	5	0.5	2.5	1.52	10.84	Street Bioretention	55%	64%	14%	5%	5%	5%	5%	0.07	0.58	39.69	410
LR-526	Street	0	0.5	0	2.86	20.43	Street Bioretention	55%	64%	14%	6%	6%	7%	7%	0.17	1.45	24.52	921
LR-527 (option 1)	Residential street w/ sidewalks	5	0.5	2.5	1.59	11.39	Street Bioretention	55%	64%	30%	24%	24%	28%	28%	0.38	3.19	36.10	540
LR-527 (option 2)	Residential street w/ sidewalks	5	0.5	2.5	3.33	23.83	Street Bioretention	55%	64%	15%	6%	6%	7%	7%	0.20	1.69	37.38	493



Site ID	Pollutant Removal - CSN											Rank
	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	
LR-500B	0.59	7.57	411.68	0.26	33.2%	0.20	28.4%	2.15	35.5%	146.28	18.48	1008
LR-501A	0.58	7.89	372.75	0.65	59.7%	0.35	51.2%	4.04	64.0%	238.61	31.92	774
LR-501B	0.48	5.46	368.44	0.56	55.7%	0.27	47.8%	2.61	59.7%	219.95	29.89	815
LR-501C	0.39	4.87	278.85	0.58	56.4%	0.22	48.4%	2.36	60.5%	168.64	28.10	868
LR-502A	0.95	12.42	647.02	0.48	50.8%	0.48	43.6%	5.41	54.4%	352.16	29.92	814
LR-502B	1.79	19.85	1,417.84	0.36	42.4%	0.76	36.4%	7.23	45.5%	644.78	57.53	147
LR-503	0.84	9.94	628.16	0.47	50.8%	0.43	43.5%	4.33	54.4%	341.57	43.32	395
LR-504	0.76	9.79	523.09	0.48	50.9%	0.39	43.6%	4.27	54.5%	285.05	34.06	690
LR-505-1&2	1.23	15.84	843.97	0.39	44.7%	0.55	38.3%	6.07	47.8%	403.77	40.49	471
LR-506-1&2	0.64	7.97	458.16	0.57	56.0%	0.36	48.0%	3.83	60.0%	274.73	32.89	734
LR-507A-1&2	1.35	18.61	853.67	0.19	26.5%	0.36	22.7%	4.22	28.4%	242.39	28.28	863
LR-507B-1&2	0.46	5.48	342.84	0.45	49.1%	0.23	42.1%	2.31	52.6%	180.38	21.20	989
LR-508A (option A1)	0.66	8.53	453.31	1.06	70.9%	0.47	60.6%	5.17	76.0%	344.47	35.59	638
LR-508A (option A2)	1.22	15.29	867.41	0.55	55.1%	0.67	47.3%	7.22	59.1%	512.37	43.80	380
LR-508B	1.01	12.86	696.19	0.14	19.4%	0.19	16.4%	2.11	20.7%	144.34	30.54	800
LR-509-1&2	0.61	6.53	496.68	1.54	76.3%	0.47	65.3%	4.26	81.8%	406.42	33.32	718
LR-510 (option 2)	0.70	8.63	508.81	0.98	69.6%	0.49	59.5%	5.13	74.5%	379.27	36.52	610
LR-514-1&2	4.25	72.57	1,875.60	0.19	26.3%	1.12	22.5%	16.32	28.2%	528.69	62.41	101
LR-517-1&2	2.37	38.50	1,152.60	0.44	48.5%	1.15	41.6%	16.03	52.0%	599.10	65.26	78
LR-519A	1.23	17.04	767.59	0.21	28.3%	0.35	24.2%	4.13	30.4%	233.01	42.38	413
LR-519B (option B1)	0.61	7.18	462.74	0.51	52.7%	0.32	45.2%	3.24	56.5%	261.35	32.01	772
LR-519B (option B2)	1.65	21.19	1,140.74	0.21	27.9%	0.46	23.8%	5.05	29.8%	340.47	40.48	473
LR-520	3.72	53.78	2,214.40	0.28	35.7%	1.33	30.6%	16.46	38.2%	846.44	77.66	34
LR-524A	0.89	11.22	631.93	0.23	30.3%	0.27	26.0%	2.92	32.5%	205.47	39.48	512
LR-524B	1.16	17.28	664.26	0.19	25.8%	0.30	22.0%	3.80	27.6%	183.27	45.42	341
LR-526	2.19	31.57	1,302.67	0.18	25.3%	0.55	21.6%	6.82	27.1%	353.03	34.01	693
LR-527 (option 1)	1.21	15.90	811.77	0.35	42.0%	0.51	36.0%	5.73	45.0%	365.10	39.23	523
LR-527 (option 2)	2.54	35.42	1,589.87	0.18	24.9%	0.63	21.2%	7.53	26.6%	423.67	48.12	288

Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%IC	%Turf	P (in)	Rv	Water Quality Volume (CF)	Treatment Volume (CF)	Treatment Volume Sum for Projects in Series*	% Water Quality Volume Treated
LR-528-1&2&3	Lubber Run	5001 16th Road North	Street Bioretention	2.56	34%	66%	1.00	0.47	4356.47	791.16		0.18
LR-529-1&2	Lubber Run	4725 16th Road North	Street Bioretention	1.56	42%	58%	1.00	0.53	2988.66	746.25		0.25
LR-533-1&2	Lubber Run	4602 15th Street North	Street Bioretention	2.14	42%	58%	1.00	0.53	4107.35	1309.50		0.32
LR-534-1&2	Lubber Run	4729 16th Street North	Street Bioretention	1.26	47%	53%	1.00	0.56	2554.36	934.50		0.37
LR-535-1&2&3&4	Lubber Run	16th Street North between North Edison Street and North Buchanan Street	Street Bioretention	1.90	35%	65%	1.00	0.48	3284.59	1191.75		0.36
LR-537	Lubber Run	16th Street North at George Mason Drive	Street Bioretention	0.42	89%	11%	1.00	0.87	1335.02	748.75		0.56
LR-538	Lubber Run	Intersection of North Greenbrier Street and 16th Street North	Street Bioretention	0.36	96%	4%	1.00	0.92	1197.61	714.75		0.60
LR-539	Lubber Run	1651 North Greenbrier Street	Street Bioretention	1.13	30%	70%	1.00	0.44	1796.51	814.88		0.45
LR-542-1&2	Lubber Run	1315 North Frederick Street	Street Bioretention	1.61	41%	59%	1.00	0.52	3057.08	1686.50		0.55
LR-544-1&2	Lubber Run	4820 15th Street North, near intersection of North Buchanan Street	Street Bioretention	4.28	33%	67%	1.00	0.46	7128.50	1839.00		0.26
LR-546	Lubber Run	1210 North Frederick Street	Street Bioretention	3.12	35%	65%	1.00	0.48	5398.30	746.75		0.14
LR-548	Lubber Run	North Edison Street and 10th Street North	Dry Swale	0.26	35%	65%	1.00	0.48	447.89	208.75		0.47
LR-549A	Lubber Run	North Frederick Street, south of 10th Street North	Street Bioretention	1.04	61%	39%	1.00	0.67	2511.64	3065.50		1.22
LR-549B	Lubber Run	North Frederick Street, south of 10th Street North	Street Bioretention	0.32	65%	35%	1.00	0.69	806.73	3065.50		3.80
LR-550	Lubber Run	10th Street North and North George Mason	Street Bioretention	0.32	45%	55%	1.00	0.55	635.72	573.88		0.90
LR-551	Lubber Run	North Evergreen Street and 11th Street North	Street Bioretention	1.39	52%	48%	1.00	0.60	3034.44	1000.00		0.33
LR-552	Lubber Run	North Columbus Street and Washington Boulevard	Street Bioretention	0.65	39%	61%	1.00	0.50	1197.38	328.50		0.27
LR-554-1&2	Lubber Run	Washington Boulevard and North Buchanan Street	Street Bioretention	0.79	66%	34%	1.00	0.70	2018.68	477.50		0.24
LR-555	Lubber Run	Intersection of North Utah Street and 11th Street North	Impervious Cover Removal	0.04	100%	0%	1.00	0.95	111.31	111.31		1.00
LR-558	Lubber Run	North Taylor Street between 11th Street North and Fairfax Drive	Stormwater Planters	0.15	96%	4%	1.00	0.92	490.73	375.00		0.76
LR-560 (option 1)	Lubber Run	North Vermont Street at Fairfax Drive	Street Bioretention	0.96	74%	26%	1.00	0.76	2665.10	712.88		0.27
LR-560 (option 2)	Lubber Run	North Vermont Street at Fairfax Drive	Street Bioretention	0.98	74%	26%	1.00	0.76	2714.22	600.38		0.22
LR-562	Lubber Run	North Stuart Street between 9th Street North and Fairfax Drive	Stormwater Planters	0.47	98%	2%	1.00	0.94	1612.06	656.25		0.41
LR-563	Lubber Run	9th Street North at North Stuart Street	Stormwater Planters	0.13	97%	3%	1.00	0.93	452.02	937.50		2.07
LR-565-1&2	Lubber Run	4710 8th Road North between North Abingdon Street and North Buchanan Street	Street Bioretention	1.48	44%	56%	1.00	0.54	2907.73	1488.00		0.51
LR-568	Lubber Run	Fairfax Drive and North George Mason Drive	Street Bioretention	0.31	99%	1%	1.00	0.94	1060.82	1083.00		1.02

Site ID	Phosphorus Removal - VRRM				Phosphorus Removal - CSN				Impervious Area Acreage				Potential Utility or Site Constraints			
	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
LR-528-1&2&3	0.33	3.27	2.5	8.17	0.69	6.85	2.5	17.13	0.87	4.36	2	8.73	Low	10	1.5	15
LR-529-1&2	0.34	3.41	2.5	8.53	0.55	5.53	2.5	13.82	0.66	3.29	2	6.59	Low	10	1.5	15
LR-533-1&2	0.64	6.45	2.5	16.12	0.90	8.99	2.5	22.48	0.90	4.52	2	9.04	Medium	5	1.5	7.5
LR-534-1&2	0.47	4.72	2.5	11.81	0.59	5.93	2.5	14.82	0.59	2.93	2	5.85	Medium	5	1.5	7.5
LR-535-1&2&3&4	0.61	6.07	2.5	15.18	0.82	8.22	2.5	20.54	0.67	3.33	2	6.67	Medium	5	1.5	7.5
LR-537	0.35	3.48	2.5	8.69	0.35	3.46	2.5	8.64	0.38	1.88	2	3.76	Low	10	1.5	15
LR-538	0.32	3.21	2.5	8.04	0.32	3.16	2.5	7.91	0.34	1.72	2	3.44	Low	10	1.5	15
LR-539	0.40	3.95	2.5	9.88	0.53	5.27	2.5	13.19	0.34	1.68	2	3.36	Medium	5	1.5	7.5
LR-542-1&2	0.79	7.88	2.5	19.70	0.91	9.05	2.5	22.63	0.67	3.34	2	6.67	Low	10	1.5	15
LR-544-1&2	0.87	8.68	2.5	21.70	1.47	14.74	2.5	36.85	1.40	7.00	2	14.00	Medium	5	1.5	7.5
LR-546	0.16	1.57	2.5	3.93	0.67	6.72	2.5	16.80	1.10	5.48	2	10.96	Medium	5	1.5	7.5
LR-548	0.10	0.95	2.5	2.38	0.13	1.27	2.5	3.19	0.09	0.46	2	0.91	Low	10	1.5	15
LR-549A	0.87	8.68	2.5	21.70	0.89	8.90	2.5	22.26	0.63	3.17	2	6.34	Medium	5	1.5	7.5
LR-549B	0.28	2.79	2.5	6.97	0.33	3.25	2.5	8.14	0.21	1.04	2	2.08	Medium	5	1.5	7.5
LR-550	0.21	2.11	2.5	5.27	0.22	2.19	2.5	5.46	0.14	0.72	2	1.43	Medium	5	1.5	7.5
LR-551	0.49	4.93	2.5	12.34	0.64	6.38	2.5	15.95	0.73	3.64	2	7.27	High	0	1.5	0
LR-552	0.16	1.60	2.5	4.00	0.24	2.43	2.5	6.08	0.25	1.27	2	2.55	High	0	1.5	0
LR-554-1&2	0.22	2.20	2.5	5.50	0.31	3.13	2.5	7.83	0.52	2.62	2	5.24	High	0	1.5	0
LR-555	0.07	0.69	2.5	1.73	0.04	0.42	2.5	1.06	0.04	0.21	2	0.42	High	0	1.5	0
LR-558	0.15	1.52	2.5	3.79	0.15	1.45	2.5	3.63	0.14	0.70	2	1.41	Low	10	1.5	15
LR-560 (option 1)	0.34	3.41	2.5	8.52	0.44	4.41	2.5	11.04	0.72	3.58	2	7.15	Medium	5	1.5	7.5
LR-560 (option 2)	0.28	2.81	2.5	7.03	0.39	3.87	2.5	9.68	0.73	3.64	2	7.29	Medium	5	1.5	7.5
LR-562	0.33	3.27	2.5	8.18	0.34	3.39	2.5	8.49	0.47	2.33	2	4.65	Low	10	1.5	15
LR-563	0.16	1.56	2.5	3.91	0.17	1.66	2.5	4.15	0.13	0.65	2	1.30	Low	10	1.5	15
LR-565-1&2	0.70	7.03	2.5	17.58	0.82	8.22	2.5	20.55	0.65	3.25	2	6.50	Low	10	1.5	15
LR-568	0.37	3.67	2.5	9.16	0.35	3.46	2.5	8.64	0.31	1.53	2	3.07	Medium	5	1.5	7.5

Site ID	Property Ownership				Potential for Quick Implementation				Existing Drainage Problem/Hotspot				County Maintenance Burden			
	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
LR-528-1&2&3	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-529-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-533-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-534-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-535-1&2&3&4	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-537	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-538	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-539	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-542-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-544-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-546	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-548	Street ROW	7	1.5	10.5	Yes	10	1	10	Yes	10	0.5	5	High	0	0.5	0
LR-549A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-549B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-550	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-551	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-552	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-554-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-555	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
LR-558	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
LR-560 (option 1)	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-560 (option 2)	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-562	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
LR-563	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
LR-565-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-568	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0

Site ID	Educational Opportunity				Pollutant Removal - VRRM													
	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit <sup>1</sup>	Size-Adjusted N-Removal Credit	Size-Adjusted N-Removal Credit <sup>1</sup>	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
LR-528-1&2&3	Residential street w/ sidewalks	5	0.5	2.5	2.74	19.58	Street Bioretention	55%	64%	18%	12%	12%	14%	14%	0.33	2.72	44.90	279
LR-529-1&2	Residential street w/ sidewalks	5	0.5	2.5	1.88	13.43	Street Bioretention	55%	64%	25%	18%	18%	21%	21%	0.34	2.84	43.11	319
LR-533-1&2	Residential street w/ sidewalks	5	0.5	2.5	2.58	18.46	Street Bioretention	55%	64%	32%	25%	25%	29%	29%	0.64	5.37	45.66	265
LR-534-1&2	Residential street w/ sidewalks	5	0.5	2.5	1.60	11.48	Street Bioretention	55%	64%	37%	29%	29%	34%	34%	0.47	3.93	38.16	458
LR-535-1&2&3&4	Residential street w/ sidewalks	5	0.5	2.5	2.06	14.76	Street Bioretention	55%	64%	36%	29%	29%	34%	34%	0.61	5.06	42.35	332
LR-537	Residential street w/ sidewalks	5	0.5	2.5	0.84	6.00	Street Bioretention	55%	64%	56%	41%	41%	48%	48%	0.35	2.89	40.45	388
LR-538	Residential street w/ sidewalks	5	0.5	2.5	0.75	5.38	Street Bioretention	55%	64%	60%	43%	43%	50%	50%	0.32	2.68	39.48	419
LR-539	Street	0	0.5	0	1.13	8.07	Street Bioretention	55%	64%	45%	35%	35%	41%	41%	0.40	3.29	31.24	731
LR-542-1&2	Residential street w/ sidewalks	5	0.5	2.5	1.92	13.74	Street Bioretention	55%	64%	55%	41%	41%	48%	48%	0.79	6.56	54.38	125
LR-544-1&2	Street	0	0.5	0	4.48	32.04	Street Bioretention	55%	64%	26%	19%	19%	23%	23%	0.87	7.23	53.70	134
LR-546	Residential street w/ sidewalks	5	0.5	2.5	3.39	24.26	Street Bioretention	55%	64%	14%	5%	5%	5%	5%	0.16	1.31	35.39	567
LR-548	Street	0	0.5	0	0.28	2.01	Dry Swale	52%	55%	47%	34%	34%	36%	36%	0.10	0.72	43.79	293
LR-549A	Residential street w/ sidewalks	8	0.5	4	1.58	11.29	Street Bioretention	55%	64%	122%	58%	55%	68%	64%	0.87	7.23	50.04	185
LR-549B	Residential street w/ sidewalks	8	0.5	4	0.51	3.63	Street Bioretention	55%	64%	380%	63%	55%	74%	64%	0.28	2.32	31.05	734
LR-550	Residential street w/ sidewalks	8	0.5	4	0.40	2.86	Street Bioretention	55%	64%	90%	53%	53%	61%	61%	0.21	1.76	28.71	812
LR-551	Street	0	0.5	0	1.91	13.64	Street Bioretention	55%	64%	33%	26%	26%	30%	30%	0.49	4.11	30.11	771
LR-552	Residential street w/ sidewalks	5	0.5	2.5	0.75	5.38	Street Bioretention	55%	64%	27%	21%	21%	25%	25%	0.16	1.33	19.55	994
LR-554-1&2	Residential street w/ sidewalks	5	0.5	2.5	1.27	9.07	Street Bioretention	55%	64%	24%	17%	17%	20%	20%	0.22	1.83	23.74	940
LR-555	Residential street w/ sidewalks	5	0.5	2.5	0.09	0.64	Impervious Cover Removal	77%	77%	100%	77%	77%	77%	77%	0.07	0.50	24.65	918
LR-558	Commercial street w/ sidewalks	5	0.5	2.5	0.31	2.21	Stormwater Planters	55%	64%	76%	49%	49%	57%	57%	0.15	1.26	35.70	552
LR-560 (option 1)	Commercial street w/ sidewalks	5	0.5	2.5	1.67	11.98	Street Bioretention	55%	64%	27%	20%	20%	24%	24%	0.34	2.84	36.17	537
LR-560 (option 2)	Commercial street w/ sidewalks	5	0.5	2.5	1.71	12.20	Street Bioretention	55%	64%	22%	16%	16%	19%	19%	0.28	2.34	34.82	591
LR-562	Commercial street w/ sidewalks	5	0.5	2.5	1.01	7.25	Stormwater Planters	55%	64%	41%	32%	32%	38%	38%	0.33	2.72	43.33	315
LR-563	Commercial street w/ sidewalks	5	0.5	2.5	0.28	2.03	Stormwater Planters	55%	64%	207%	63%	55%	73%	64%	0.16	1.30	35.71	551
LR-565-1&2	Street	0	0.5	0	1.83	13.07	Street Bioretention	55%	64%	51%	38%	38%	45%	45%	0.70	5.85	49.58	193
LR-568	Residential Street w/ sidewalk	5	0.5	2.5	0.67	4.77	Street Bioretention	55%	64%	102%	56%	55%	65%	64%	0.37	3.05	32.73	672

Site ID	Pollutant Removal - CSN											
	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	Rank
LR-528-1&2&3	2.11	31.70	1,175.77	0.25	32.5%	0.69	27.9%	8.84	34.9%	410.01	53.86	197
LR-529-1&2	1.44	20.15	887.08	0.31	38.5%	0.55	33.1%	6.66	41.3%	366.14	48.41	283
LR-533-1&2	1.97	27.71	1,218.34	0.40	45.6%	0.90	39.1%	10.84	48.8%	594.96	52.02	227
LR-534-1&2	1.22	16.62	788.60	0.44	48.5%	0.59	41.6%	6.91	51.9%	409.51	41.18	450
LR-535-1&2&3&4	1.59	23.66	898.39	0.49	51.8%	0.82	44.4%	10.51	55.5%	498.69	47.71	297
LR-537	0.63	6.82	506.52	0.55	55.0%	0.35	47.1%	3.22	58.9%	298.37	40.40	475
LR-538	0.56	5.93	463.81	0.57	56.2%	0.32	48.1%	2.86	60.2%	279.17	39.35	518
LR-539	0.87	13.71	452.63	0.67	60.5%	0.53	51.8%	7.10	64.8%	293.43	34.55	672
LR-542-1&2	1.47	20.79	898.66	0.70	61.6%	0.91	52.7%	10.96	66.0%	593.20	57.30	149
LR-544-1&2	3.45	52.62	1,885.56	0.36	42.7%	1.47	36.7%	19.30	45.8%	863.36	68.85	62
LR-546	2.61	38.89	1,476.58	0.19	25.8%	0.67	22.0%	8.57	27.6%	407.70	48.26	285
LR-548	0.22	3.22	122.86	0.63	58.9%	0.13	50.5%	1.63	63.1%	77.57	44.60	357
LR-549A	1.19	14.78	854.61	1.33	74.6%	0.89	63.7%	9.42	79.9%	683.06	50.60	247
LR-549B	0.38	4.63	280.20	4.06	85.0%	0.33	70.0%	3.24	85.0%	238.17	32.22	759
LR-550	0.30	4.20	193.04	1.10	71.7%	0.22	61.3%	2.57	76.8%	148.32	28.90	848
LR-551	1.45	18.90	979.90	0.38	44.1%	0.64	37.8%	7.14	47.2%	462.54	33.73	702
LR-552	0.58	8.32	343.11	0.36	42.2%	0.24	36.2%	3.01	45.2%	155.13	21.63	983
LR-554-1&2	0.96	11.51	705.49	0.25	32.7%	0.31	28.0%	3.23	35.0%	247.15	26.07	911
LR-555	0.07	0.70	55.91	0.74	63.1%	0.04	54.0%	0.38	67.6%	37.82	23.98	954
LR-558	0.23	2.44	189.67	0.73	63.0%	0.15	53.9%	1.31	67.5%	127.94	35.54	640
LR-560 (option 1)	1.26	14.56	963.73	0.27	35.0%	0.44	30.0%	4.37	37.5%	361.55	38.69	535
LR-560 (option 2)	1.28	14.82	981.92	0.23	30.2%	0.39	25.8%	3.83	32.3%	317.28	37.47	576
LR-562	0.76	7.94	626.95	0.39	44.8%	0.34	38.4%	3.05	48.0%	300.93	43.64	387
LR-563	0.21	2.23	175.53	1.98	78.1%	0.17	66.8%	1.49	83.9%	147.27	35.95	628
LR-565-1&2	1.40	19.36	875.76	0.63	58.9%	0.82	50.5%	9.77	63.1%	552.92	52.55	219
LR-568	0.50	5.21	413.43	0.97	69.3%	0.35	59.3%	3.09	74.3%	307.25	32.21	760

Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%IC	%Turf	P (in)	Rv	Water Quality Volume (CF)	Treatment Volume (CF)	Treatment Volume Sum for Projects in Series*	% Water Quality Volume Treated
LR-572A	Lubber Run	8th Road North, near North Edison Street	Street Bioretention	3.57	29%	71%	1.00	0.43	5622.32	834.00		0.15
LR-572B	Lubber Run	8th Road North, near North Edison Street	Street Bioretention	0.78	56%	44%	1.00	0.63	1787.71	434.00		0.24
LR-575	Lubber Run	6th Street North between North Edison Street and North Emerson Street	Impervious Cover Removal	0.05	100%	0%	1.00	0.95	126.66	126.66		1.00
LR-577-1&2	Lubber Run	6th Street North and North George Mason Drive	Street Bioretention	0.65	56%	44%	1.00	0.63	1478.46	626.00		0.42
LR-578A-1&2	Lubber Run	North Albemarle Street and 7th Road North	Street Bioretention	3.49	46%	54%	1.00	0.56	7031.97	944.38		0.13
LR-578B	Lubber Run	7th Road North and North Albemarle Street	Street Bioretention	0.83	55%	45%	1.00	0.62	1858.18	454.13		0.24
LR-579A	Lubber Run	7th Road North and North Abingdon Street	Street Bioretention	0.34	45%	55%	1.00	0.55	676.96	157.38		0.23
LR-579B	Lubber Run	North Abingdon Street between 7th Road North and North Carlin Springs Road	Street Bioretention	0.31	100%	0%	1.00	0.95	1069.04	399.00		0.37
LR-579D	Lubber Run	North Abingdon Street at 7th Road North	Street Bioretention	0.78	60%	40%	1.00	0.66	1863.06	1398.00		0.75
LR-581-1&2	Lubber Run	4502 North Vermont Street near intersection of 7th Street North	Street Bioretention	0.58	42%	58%	1.00	0.53	1112.70	1299.75		1.17
LR-584	Lubber Run	Northwest corner of 7th Street North and North Tazwell Street	Street Bioretention	0.46	99%	1%	1.00	0.94	1578.60	698.75		0.44
LR-588	Lubber Run	Glenayr Apartments, 399 North Park Drive	Bioswale	1.05	36%	64%	1.00	0.48	1840.19	4037.00		2.19
LR-590-1&2	Lubber Run	231 and 237 North Park Drive	Street Bioretention	2.34	47%	53%	1.00	0.56	4783.08	1363.13		0.28
LR-592A-1&2	Lubber Run	2nd Street North and North Columbus Street	Street Bioretention	2.30	42%	58%	1.00	0.53	4396.58	1903.50		0.43
LR-592B	Lubber Run	Lubber Run Park and Amphitheatre, 2nd Street North and North Columbus Street	Street Bioretention	0.38	58%	42%	1.00	0.64	877.27	1062.00		1.21
LR-592C	Lubber Run	Lubber Run Park and Amphitheatre, 2nd Street North and North Columbus Street	Street Bioretention	0.51	55%	45%	1.00	0.62	1136.30	1104.00		0.97
LR-592D-1&2	Lubber Run	Lubber Run Park and Amphitheatre, 2nd Street North a	Bioswale	0.98	41%	59%	1.00	0.52	1850.23	511.48		0.28
LR-592F	Lubber Run	Lubber Run Park and Amphitheatre, 2nd Street North and North Columbus Street	Impervious Cover Removal	0.02	100%	0%	1.00	0.95	65.69	65.69		1.00
LR-593A-1&2	Lubber Run	North Park Drive and 1st Road North	Street Bioretention	0.60	66%	34%	1.00	0.70	1528.52	2127.00		1.39
LR-593B-1&2	Lubber Run	North Park Drive and 1st Road North	Street Bioretention	2.30	48%	52%	1.00	0.57	4762.27	909.75		0.19
LR-597A	Lubber Run	210 and 214 North Edison Street	Street Bioretention	0.88	48%	52%	1.00	0.57	1803.80	764.00		0.42
LR-597B (option 1)	Lubber Run	210 and 214 North Edison Street	Street Bioretention	1.00	59%	41%	1.00	0.65	2362.04	764.00		0.32
LR-597B (option 2)	Lubber Run	210 and 214 North Edison Street between 3rd Street and 2nd Street	Rain Garden	1.00	59%	41%	1.00	0.65	2362.04	2300.00		0.97
LR-598 (option 1)	Lubber Run	200 Block Greenbrier Street	Street Bioretention	0.63	56%	44%	1.00	0.63	1432.50	998.50		0.70
LR-603A-1&2	Lubber Run	328 and 329 North Edison Street	Street Bioretention	0.70	55%	45%	1.00	0.62	1567.19	764.75		0.49
LR-603B	Lubber Run	328 and 329 North Edison Street	Street Bioretention	0.67	55%	45%	1.00	0.62	1513.35	385.50		0.25
LR-605-1&2	Lubber Run	350-354 North Granada Street	Street Bioretention	2.66	33%	67%	1.00	0.46	4452.59	496.25		0.11

Site ID	Phosphorus Removal - VRRM				Phosphorus Removal - CSN				Impervious Area Acreage				Potential Utility or Site Constraints			
	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
LR-572A	0.22	2.15	2.5	5.38	0.80	8.02	2.5	20.05	1.05	5.23	2	10.46	Low	10	1.5	15
LR-572B	0.20	2.04	2.5	5.10	0.30	2.96	2.5	7.40	0.44	2.20	2	4.40	Low	10	1.5	15
LR-575	0.08	0.81	2.5	2.01	0.05	0.49	2.5	1.22	0.05	0.24	2	0.48	Low	10	1.5	15
LR-577-1&2	0.31	3.11	2.5	7.77	0.36	3.58	2.5	8.95	0.36	1.81	2	3.62	Medium	5	1.5	7.5
LR-578A-1&2	0.20	2.05	2.5	5.12	0.77	7.66	2.5	19.15	1.60	8.01	2	16.03	Medium	5	1.5	7.5
LR-578B	0.21	2.12	2.5	5.30	0.31	3.12	2.5	7.81	0.45	2.26	2	4.52	Medium	5	1.5	7.5
LR-579A	0.07	0.74	2.5	1.85	0.12	1.16	2.5	2.91	0.15	0.77	2	1.53	Medium	5	1.5	7.5
LR-579B	0.20	2.03	2.5	5.07	0.21	2.12	2.5	5.29	0.31	1.55	2	3.10	Medium	5	1.5	7.5
LR-579D	0.57	5.72	2.5	14.29	0.58	5.83	2.5	14.56	0.47	2.34	2	4.68	Medium	5	1.5	7.5
LR-581-1&2	0.38	3.85	2.5	9.61	0.40	4.05	2.5	10.12	0.24	1.22	2	2.44	Medium	5	1.5	7.5
LR-584	0.34	3.42	2.5	8.55	0.35	3.50	2.5	8.75	0.46	2.28	2	4.57	Medium	5	1.5	7.5
LR-588	0.47	4.68	2.5	11.71	0.75	7.53	2.5	18.82	0.38	1.89	2	3.78	Medium	5	1.5	7.5
LR-590-1&2	0.67	6.72	2.5	16.81	0.94	9.40	2.5	23.51	1.10	5.50	2	11.00	Medium	5	1.5	7.5
LR-592A-1&2	0.94	9.38	2.5	23.44	1.15	11.55	2.5	28.87	0.97	4.83	2	9.66	Medium	5	1.5	7.5
LR-592B	0.30	3.03	2.5	7.58	0.31	3.12	2.5	7.80	0.22	1.09	2	2.17	Medium	5	1.5	7.5
LR-592C	0.39	3.89	2.5	9.72	0.39	3.88	2.5	9.71	0.28	1.38	2	2.76	Medium	5	1.5	7.5
LR-592D-1&2	0.18	1.82	2.5	4.55	0.37	3.72	2.5	9.29	0.40	2.01	2	4.02	Medium	5	1.5	7.5
LR-592F	0.04	0.40	2.5	0.99	0.02	0.25	2.5	0.61	0.02	0.12	2	0.24	Medium	5	1.5	7.5
LR-593A-1&2	0.53	5.28	2.5	13.21	0.55	5.50	2.5	13.75	0.40	1.98	2	3.96	Medium	5	1.5	7.5
LR-593B-1&2	0.39	3.85	2.5	9.63	0.69	6.88	2.5	17.19	1.10	5.52	2	11.04	High	0	1.5	0
LR-597A	0.38	3.79	2.5	9.48	0.45	4.54	2.5	11.35	0.42	2.08	2	4.17	High	0	1.5	0
LR-597B (option 1)	0.38	3.84	2.5	9.60	0.48	4.76	2.5	11.89	0.59	2.95	2	5.90	Medium	5	1.5	7.5
LR-597B (option 2)	0.81	8.08	2.5	20.21	0.80	8.00	2.5	20.01	0.59	2.95	2	5.90	Medium	5	1.5	7.5
LR-598 (option 1)	0.42	4.20	2.5	10.49	0.44	4.41	2.5	11.02	0.35	1.76	2	3.52	High	0	1.5	0
LR-603A-1&2	0.36	3.62	2.5	9.05	0.41	4.13	2.5	10.32	0.38	1.90	2	3.81	High	0	1.5	0
LR-603B	0.18	1.84	2.5	4.61	0.26	2.62	2.5	6.56	0.37	1.84	2	3.68	Low	10	1.5	15
LR-605-1&2	0.05	0.50	2.5	1.26	0.47	4.72	2.5	11.80	0.88	4.39	2	8.78	High	0	1.5	0



Site ID	Property Ownership				Potential for Quick Implementation				Existing Drainage Problem/Hotspot				County Maintenance Burden			
	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
LR-572A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-572B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-575	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
LR-577-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-578A-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-578B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-579A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-579B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-579D	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-581-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-584	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-588	Street ROW	7	1.5	10.5	No	0	1	0	Yes	10	0.5	5	Medium	5	0.5	2.5
LR-590-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-592A-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-592B	Street ROW	7	1.5	10.5	No	0	1	0	Yes	10	0.5	5	High	0	0.5	0
LR-592C	Public	10	1.5	15	No	0	1	0	Yes	10	0.5	5	High	0	0.5	0
LR-592D-1&2	Public	10	1.5	15	No	0	1	0	Yes	10	0.5	5	High	0	0.5	0
LR-592F	Public	10	1.5	15	No	0	1	0	Yes	10	0.5	5	Low	10	0.5	5
LR-593A-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-593B-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-597A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-597B (option 1)	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-597B (option 2)	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
LR-598 (option 1)	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-603A-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-603B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-605-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0

Site ID	Educational Opportunity				Pollutant Removal - VRRM													
	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit <sup>1</sup>	Size-Adjusted N-Removal Credit	Size-Adjusted N Removal Credit <sup>1</sup>	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
LR-572A	Residential street w/ sidewalks	5	0.5	2.5	3.53	25.27	Street Bioretention	55%	64%	15%	6%	6%	7%	7%	0.22	1.79	43.84	291
LR-572B	Residential street w/ sidewalks	5	0.5	2.5	1.12	8.04	Street Bioretention	55%	64%	24%	18%	18%	21%	21%	0.20	1.70	37.50	490
LR-575	Street	0	0.5	0	0.10	0.75	Impervious Cover Removal	77%	64%	100%	77%	77%	64%	64%	0.08	0.48	33.00	658
LR-577-1&2	Residential street w/ sidewalks	5	0.5	2.5	0.93	6.65	Street Bioretention	55%	64%	42%	33%	33%	39%	39%	0.31	2.59	31.89	703
LR-578A-1&2	Residential street w/ sidewalks	5	0.5	2.5	4.42	31.61	Street Bioretention	55%	77%	13%	5%	5%	6%	6%	0.20	2.05	41.65	353
LR-578B	Residential street w/ sidewalks	5	0.5	2.5	1.17	8.35	Street Bioretention	55%	64%	24%	18%	18%	21%	21%	0.21	1.77	30.32	767
LR-579A	Residential Street w/ sidewalk	5	0.5	2.5	0.43	3.04	Street Bioretention	55%	64%	23%	17%	17%	20%	20%	0.07	0.61	23.88	938
LR-579B	Residential Street w/ sidewalk	5	0.5	2.5	0.67	4.81	Street Bioretention	55%	64%	37%	30%	30%	35%	35%	0.20	1.69	28.67	814
LR-579D	Residential Street w/ sidewalk	5	0.5	2.5	1.17	8.37	Street Bioretention	55%	64%	75%	49%	49%	57%	57%	0.57	4.76	39.47	420
LR-581-1&2	Residential street w/ sidewalk	5	0.5	2.5	0.70	5.00	Street Bioretention	55%	64%	117%	58%	55%	67%	64%	0.38	3.20	32.56	680
LR-584	Residential street w/ sidewalk	5	0.5	2.5	0.99	7.10	Street Bioretention	55%	64%	44%	35%	35%	40%	40%	0.34	2.85	33.62	637
LR-588	Street/sidewalk	5	0.5	2.5	1.16	8.27	Bioswale	41%	64%	219%	46%	41%	73%	64%	0.47	5.29	43.49	306
LR-590-1&2	Residential street w/ sidewalk	5	0.5	2.5	3.01	21.50	Street Bioretention	55%	64%	28%	22%	22%	26%	26%	0.67	5.60	48.30	209
LR-592A-1&2	Residential street w/ sidewalk	5	0.5	2.5	2.76	19.76	Street Bioretention	55%	44%	43%	34%	34%	27%	27%	0.94	5.37	53.60	137
LR-592B	Residential street w/ sidewalk	5	0.5	2.5	0.55	3.94	Street Bioretention	55%	64%	121%	58%	55%	68%	64%	0.30	2.52	35.25	572
LR-592C	County Amphitheatre	8	0.5	4	0.71	5.11	Street Bioretention	55%	64%	97%	54%	54%	63%	63%	0.39	3.24	43.99	289
LR-592D-1&2	County Amphitheatre	8	0.5	4	1.16	8.32	Bioswale	41%	64%	28%	16%	16%	25%	25%	0.18	2.06	40.08	400
LR-592F	County Amphitheatre	8	0.5	4	0.05	0.37	Impervious Cover Removal	77%	64%	100%	77%	77%	64%	64%	0.04	0.23	37.72	481
LR-593A-1&2	Residential street w/ sidewalk	5	0.5	2.5	0.96	6.87	Street Bioretention	55%	44%	139%	60%	55%	48%	44%	0.53	3.02	37.67	485
LR-593B-1&2	Residential street w/ sidewalk	5	0.5	2.5	2.99	21.41	Street Bioretention	55%	77%	19%	13%	13%	18%	18%	0.39	3.86	33.67	633
LR-597A	Residential street w/ sidewalks	5	0.5	2.5	1.13	8.11	Street Bioretention	55%	64%	42%	33%	33%	39%	39%	0.38	3.16	26.64	863
LR-597B (option 1)	Residential street w/ sidewalks	5	0.5	2.5	1.48	10.62	Street Bioretention	55%	64%	32%	26%	26%	30%	30%	0.38	3.20	36.00	546
LR-597B (option 2)	Park	8	0.5	4	1.48	10.62	Rain Garden	55%	64%	97%	54%	54%	63%	63%	0.81	6.73	65.11	53
LR-598 (option 1)	Residential street w/ sidewalks	5	0.5	2.5	0.90	6.44	Street Bioretention	55%	64%	70%	47%	47%	54%	54%	0.42	3.49	27.01	857
LR-603A-1&2	Residential street w/ sidewalks	5	0.5	2.5	0.98	7.04	Street Bioretention	55%	64%	49%	37%	37%	43%	43%	0.36	3.01	25.86	887
LR-603B	Residential street w/ sidewalks	5	0.5	2.5	0.95	6.80	Street Bioretention	55%	64%	25%	19%	19%	23%	23%	0.18	1.53	36.29	533
LR-605-1&2	Residential street w/ sidewalks	5	0.5	2.5	2.80	20.01	Street Bioretention	55%	64%	11%	2%	2%	2%	2%	0.05	0.42	23.04	954

Site ID	Pollutant Removal - CSN											Rank
	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	
LR-572A	2.73	43.06	1,408.41	0.22	29.4%	0.80	25.2%	10.83	31.5%	443.42	58.51	134
LR-572B	0.85	10.84	592.06	0.27	34.8%	0.30	29.8%	3.23	37.3%	220.59	39.80	499
LR-575	0.08	0.81	65.07	0.72	62.6%	0.05	53.5%	0.44	67.0%	43.61	32.21	762
LR-577-1&2	0.70	9.00	487.66	0.48	50.8%	0.36	43.6%	3.93	54.5%	265.62	33.07	722
LR-578A-1&2	3.37	46.00	2,159.16	0.16	22.7%	0.77	19.4%	8.92	24.4%	525.94	55.68	168
LR-578B	0.89	11.40	608.49	0.28	35.3%	0.31	30.2%	3.45	37.8%	229.83	32.83	735
LR-579A	0.32	4.46	206.11	0.28	35.9%	0.12	30.8%	1.37	38.4%	79.20	24.94	932
LR-579B	0.50	5.23	417.61	0.35	42.1%	0.21	36.2%	1.89	45.1%	188.55	28.89	849
LR-579D	0.89	11.03	630.45	0.82	65.7%	0.58	56.2%	6.20	70.5%	444.17	39.74	500
LR-581-1&2	0.53	7.52	329.34	1.46	75.7%	0.40	64.8%	4.87	81.2%	267.49	33.07	723
LR-584	0.74	7.75	615.23	0.42	47.2%	0.35	40.5%	3.14	50.6%	311.18	33.82	697
LR-588	0.89	13.14	509.21	2.94	84.8%	0.75	70.0%	9.20	85.0%	432.83	50.60	246
LR-590-1&2	2.29	31.03	1,481.56	0.34	41.1%	0.94	35.2%	10.93	44.0%	651.70	55.00	180
LR-592A-1&2	2.11	29.72	1,301.32	0.54	54.7%	1.15	46.9%	13.93	58.6%	762.29	59.03	127
LR-592B	0.42	5.27	292.86	1.35	74.7%	0.31	63.9%	3.37	80.1%	234.53	35.47	645
LR-592C	0.54	6.97	372.21	1.10	71.6%	0.39	61.2%	4.27	76.8%	285.82	43.97	372
LR-592D-1&2	0.89	12.62	542.08	0.35	41.8%	0.37	35.9%	4.52	44.8%	242.65	44.81	353
LR-592F	0.04	0.40	31.90	0.76	64.0%	0.02	54.7%	0.22	68.5%	21.87	37.35	582
LR-593A-1&2	0.73	8.73	533.46	1.48	75.9%	0.55	64.9%	5.67	81.3%	433.96	38.21	550
LR-593B-1&2	2.28	30.66	1,487.22	0.23	30.2%	0.69	25.8%	7.92	32.3%	480.74	41.23	446
LR-597A	0.86	11.65	561.34	0.51	52.6%	0.45	45.1%	5.25	56.3%	316.15	28.51	856
LR-597B (option 1)	1.12	14.08	794.80	0.36	42.3%	0.48	36.3%	5.11	45.3%	360.34	38.29	547
LR-597B (option 2)	1.12	14.08	794.80	1.07	71.2%	0.80	60.9%	8.57	76.3%	606.65	64.91	81
LR-598 (option 1)	0.68	8.70	473.51	0.78	64.6%	0.44	55.2%	4.81	69.2%	327.53	27.53	879
LR-603A-1&2	0.75	9.62	513.12	0.55	55.2%	0.41	47.3%	4.55	59.2%	303.56	27.12	888
LR-603B	0.72	9.29	495.47	0.29	36.4%	0.26	31.2%	2.90	39.0%	193.09	38.24	549
LR-605-1&2	2.15	32.77	1,182.77	0.16	21.9%	0.47	18.7%	6.12	23.5%	277.74	33.58	708

Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%IC	%Turf	P (in)	Rv	Water Quality Volume (CF)	Treatment Volume (CF)	Treatment Volume Sum for Projects in Series*	% Water Quality Volume Treated
LR-606	Lubber Run	390 and 385 North Granada Street	Street Bioretention	1.27	47%	53%	1.00	0.56	2605.00	716.50		0.28
LR-607A-1&2	Lubber Run	4th Street North and North Edison Street	Street Bioretention	2.51	46%	54%	1.00	0.56	5077.45	754.75		0.15
LR-607B	Lubber Run	North Edison Street at 4th Street North	Street Bioretention	0.75	48%	52%	1.00	0.57	1544.80	335.25		0.22
LR-608 (option 1)	Lubber Run	4th Street North located off North Edison Street	Street Bioretention	1.93	27%	73%	1.00	0.42	2904.55	655.50		0.23
LR-608 (option 2)	Lubber Run	4th Street North, off North Edison Street	Impervious Cover Removal	0.02	68%	32%	1.00	0.72	31.75	31.75		1.00
LR-613	Lubber Run	North Emerson Street south of 10th Street North	Impervious Cover Removal	0.03	100%	0%	1.00	0.95	90.54	90.54		1.00
LR-901	Lubber Run	Buckingham Village, at intersection of North Thomas Street and 4th Street North	Bioretention	1.1	60%	40%	1.00	0.66	2735.45	1388.81		0.51
LR-904	Lubber Run	Fire Station 8, 4845 Lee Highway	Bioretention	1.38	46%	54%	1.00	0.55	2772.73	1413.38		0.51
LR-905	Lubber Run	Langston High School, 4854 Lee Highway	Bioretention	0.49	91%	9%	1.00	0.89	1575.56	1543.00		0.98
LR-906	Lubber Run	Arlington Virginia Federal Credit Union, 2130 North Glebe Road	Bioretention	0.55	67%	33%	1.00	0.71	1415.72	902.50		0.64
LR-908	Lubber Run	2049 North Abingdon Street	Permeable Pavement	0.75	85%	15%	1.00	0.84	2269.45	3484.80		1.54
NB_142	Nauck Branch	Fire Station 9- Corner of 19th St. South and South Walter	Bioretention	0.43	63%	37%	1.00	0.68	1058.87	732.75		0.69
NB_147	Nauck Branch	2105 Filmore Street	Dry Swale	0.53	58%	42%	1.00	0.65	1244.73	1848.60		1.49
NB_151	Nauck Branch	Park at South Kenmore Street/ Shirlington Road	Bioretention	0.56	48%	52%	1.00	0.57	1162.69	2006.81		1.73
NB_153A	Nauck Branch	Drew Model Elementary School- 3500 23rd Street South	Outfall Stabilization	0.25	0%	100%	1.00	0.22	199.65	0.00		0.00
NB_153B	Nauck Branch	Drew Model Elementary School- 3500 23rd Street South	Dry Swale	2.03	0%	100%	1.00	0.22	1621.16	3291.60		2.03
NB_154	Nauck Branch	End of South Lincoln St. and additional grass area (2424	Bioretention	2.95	44%	56%	1.00	0.54	5774.24	928.80		0.16
NB_542	Nauck Branch	South Pollard St. & 18th St. South (1735 18th St. South)	Street Bioretention	0.62	45%	55%	1.00	0.55	1237.10	478.00		0.39
NB_544A-1&2	Nauck Branch	South Nelson St. near 18th St. South- 1727-1731 South	Street Bioretention	0.52	60%	40%	1.00	0.66	1236.74	979.60	979.60	0.79
NB_544B-1&2	Nauck Branch	18th St. South & South Nelson St. Opposite 3700 S. Nels	Street Bioretention	0.59	64%	36%	1.00	0.69	1478.14	1009.00	1009.00	0.68
NB_550	Nauck Branch	3001 18th Street South	Street Bioretention	1.64	43%	57%	1.00	0.53	3164.63	694.00		0.22
NB_551A	Nauck Branch	2909 18th Street South	Street Bioretention	0.61	62%	38%	1.00	0.67	1494.11	988.00		0.66
NB_551B	Nauck Branch	Across the street from 2909 18th Street South	Street Bioretention	0.65	62%	38%	1.00	0.67	1579.05	846.00		0.54
NB_563	Nauck Branch	Intersection of 22nd St. South & South Kenmore St. (34	Street Bioretention	3.50	32%	68%	1.00	0.46	5789.49	2497.25		0.43
PA_698	Palisades	3206 North Kenmore Street	Street Bioretention	1.05	45%	55%	1.00	0.55	2094.58	1414.00		0.68
PA_972	Palisades	#2525 24th Street North	Street Bioretention	0.47	70%	30%	1.00	0.73	1252.46	1262.80		1.01
PR_692A-1&2	Pimmit Run	4008 38th Place North	Street Bioretention	1.08	54%	46%	1.00	0.61	2399.43	907.00	907.00	0.38
PR_692B	Pimmit Run	The dead end of 38th Place North	Bioretention	1.89	72%	28%	1.00	0.75	5139.72	1728.00		0.34
PR_696	Pimmit Run	Across from 4121 N. Randolph St.	Street Bioretention	1.01	50%	50%	1.00	0.58	2131.54	272.20		0.13

Site ID	Phosphorus Removal - VRRM				Phosphorus Removal - CSN				Impervious Area Acreage				Potential Utility or Site Constraints			
	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
LR-606	0.35	3.48	2.5	8.71	0.50	4.99	2.5	12.49	0.60	3.00	2	5.99	Medium	5	1.5	7.5
LR-607A-1&2	0.19	1.95	2.5	4.86	0.60	6.03	2.5	15.07	1.16	5.80	2	11.60	High	0	1.5	0
LR-607B	0.15	1.48	2.5	3.70	0.25	2.47	2.5	6.19	0.36	1.78	2	3.57	Medium	5	1.5	7.5
LR-608 (option 1)	0.30	3.01	2.5	7.52	0.59	5.91	2.5	14.76	0.52	2.58	2	5.16	Medium	5	1.5	7.5
LR-608 (option 2)	0.02	0.23	2.5	0.58	0.01	0.14	2.5	0.35	0.01	0.06	2	0.13	Medium	5	1.5	7.5
LR-613	0.06	0.55	2.5	1.38	0.03	0.34	2.5	0.85	0.03	0.17	2	0.33	Medium	5	1.5	7.5
LR-901	0.65	6.53	2.5	16.32	0.72	7.21	2.5	18.02	0.69	3.44	2	6.87	Medium	5	1.5	7.5
LR-904	0.66	6.62	2.5	16.54	0.78	7.75	2.5	19.38	0.63	3.15	2	6.31	Low	10	1.5	15
LR-905	0.54	5.39	2.5	13.48	0.51	5.11	2.5	12.78	0.45	2.23	2	4.47	Low	10	1.5	15
LR-906	0.39	3.94	2.5	9.84	0.41	4.08	2.5	10.20	0.37	1.84	2	3.69	Medium	5	1.5	7.5
LR-908	0.84	8.38	2.5	20.94	0.81	8.15	2.5	20.37	0.63	3.16	2	6.32	Low	10	1.5	15
NB_142	0.31	3.10	2.5	7.76	0.32	3.19	2.5	7.98	0.27	1.35	2	2.70	Medium	5	1.5	7.5
NB_147	0.41	4.07	2.5	10.17	0.46	4.56	2.5	11.39	0.31	1.55	2	3.10	High	0	1.5	0
NB_151	0.40	4.02	2.5	10.04	0.44	4.35	2.5	10.88	0.27	1.35	2	2.70	Low	10	1.5	15
NB_153A	0.00	0.00	2.5	0.00	0.00	0.00	2.5	0.00	0.00	0.00	2	0.00	Low	10	1.5	15
NB_153B	0.53	5.30	2.5	13.24	0.00	0.00	2.5	0.00	0.00	0.00	2	0.00	Low	10	1.5	15
NB_154	0.34	3.44	2.5	8.61	0.75	7.48	2.5	18.70	1.29	6.45	2	12.90	High	0	1.5	0
NB_542	0.24	2.40	2.5	6.01	0.30	2.99	2.5	7.48	0.28	1.40	2	2.80	Low	10	1.5	15
NB_544A-1&2	0.39	3.88	2.5	9.71	0.39	3.94	2.5	9.86	0.31	1.55	2	3.10	High	0	1.5	0
NB_544B-1&2	0.43	4.30	2.5	10.76	0.44	4.41	2.5	11.03	0.38	1.90	2	3.80	Medium	5	1.5	7.5
NB_550	0.30	3.03	2.5	7.58	0.53	5.30	2.5	13.25	0.70	3.50	2	7.00	Medium	5	1.5	7.5
NB_551A	0.43	4.26	2.5	10.64	0.44	4.43	2.5	11.06	0.38	1.90	2	3.80	Medium	5	1.5	7.5
NB_551B	0.40	3.95	2.5	9.88	0.43	4.26	2.5	10.64	0.40	2.00	2	4.00	Medium	5	1.5	7.5
NB_563	1.23	12.35	2.5	30.87	1.62	16.24	2.5	40.60	1.13	5.65	2	11.30	High	0	1.5	0
PA_698	0.60	6.01	2.5	15.04	0.66	6.60	2.5	16.50	0.47	2.37	2	4.74	Medium	5	1.5	7.5
PA_972	0.43	4.33	2.5	10.82	0.42	4.20	2.5	10.50	0.33	1.66	2	3.31	High	0	1.5	0
PR_692A-1&2	0.46	4.55	2.5	11.39	0.55	5.48	2.5	13.69	0.58	2.90	2	5.80	Medium	5	1.5	7.5
PR_692B	0.87	8.72	2.5	21.80	1.01	10.11	2.5	25.27	1.37	6.85	2	13.70	Low	10	1.5	15
PR_696	0.04	0.43	2.5	1.08	0.22	2.16	2.5	5.40	0.50	2.50	2	5.00	Medium	5	1.5	7.5

Site ID	Property Ownership				Potential for Quick Implementation				Existing Drainage Problem/Hotspot				County Maintenance Burden			
	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
LR-606	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-607A-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-607B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-608 (option 1)	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-608 (option 2)	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
LR-613	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
LR-901	private	0	1.5	0	no	0	1	0	no	0	0.5	0	medium	5	0.5	2.5
LR-904	Public	10	1.5	15	Yes	10	1	10	Yes	10	0.5	5	Medium	5	0.5	2.5
LR-905	School	4	1.5	6	Yes	10	1	10	No	0	0.5	0	High	0	0.5	0
LR-906	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
LR-908	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
NB_142	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
NB_147	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
NB_151	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
NB_153A	School	4	1.5	6	No	0	1	0	Yes	10	0.5	5	Low	10	0.5	5
NB_153B	School	4	1.5	6	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
NB_154	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
NB_542	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
NB_544A-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
NB_544B-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
NB_550	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
NB_551A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
NB_551B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
NB_563	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
PA_698	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
PA_972	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
PR_692A-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
PR_692B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
PR_696	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0

Site ID	Educational Opportunity				Pollutant Removal - VRRM													
	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit <sup>1</sup>	Size-Adjusted N-Removal Credit	Size-Adjusted N Removal Credit <sup>1</sup>	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
LR-606	Residential street w/ sidewalks	5	0.5	2.5	1.64	11.71	Street Bioretention	55%	64%	28%	21%	21%	25%	25%	0.35	2.90	35.20	576
LR-607A-1&2	Residential street w/ sidewalks	5	0.5	2.5	3.19	22.82	Street Bioretention	55%	64%	15%	6%	6%	7%	7%	0.19	1.62	29.47	788
LR-607B	Residential street w/ sidewalks	5	0.5	2.5	0.97	6.94	Street Bioretention	55%	64%	22%	15%	15%	18%	18%	0.15	1.23	27.77	838
LR-608 (option 1)	Residential street w/ sidewalks	5	0.5	2.5	1.82	13.06	Street Bioretention	55%	64%	23%	16%	16%	19%	19%	0.30	2.50	33.18	651
LR-608 (option 2)	Residential street w/ sidewalks	5	0.5	2.5	0.03	0.21	Impervious Cover Removal	77%	64%	100%	77%	77%	64%	64%	0.02	0.14	23.70	941
LR-613	Residential street w/ sidewalks	5	0.5	2.5	0.07	0.51	Impervious Cover Removal	77%	64%	100%	77%	77%	64%	64%	0.06	0.33	27.22	845
LR-901	Residential streets with Sidewalks	5	0.5	2.5	1.72	12.30	Bioretention	55%	77%	51%	38%	38%	53%	53%	0.65	6.54	35.69	553
LR-904	Fire Station	8	0.5	4	1.74	12.46	Bioretention	55%	77%	51%	38%	38%	53%	53%	0.66	6.63	74.35	28
LR-905	School	10	0.5	5	0.99	7.08	Bioretention	55%	64%	98%	54%	54%	63%	63%	0.54	4.49	53.95	131
LR-906	Bank	0	0.5	0	0.89	6.36	Bioretention	55%	64%	64%	44%	44%	52%	52%	0.39	3.28	23.53	947
LR-908	Residential street with sidewalks	5	0.5	2.5	1.43	10.20	Permeable Pavement	59%	64%	154%	65%	59%	70%	64%	0.84	6.53	55.26	115
NB_142	Grassy lot by Fire Department	5	0.5	2.5	0.67	4.76	Bioretention	55%	64%	69%	47%	47%	54%	54%	0.31	2.58	37.96	469
NB_147	Residential Streets with sidewalks	5	0.5	2.5	0.78	5.59	Dry Swale	52%	59%	149%	57%	52%	64%	59%	0.41	3.29	33.27	649
NB_151	Park	8	0.5	4	0.73	5.23	Bioretention	55%	64%	173%	61%	55%	71%	64%	0.40	3.34	49.24	196
NB_153A	School	10	0.5	5	0.13	0.90	Outfall Stabilization	0%	55%	0%	0%	0%	0%	0.00	0.00	36.00	547	
NB_153B	School	10	0.5	5	1.02	7.29	Dry Swale	52%	64%	203%	59%	52%	73%	64%	0.53	4.66	41.74	351
NB_154	Street with sidewalk/ next to school	8	0.5	4	3.63	25.95	Bioretention	55%	0%	16%	9%	9%	0%	0%	0.34	0.00	38.51	454
NB_542	Street with sidewalk	5	0.5	2.5	0.78	5.56	Street Bioretention	55%	55%	39%	31%	31%	31%	31%	0.24	1.72	36.81	511
NB_544A-1&2	Street with sidewalk	5	0.5	2.5	0.78	5.56	Street Bioretention	55%	64%	79%	50%	50%	58%	58%	0.39	3.23	25.81	888
NB_544B-1&2	Street with sidewalk	5	0.5	2.5	0.93	6.64	Street Bioretention	55%	64%	68%	46%	46%	54%	54%	0.43	3.58	35.06	583
NB_550	Street with Sidewalk	5	0.5	2.5	1.99	14.22	Street Bioretention	55%	64%	22%	15%	15%	18%	18%	0.30	2.52	35.08	581
NB_551A	street with sidewalk	5	0.5	2.5	0.94	6.72	Street Bioretention	55%	64%	66%	45%	45%	53%	53%	0.43	3.54	34.94	586
NB_551B	street with sidewalk	5	0.5	2.5	0.99	7.10	Street Bioretention	55%	64%	54%	40%	40%	46%	46%	0.40	3.29	34.38	607
NB_563	Street with sidewalk	5	0.5	2.5	3.64	26.02	Street Bioretention	55%	64%	43%	34%	34%	39%	39%	1.23	10.28	55.17	116
PA_698		0	0.5	0	1.32	9.41	Street Bioretention	55%	64%	68%	46%	46%	53%	53%	0.60	5.01	37.78	478
PA_972		5	0.5	2.5	0.79	5.63	Street Bioretention	55%	64%	101%	55%	55%	64%	64%	0.43	3.60	27.13	850
PR_692A-1&2	Street with sidewalk	5	0.5	2.5	1.51	10.78	Street Bioretention	55%	64%	38%	30%	30%	35%	35%	0.46	3.79	37.69	484
PR_692B	Dead end of street	0	0.5	0	3.23	23.10	Bioretention	55%	64%	34%	27%	27%	31%	31%	0.87	7.26	63.50	64
PR_696	Street with sidewalk	5	0.5	2.5	1.34	9.58	Street Bioretention	55%	64%	13%	3%	3%	4%	4%	0.04	0.36	26.58	866

Site ID	Pollutant Removal - CSN											Rank
	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	
LR-606	1.25	16.90	807.06	0.33	40.0%	0.50	34.4%	5.81	42.9%	346.21	38.98	525
LR-607A-1&2	2.43	33.14	1,562.93	0.18	24.8%	0.60	21.2%	7.01	26.5%	414.87	39.67	502
LR-607B	0.74	9.98	480.79	0.26	33.5%	0.25	28.7%	2.86	35.9%	172.38	30.26	805
LR-608 (option 1)	1.41	22.89	694.84	0.35	41.8%	0.59	35.9%	8.21	44.8%	310.99	40.42	474
LR-608 (option 2)	0.02	0.27	16.84	0.70	61.7%	0.01	52.8%	0.14	66.1%	11.14	23.47	962
LR-613	0.05	0.56	44.72	0.75	63.5%	0.03	54.4%	0.30	68.1%	30.45	26.69	898
LR-901	1.30	16.20	925.67	0.56	55.4%	0.72	47.5%	7.69	59.4%	549.53	37.39	581
LR-904	1.33	18.17	849.76	0.62	58.3%	0.78	50.0%	9.08	62.5%	531.12	77.18	36
LR-905	0.74	7.97	602.03	0.95	68.9%	0.51	58.9%	4.69	73.8%	444.57	53.25	209
LR-906	0.67	8.04	496.41	0.67	60.8%	0.41	52.0%	4.18	65.1%	323.21	23.88	956
LR-908	1.07	11.80	850.98	1.52	76.2%	0.81	65.1%	7.69	81.7%	694.99	54.69	187
NB_142	0.50	6.16	363.72	0.75	63.4%	0.32	54.3%	3.35	68.0%	247.19	38.18	553
NB_147	0.59	7.44	417.61	1.64	76.9%	0.46	65.8%	4.90	82.5%	344.60	34.49	674
NB_151	0.56	7.47	363.72	2.05	78.2%	0.44	66.9%	5.00	84.0%	305.65	50.08	258
NB_153A	0.10	2.52	0.00	0.00	0.0%	0.00	0.0%	0.00	0.0%	0.00	36.00	625
NB_153B	0.83	20.44	0.00	0.00	0.0%	0.00	0.0%	0.00	0.0%	0.00	28.50	857
NB_154	2.77	38.47	1,737.78	0.20	27.0%	0.75	23.1%	8.88	28.9%	502.71	48.60	279
NB_542	0.59	8.14	377.19	0.47	50.5%	0.30	43.3%	3.53	54.1%	203.91	38.28	548
NB_544A-1&2	0.59	7.34	417.61	0.87	67.0%	0.39	57.3%	4.21	71.8%	299.95	25.96	917
NB_544B-1&2	0.70	8.52	511.91	0.73	62.9%	0.44	53.8%	4.59	67.4%	344.87	35.33	652
NB_550	1.52	21.27	942.98	0.27	34.9%	0.53	29.9%	6.36	37.4%	352.41	40.75	465
NB_551A	0.71	8.72	511.91	0.72	62.3%	0.44	53.4%	4.65	66.8%	341.91	35.36	651
NB_551B	0.75	9.26	538.85	0.58	56.7%	0.43	48.6%	4.50	60.8%	327.40	35.14	660
NB_563	2.80	42.92	1,522.25	0.61	57.9%	1.62	49.6%	21.31	62.1%	945.16	64.90	83
PA_698	1.00	13.79	638.53	0.82	65.7%	0.66	56.2%	7.75	70.4%	449.65	39.24	522
PA_972	0.59	6.98	445.90	1.05	70.8%	0.42	60.5%	4.23	75.9%	338.48	26.81	895
PR_692A-1&2	1.14	14.81	781.33	0.43	47.9%	0.55	41.1%	6.08	51.3%	400.61	39.99	491
PR_692B	2.43	28.33	1,845.55	0.35	41.6%	1.01	35.7%	10.11	44.5%	821.74	66.97	70
PR_696	1.02	13.57	673.56	0.15	21.2%	0.22	18.1%	2.45	22.7%	152.98	30.90	794



Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%IC	%Turf	P (in)	Rv	Water Quality Volume (CF)	Treatment Volume (CF)	Treatment Volume Sum for Projects in Series*	% Water Quality Volume Treated
RB_699	Rixey Branch	North Quebec Street and North Randolph Street	Street Bioretention	1.78	29%	71%	1.00	0.43	2778.07	562.00		0.20
RB_700	Rixey Branch	Across from house 2756 North Randolph Street	Street Bioretention	4.53	22%	79%	1.00	0.38	6198.53	1215.20		0.20
RB_702A	Rixey Branch	Near house 3835 26th Street North	Street Bioretention	2.20	43%	58%	1.00	0.53	4234.58	1101.60		0.26
RB_702B	Rixey Branch	Near house 3835 26th Street North	Street Bioretention	2.70	33%	67%	1.00	0.46	4493.67	1002.20		0.22
RB_703	Rixey Branch	Near house 2620 North Randolph Street	Street Bioretention	2.35	27%	73%	1.00	0.42	3580.49	1840.00		0.51
RB_704A	Rixey Branch	Near house 4024 26th Street North	Street Bioretention	1.00	53%	48%	1.00	0.60	2189.80	669.00		0.31
RB_704B	Rixey Branch	Near house 4024 26th Street North	Street Bioretention	1.05	57%	43%	1.00	0.64	2425.89	2514.00		1.04
RB_705	Rixey Branch	Near house 2607 Marcey Road	Street Bioretention	0.52	56%	44%	1.00	0.63	1186.37	1181.20		1.00
RB_707B	Rixey Branch	Near house 2605 Military Road	Street Bioretention	0.28	59%	41%	1.00	0.65	658.18	1059.00		1.61
RB_707C	Rixey Branch	Near house 2605 Military Road	Street Bioretention	0.93	51%	49%	1.00	0.60	2009.40	554.00		0.28
RB_707D	Rixey Branch	Near house 2605 Military Road	Street Bioretention	1.13	46%	54%	1.00	0.55	2275.05	290.00		0.13
RB_966	Rixey Branch	25th Place N. & Military Road	Street Bioretention	2.05	42%	58%	1.00	0.53	3918.69	623.60		0.16
RB_967A	Rixey Branch	27th St N. - between 4125-4130	Street Bioretention	0.98	44%	56%	1.00	0.54	1925.26	1351.25		0.70
RB_967B	Rixey Branch	27th St N. - between 4125-4130	Street Bioretention	0.67	58%	42%	1.00	0.64	1564.81	633.00		0.40
RB_969	Rixey Branch	N Randolph Street & 27th St. N- on Randolph	Street Bioretention	0.68	59%	41%	1.00	0.65	1606.19	1414.00		0.88
RB_970	Rixey Branch	North Radford Cul-de-sac	Street Bioretention	0.73	84%	16%	1.00	0.83	2207.90	1132.50		0.51
RB_971	Rixey Branch	N. Randolph Rd- near Potomac Overlook Park	Street Bioretention	1.01	34%	66%	1.00	0.47	1716.56	1414.00		0.82
RO_777	Rosslyn	1777 North Kent Street (North Kent and 19th Street North)	Street Bioretention	0.38	98%	2%	1.00	0.94	1291.88	726.00		0.56
RO_780	Rosslyn	1911 Fort Meyer Drive	Street Bioretention	0.52	93%	7%	1.00	0.90	1697.82	2190.00		1.29
RO_783A	Rosslyn	North Ft. Meyer Drive Just south of Key Bridge	Bioretention	0.27	99%	1%	1.00	0.94	923.15	3910.50		4.24
RO_783B	Rosslyn	North Ft. Meyer Drive Just south of Key Bridge	Dry Swale	2.07	39%	61%	1.00	0.51	3799.52	2900.20		0.76
ROC_239A	Rocky Run	Between 14th Street North 15th Street North to the west of North Courthouse Road	Bioretention	0.29	100%	0%	1.00	0.95	1000.07	892.70		0.89
ROC_239D	Rocky Run	Between 14th Street North 15th Street North to the west of North Courthouse Road	Bioretention	0.41	100%	0%	1.00	0.95	1413.89	2740.50		1.94
ROC_240	Rocky Run	1202 North Danville Street	Permeable Pavement	0.52	92%	8%	1.00	0.89	1676.62	450.00		0.27
ROC_242-1&2	Rocky Run	10th Street North and North Wayne Street	Bioretention	0.61	88%	12%	1.00	0.86	1904.84	1135.08		0.60
ROC_719	Rocky Run	1202 North Danville Street	Street Bioretention	0.29	91%	9%	1.00	0.88	931.17	1558.20		1.67
ROC_721A	Rocky Run	Near 2542 Fairfax Drive	Street Bioretention	1.24	44%	56%	1.00	0.54	2423.86	547.00		0.23
ROC_721B	Rocky Run	Near 2542 Fairfax Drive	Street Bioretention	0.27	74%	26%	1.00	0.76	748.25	1114.00		1.49
ROC_722	Rocky Run	Near 1227 North Cleveland	Street Bioretention	0.57	70%	30%	1.00	0.73	1512.51	330.00		0.22
ROC_737	Rocky Run	Across from 1416 North Taft Street	Street Bioretention	1.15	90%	10%	1.00	0.88	3653.09	434.00		0.12
ROC_745	Rocky Run	1811 18th Street North	Street Bioretention	0.35	84%	16%	1.00	0.83	1055.93	390.00		0.37
ROC_746	Rocky Run	1630 North Rhodes Street	Street Bioretention	0.38	82%	18%	1.00	0.82	1132.89	1184.00		1.05
ROC_964	Rocky Run	Franklin Road and North Edgewood Street	Bioretention	0.27	54%	46%	1.00	0.61	606.06	1285.40		2.12
ROC_980	Rocky Run	North Danville and 11th Street North	Bioretention	1.00	11%	90%	1.00	0.30	1076.84	897.10		0.83
RR_202	Roaches Run	RiverHouse Apartments; 1400 South Joyce Street	Bioretention	1.72	45%	55%	1.00	0.55	3440.51	489.00		0.14

Site ID	Phosphorus Removal - VRRM				Phosphorus Removal - CSN				Impervious Area Acreage				Potential Utility or Site Constraints			
	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
RB_699	0.25	2.48	2.5	6.20	0.51	5.08	2.5	12.70	0.51	2.56	2	5.12	Medium	5	1.5	7.5
RB_700	0.50	5.02	2.5	12.54	1.25	12.52	2.5	31.30	0.97	4.87	2	9.74	Medium	5	1.5	7.5
RB_702A	0.54	5.41	2.5	13.53	0.81	8.06	2.5	20.14	0.94	4.68	2	9.35	Medium	5	1.5	7.5
RB_702B	0.47	4.66	2.5	11.64	0.84	8.39	2.5	20.98	0.88	4.41	2	8.82	Medium	5	1.5	7.5
RB_703	0.87	8.66	2.5	21.64	1.13	11.27	2.5	28.18	0.64	3.21	2	6.43	Medium	5	1.5	7.5
RB_704A	0.33	3.31	2.5	8.27	0.44	4.37	2.5	10.94	0.53	2.63	2	5.25	Medium	5	1.5	7.5
RB_704B	0.84	8.38	2.5	20.96	0.84	8.37	2.5	20.93	0.60	3.00	2	5.99	Medium	5	1.5	7.5
RB_705	0.41	4.08	2.5	10.20	0.41	4.07	2.5	10.16	0.29	1.45	2	2.91	Medium	5	1.5	7.5
RB_707B	0.23	2.27	2.5	5.69	0.24	2.43	2.5	6.07	0.16	0.82	2	1.64	Medium	5	1.5	7.5
RB_707C	0.27	2.69	2.5	6.72	0.38	3.76	2.5	9.39	0.48	2.39	2	4.78	Medium	5	1.5	7.5
RB_707D	0.05	0.46	2.5	1.16	0.24	2.37	2.5	5.92	0.52	2.59	2	5.18	Medium	5	1.5	7.5
RB_966	0.20	2.01	2.5	5.04	0.51	5.11	2.5	12.77	0.86	4.31	2	8.61	Medium	5	1.5	7.5
RB_967A	0.57	5.68	2.5	14.21	0.62	6.17	2.5	15.43	0.43	2.16	2	4.31	Low	10	1.5	15
RB_967B	0.32	3.17	2.5	7.94	0.37	3.65	2.5	9.14	0.39	1.94	2	3.89	High	0	1.5	0
RB_969	0.53	5.29	2.5	13.22	0.53	5.30	2.5	13.24	0.40	2.01	2	4.01	Medium	5	1.5	7.5
RB_970	0.53	5.34	2.5	13.35	0.55	5.50	2.5	13.74	0.61	3.07	2	6.13	Medium	5	1.5	7.5
RB_971	0.55	5.47	2.5	13.66	0.60	5.99	2.5	14.97	0.34	1.72	2	3.43	Medium	5	1.5	7.5
RO_777	0.34	3.36	2.5	8.41	0.33	3.30	2.5	8.24	0.37	1.87	2	3.73	High	0	1.5	0
RO_780	0.59	5.87	2.5	14.67	0.59	5.88	2.5	14.71	0.48	2.42	2	4.84	Medium	5	1.5	7.5
RO_783A	0.32	3.19	2.5	7.98	0.37	3.69	2.5	9.22	0.27	1.34	2	2.67	Medium	5	1.5	7.5
RO_783B	1.11	11.11	2.5	27.77	1.27	12.73	2.5	31.84	0.81	4.05	2	8.10	Low	10	1.5	15
ROC_239A	0.33	3.31	2.5	8.27	0.31	3.12	2.5	7.80	0.29	1.45	2	2.90	Medium	5	1.5	7.5
ROC_239D	0.49	4.89	2.5	12.21	0.52	5.17	2.5	12.92	0.41	2.05	2	4.10	Medium	5	1.5	7.5
ROC_240	0.23	2.29	2.5	5.72	0.27	2.65	2.5	6.64	0.48	2.38	2	4.76	High	0	1.5	0
ROC_242-1&2	0.51	5.11	2.5	12.78	0.51	5.10	2.5	12.74	0.53	2.67	2	5.35	Medium	5	1.5	7.5
ROC_719	0.32	3.22	2.5	8.04	0.34	3.37	2.5	8.42	0.26	1.32	2	2.64	High	0	1.5	0
ROC_721A	0.25	2.51	2.5	6.28	0.41	4.12	2.5	10.29	0.54	2.71	2	5.41	Medium	5	1.5	7.5
ROC_721B	0.26	2.59	2.5	6.46	0.27	2.70	2.5	6.74	0.20	1.01	2	2.01	Medium	5	1.5	7.5
ROC_722	0.14	1.45	2.5	3.62	0.22	2.17	2.5	5.42	0.40	2.00	2	3.99	Medium	5	1.5	7.5
ROC_737	0.04	0.41	2.5	1.04	0.29	2.88	2.5	7.20	1.03	5.16	2	10.32	Medium	5	1.5	7.5
ROC_745	0.20	1.95	2.5	4.88	0.21	2.15	2.5	5.37	0.29	1.47	2	2.93	Medium	5	1.5	7.5
ROC_746	0.39	3.91	2.5	9.79	0.38	3.78	2.5	9.44	0.31	1.57	2	3.13	Medium	5	1.5	7.5
ROC_964	0.21	2.09	2.5	5.24	0.23	2.27	2.5	5.68	0.15	0.73	2	1.47	Medium	5	1.5	7.5
ROC_980	0.34	3.44	2.5	8.61	0.42	4.22	2.5	10.54	0.11	0.53	2	1.05	Medium	5	1.5	7.5
RR_202	0.13	1.32	2.5	3.30	0.40	3.96	2.5	9.89	0.78	3.90	2	7.80	Medium	5	1.5	7.5

Site ID	Property Ownership				Potential for Quick Implementation				Existing Drainage Problem/Hotspot				County Maintenance Burden			
	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
RB_699	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
RB_700	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
RB_702A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
RB_702B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
RB_703	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
RB_704A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
RB_704B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
RB_705	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
RB_707B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
RB_707C	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
RB_707D	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
RB_966	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
RB_967A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
RB_967B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
RB_969	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
RB_970	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
RB_971	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
RO_777	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
RO_780	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
RO_783A	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	High	0	0.5	0
RO_783B	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
ROC_239A	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
ROC_239D	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
ROC_240	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	High	0	0.5	0
ROC_242-1&2	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
ROC_719	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
ROC_721A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
ROC_721B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
ROC_722	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
ROC_737	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
ROC_745	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
ROC_746	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
ROC_964	Street ROW	7	1.5	10.5	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
ROC_980	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
RR_202	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5

Site ID	Educational Opportunity				Pollutant Removal - VRRM													
	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit <sup>1</sup>	Size-Adjusted N Removal Credit	Size-Adjusted N Removal Credit <sup>1</sup>	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
RB_699		5	0.5	2.5	1.75	12.49	Street Bioretention	55%	64%	20%	14%	14%	17%	17%	0.25	2.07	31.82	708
RB_700		5	0.5	2.5	3.89	27.86	Street Bioretention	55%	64%	20%	13%	13%	15%	15%	0.50	4.18	42.78	322
RB_702A		5	0.5	2.5	2.66	19.03	Street Bioretention	55%	64%	26%	20%	20%	24%	24%	0.54	4.51	43.38	312
RB_702B		5	0.5	2.5	2.82	20.20	Street Bioretention	55%	64%	22%	16%	16%	19%	19%	0.47	3.88	40.96	370
RB_703		5	0.5	2.5	2.25	16.09	Street Bioretention	55%	64%	51%	38%	38%	45%	45%	0.87	7.21	48.57	206
RB_704A		5	0.5	2.5	1.38	9.84	Street Bioretention	55%	64%	31%	24%	24%	28%	28%	0.33	2.75	34.02	620
RB_704B		5	0.5	2.5	1.52	10.90	Street Bioretention	55%	64%	104%	56%	55%	65%	64%	0.84	6.98	47.45	225
RB_705		5	0.5	2.5	0.75	5.33	Street Bioretention	55%	64%	100%	55%	55%	64%	64%	0.41	3.40	33.61	638
RB_707B		5	0.5	2.5	0.41	2.96	Street Bioretention	55%	64%	161%	61%	55%	71%	64%	0.23	1.89	27.83	834
RB_707C		5	0.5	2.5	1.26	9.03	Street Bioretention	55%	64%	28%	21%	21%	25%	25%	0.27	2.24	32.00	696
RB_707D		5	0.5	2.5	1.43	10.23	Street Bioretention	55%	64%	13%	3%	3%	4%	4%	0.05	0.38	26.84	860
RB_966	Residential street with sidewalks	5	0.5	2.5	2.46	17.61	Street Bioretention	55%	64%	16%	8%	8%	10%	10%	0.20	1.68	34.15	615
RB_967A	Residential street with sidewalks	5	0.5	2.5	1.21	8.65	Street Bioretention	55%	64%	70%	47%	47%	55%	55%	0.57	4.73	46.52	242
RB_967B	Residential street with sidewalks	5	0.5	2.5	0.98	7.03	Street Bioretention	55%	64%	40%	32%	32%	38%	38%	0.32	2.64	24.82	915
RB_969	Residential street with sidewalks	5	0.5	2.5	1.01	7.22	Street Bioretention	55%	64%	88%	52%	52%	61%	61%	0.53	4.40	37.73	480
RB_970	Residential street with sidewalks	5	0.5	2.5	1.39	9.92	Street Bioretention	55%	64%	51%	38%	38%	45%	45%	0.53	4.44	39.98	402
RB_971	Park	8	0.5	4	1.08	7.72	Street Bioretention	55%	64%	82%	51%	51%	59%	59%	0.55	4.55	39.10	433
RO_777		0	0.5	0	0.81	5.81	Street Bioretention	55%	64%	56%	41%	41%	48%	48%	0.34	2.80	22.64	960
RO_780		0	0.5	0	1.07	7.63	Street Bioretention	55%	64%	129%	59%	55%	69%	64%	0.59	4.88	37.51	487
RO_783A		0	0.5	0	0.58	4.15	Bioretention	55%	64%	424%	63%	55%	74%	64%	0.32	2.66	33.15	652
RO_783B		0	0.5	0	2.39	17.08	Dry Swale	52%	64%	76%	47%	47%	57%	57%	1.11	9.78	78.37	26
ROC_239A	There is a lot of foot traffic through the parking lot	0	0.5	0	0.63	4.50	Bioretention	55%	64%	89%	53%	53%	61%	61%	0.33	2.75	36.17	536
ROC_239D	There is a lot of foot traffic through the parking lot	0	0.5	0	0.89	6.36	Bioretention	55%	55%	194%	62%	55%	62%	55%	0.49	3.50	41.31	362
ROC_240		0	0.5	0	1.05	7.54	Permeable Pavement	59%	64%	27%	22%	22%	24%	24%	0.23	1.78	10.48	1026
ROC_242-1&2		0	0.5	0	1.20	8.56	Bioretention	55%	64%	60%	43%	43%	50%	50%	0.51	4.26	28.13	825
ROC_719		5	0.5	2.5	0.59	4.19	Street Bioretention	55%	59%	167%	61%	55%	65%	59%	0.32	2.46	23.68	942
ROC_721A		0	0.5	0	1.52	10.89	Street Bioretention	55%	64%	23%	16%	16%	19%	19%	0.25	2.09	29.69	785
ROC_721B		5	0.5	2.5	0.47	3.36	Street Bioretention	55%	64%	149%	60%	55%	70%	64%	0.26	2.15	28.97	805
ROC_722		0	0.5	0	0.95	6.80	Street Bioretention	55%	64%	22%	15%	15%	18%	18%	0.14	1.21	25.61	895
ROC_737		0	0.5	0	2.30	16.42	Street Bioretention	55%	64%	12%	2%	2%	2%	2%	0.04	0.34	29.36	794
ROC_745		0	0.5	0	0.66	4.75	Street Bioretention	55%	64%	37%	29%	29%	34%	34%	0.20	1.63	25.81	889
ROC_746		0	0.5	0	0.71	5.09	Street Bioretention	55%	64%	105%	56%	55%	65%	64%	0.39	3.26	30.92	740
ROC_964	In the center median	0	0.5	0	0.38	2.72	Bioretention	55%	64%	212%	63%	55%	73%	64%	0.21	1.74	37.20	496
ROC_980	In a park	8	0.5	4	0.68	4.84	Bioretention	55%	64%	83%	51%	51%	59%	59%	0.34	2.87	48.66	204
RR_202	Multi family, near parking lot, near sidewalks/pathways	5	0.5	2.5	2.16	15.46	Bioretention	55%	64%	14%	6%	6%	7%	7%	0.13	1.10	23.60	944

Site ID	Pollutant Removal - CSN											Rank
	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	
RB_699	1.35	21.40	689.63	0.30	37.6%	0.51	32.3%	6.91	40.3%	278.13	38.32	546
RB_700	3.04	52.23	1,312.03	0.34	41.2%	1.25	35.4%	18.49	44.2%	579.80	61.54	106
RB_702A	2.03	28.50	1,259.56	0.32	39.6%	0.81	34.0%	9.69	42.4%	534.60	49.99	261
RB_702B	2.17	33.18	1,188.28	0.31	38.6%	0.84	33.1%	10.99	41.4%	491.37	50.30	254
RB_703	1.74	28.03	866.14	0.79	64.7%	1.13	55.4%	15.52	69.4%	600.78	55.11	177
RB_704A	1.05	13.63	707.24	0.35	41.9%	0.44	35.9%	4.90	44.8%	317.13	36.69	605
RB_704B	1.16	14.64	806.96	1.16	72.5%	0.84	61.9%	9.07	77.7%	626.80	47.42	303
RB_705	0.57	7.21	392.00	1.12	71.9%	0.41	61.5%	4.43	77.1%	302.16	33.57	709
RB_707B	0.31	3.93	220.92	1.78	77.6%	0.24	66.4%	2.61	83.2%	183.87	28.21	865
RB_707C	0.96	12.61	643.95	0.32	39.2%	0.38	33.6%	4.24	41.9%	270.12	34.67	666
RB_707D	1.09	14.90	697.80	0.15	21.7%	0.24	18.5%	2.76	23.3%	162.48	31.60	777
RB_966	1.88	26.49	1,159.87	0.20	27.1%	0.51	23.2%	6.15	29.1%	337.20	41.88	426
RB_967A	0.92	12.80	580.88	0.86	66.8%	0.62	57.2%	7.31	71.6%	416.06	47.74	296
RB_967B	0.74	9.39	523.49	0.45	49.1%	0.37	42.1%	3.95	52.6%	275.20	26.02	914
RB_969	0.76	9.57	540.46	0.97	69.3%	0.53	59.3%	5.67	74.3%	401.51	37.76	564
RB_970	1.04	11.51	826.05	0.51	52.8%	0.55	45.3%	5.21	56.5%	467.13	40.37	478
RB_971	0.83	12.50	462.60	1.13	72.2%	0.60	61.7%	7.71	77.3%	357.77	40.40	477
RO_777	0.61	6.36	502.48	0.54	54.3%	0.33	46.6%	2.96	58.2%	292.42	22.47	974
RO_780	0.80	8.52	652.01	1.25	73.6%	0.59	62.9%	5.36	78.9%	514.61	37.55	575
RO_783A	0.43	4.53	359.68	4.03	85.0%	0.37	70.0%	3.17	85.0%	305.73	34.39	675
RO_783B	1.83	26.34	1,091.17	0.99	69.6%	1.27	59.5%	15.68	74.6%	814.27	82.44	27
ROC_239A	0.47	4.89	390.66	0.85	66.4%	0.31	56.8%	2.78	71.2%	278.13	35.70	635
ROC_239D	0.66	6.91	552.32	1.84	77.8%	0.52	66.5%	4.60	83.5%	461.08	42.02	425
ROC_240	0.79	8.47	641.23	0.26	33.6%	0.27	28.8%	2.44	36.0%	231.05	11.40	1025
ROC_242-1&2	0.90	9.78	720.71	0.58	56.8%	0.51	48.7%	4.76	60.9%	438.59	28.09	869
ROC_719	0.44	4.71	355.64	1.63	76.8%	0.34	65.7%	3.10	82.4%	293.10	24.06	951
ROC_721A	1.16	16.16	728.79	0.28	35.4%	0.41	30.4%	4.91	37.9%	276.45	33.70	703
ROC_721B	0.35	4.08	270.77	1.53	76.2%	0.27	65.2%	2.66	81.7%	221.29	29.25	839
ROC_722	0.72	8.45	537.50	0.23	30.3%	0.22	25.9%	2.19	32.4%	174.26	27.41	883
ROC_737	1.72	18.59	1,390.23	0.12	16.7%	0.29	14.2%	2.63	17.9%	249.38	35.52	642
ROC_745	0.50	5.51	394.71	0.37	43.1%	0.21	37.0%	2.04	46.2%	182.33	26.30	903
ROC_746	0.53	5.95	421.65	1.04	70.7%	0.38	60.4%	3.60	75.7%	319.37	30.57	799
ROC_964	0.29	3.73	197.84	2.41	78.6%	0.23	67.4%	2.51	84.6%	167.36	37.65	569
ROC_980	0.54	10.78	141.45	2.35	78.5%	0.42	67.2%	7.25	84.5%	119.47	50.59	248
RR_202	1.65	22.62	1,050.75	0.17	24.0%	0.40	20.5%	4.63	25.7%	270.17	30.19	807

Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%IC	%Turf	P (in)	Rv	Water Quality Volume (CF)	Treatment Volume (CF)	Treatment Volume Sum for Projects in Series*	% Water Quality Volume Treated
RR_203-1&2	Roaches Run	RiverHouse Apartments; 111 Army Navy Drive	Street Bioretention	1.43	87%	13%	1.00	0.86	4454.37	751.50		0.17
RR_206A-1&2	Roaches Run	1600 South Hayes Street	Dry Swale	0.54	37%	63%	1.00	0.49	961.22	341.10		0.35
RR_206B	Roaches Run	1600 South Hayes Street	Bioretention	2.15	21%	79%	1.00	0.37	2909.45	939.00		0.32
RR_211	Roaches Run	Aurora Hills Branch Library; 735 18th Street South	Bioretention	1.27	68%	32%	1.00	0.71	3293.14	1277.88		0.39
RR_217	Roaches Run	500 Army Navy Drive & 1000 South Eads Street	Bioretention	0.74	85%	15%	1.00	0.84	2260.40	3785.73		1.67
RR_645	Roaches Run	1740 South Hayes Street	Bioretention	0.35	83%	17%	1.00	0.82	1047.98	2864.44		2.73
RR_648	Roaches Run	1785 South Hayes Street	Bioretention	0.74	51%	49%	1.00	0.59	1597.93	1590.86		1.00
RR_659	Roaches Run	400 Army Navy Drive	Bioretention	0.83	75%	25%	1.00	0.77	2305.78	4030.50		1.75
RR_665	Roaches Run	Double Tree Hotel; 300 Army Navy Drive	Street Bioretention	0.67	94%	6%	1.00	0.91	2204.50	666.00		0.30
RR_687	Roaches Run	Crystal Drive and 23rd Street South	Bioretention	1.37	56%	44%	1.00	0.63	3134.51	2974.50		0.95
RR_690	Roaches Run	Crystal Drive & Route 233 Overpass	Infiltration	0.38	87%	13%	1.00	0.85	1177.94	622.50		0.53
RR_691	Roaches Run	Airport Parking Lot; 26th Street South and Clark Street S	Infiltration	0.50	98%	2%	1.00	0.94	1697.75	3768.53		2.22
STR_224	Stohman's Run	St. Peter's Episcopal Church- 4250 North Glebe Road	Bioretention	1.71	72%	28%	1.00	0.75	4624.98	1332.90		0.29
STR_670A-1&2	Stohman's Run	4607 41st Street North	Street Bioretention	3.15	22%	78%	1.00	0.38	4370.50	1989.10	1989.10	0.46
STR_670B-1&2	Stohman's Run	4606 41st Street North	Street Bioretention	1.80	34%	66%	1.00	0.47	3053.92	1038.00	1038.00	0.34
STR_671	Stohman's Run	4526 41st Street North	Street Bioretention	2.65	19%	81%	1.00	0.36	3467.74	554.00		0.16
STR_673	Stohman's Run	4520 39th Street North	Street Bioretention	1.60	26%	74%	1.00	0.41	2364.22	534.00		0.23
STR_674A	Stohman's Run	3913 North Chesterbrook Road	Street Bioretention	0.54	57%	43%	1.00	0.64	1252.71	378.00		0.30
STR_674B	Stohman's Run	3870 North Chesterbrook Road	Street Bioretention	0.69	61%	39%	1.00	0.66	1663.99	808.00		0.49
STR_676	Stohman's Run	4336 39th Street North	Street Bioretention	1.63	50%	50%	1.00	0.58	3448.14	1442.40		0.42
STR_678	Stohman's Run	3858 North Tazwell Street	Street Bioretention	0.40	53%	48%	1.00	0.60	875.92	616.20		0.70
STR_679	Stohman's Run	4226 40th Street North	Street Bioretention	2.22	36%	64%	1.00	0.49	3919.31	602.00		0.15
STR_685A	Stohman's Run	Across the street from 4175 39th Street North	Street Bioretention	1.22	58%	42%	1.00	0.64	2855.72	1002.20		0.35
STR_685B	Stohman's Run	4171 39th Street North	Street Bioretention	1.44	45%	55%	1.00	0.55	2872.42	988.00		0.34
STR_688	Stohman's Run	4019 North River Street	Street Bioretention	2.16	29%	71%	1.00	0.43	3394.41	789.20		0.23
STR_689	Stohman's Run	4032 41st Street North	Street Bioretention	0.60	57%	43%	1.00	0.63	1380.13	1158.40		0.84
STR_691	Stohman's Run	4026 38th Place North	Street Bioretention	0.72	44%	56%	1.00	0.54	1422.96	1414.00		0.99
STR_696	Stohman's Run	3928 North Woodstock Street	Street Bioretention	1.13	67%	33%	1.00	0.71	2916.34	1272.00		0.44
STR_698A	Stohman's Run	4538 39th Street North	Street Bioretention	1.26	30%	70%	1.00	0.44	2013.20	666.00		0.33
STR_698B	Stohman's Run	3939 North Wakefield Street	Street Bioretention	1.20	40%	60%	1.00	0.51	2230.27	554.00		0.25

Site ID	Phosphorus Removal - VRRM				Phosphorus Removal - CSN				Impervious Area Acreage				Potential Utility or Site Constraints			
	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
RR_203-1&2	0.27	2.66	2.5	6.64	0.49	4.86	2.5	12.14	1.25	6.25	2	12.50	Medium	5	1.5	7.5
RR_206A-1&2	0.16	1.64	2.5	4.09	0.23	2.34	2.5	5.84	0.20	1.00	2	2.00	Medium	5	1.5	7.5
RR_206B	0.47	4.73	2.5	11.83	0.80	8.03	2.5	20.08	0.45	2.25	2	4.50	Medium	5	1.5	7.5
RR_211	0.64	6.40	2.5	16.00	0.72	7.24	2.5	18.09	0.86	4.30	2	8.60	Medium	5	1.5	7.5
RR_217	0.78	7.81	2.5	19.53	0.82	8.21	2.5	20.52	0.63	3.15	2	6.30	High	0	1.5	0
RR_645	0.36	3.62	2.5	9.05	0.40	3.97	2.5	9.93	0.29	1.45	2	2.90	Medium	5	1.5	7.5
RR_648	0.55	5.49	2.5	13.74	0.55	5.53	2.5	13.82	0.38	1.90	2	3.80	Medium	5	1.5	7.5
RR_659	0.80	7.97	2.5	19.92	0.85	8.46	2.5	21.16	0.62	3.10	2	6.20	Low	10	1.5	15
RR_665	0.33	3.33	2.5	8.33	0.38	3.80	2.5	9.49	0.63	3.15	2	6.30	Medium	5	1.5	7.5
RR_687	1.06	10.59	2.5	26.47	1.06	10.61	2.5	26.53	0.77	3.85	2	7.70	High	0	1.5	0
RR_690	0.33	3.29	2.5	8.24	0.30	2.96	2.5	7.41	0.33	1.65	2	3.30	Medium	5	1.5	7.5
RR_691	0.67	6.67	2.5	16.67	0.62	6.25	2.5	15.62	0.49	2.45	2	4.90	Medium	5	1.5	7.5
STR_224	0.65	6.50	2.5	16.25	0.82	8.16	2.5	20.41	1.23	6.15	2	12.30	Low	10	1.5	15
STR_670A-1&2	0.96	9.62	2.5	24.05	1.38	13.81	2.5	34.52	0.70	3.50	2	7.00	Medium	5	1.5	7.5
STR_670B-1&2	0.52	5.18	2.5	12.95	0.74	7.43	2.5	18.58	0.61	3.05	2	6.10	Medium	5	1.5	7.5
STR_671	0.18	1.78	2.5	4.46	0.64	6.36	2.5	15.91	0.51	2.55	2	5.10	Medium	5	1.5	7.5
STR_673	0.24	2.45	2.5	6.12	0.49	4.89	2.5	12.24	0.41	2.05	2	4.10	Medium	5	1.5	7.5
STR_674A	0.19	1.89	2.5	4.73	0.24	2.42	2.5	6.05	0.31	1.55	2	3.10	Medium	5	1.5	7.5
STR_674B	0.38	3.84	2.5	9.61	0.43	4.27	2.5	10.67	0.42	2.10	2	4.20	Medium	5	1.5	7.5
STR_676	0.71	7.11	2.5	17.78	0.85	8.52	2.5	21.31	0.81	4.05	2	8.10	Medium	5	1.5	7.5
STR_678	0.26	2.59	2.5	6.46	0.27	2.73	2.5	6.83	0.21	1.05	2	2.10	Medium	5	1.5	7.5
STR_679	0.20	2.01	2.5	5.04	0.52	5.24	2.5	13.10	0.81	4.05	2	8.10	Medium	5	1.5	7.5
STR_685A	0.51	5.14	2.5	12.85	0.61	6.09	2.5	15.23	0.71	3.55	2	7.10	Medium	5	1.5	7.5
STR_685B	0.50	4.99	2.5	12.48	0.65	6.47	2.5	16.18	0.65	3.25	2	6.50	High	0	1.5	0
STR_688	0.37	3.70	2.5	9.26	0.68	6.82	2.5	17.04	0.63	3.15	2	6.30	Medium	5	1.5	7.5
STR_689	0.44	4.41	2.5	11.03	0.45	4.51	2.5	11.28	0.34	1.70	2	3.40	Medium	5	1.5	7.5
STR_691	0.49	4.89	2.5	12.23	0.50	5.00	2.5	12.50	0.32	1.60	2	3.20	Medium	5	1.5	7.5
STR_696	0.62	6.22	2.5	15.55	0.69	6.90	2.5	17.24	0.76	3.80	2	7.60	Medium	5	1.5	7.5
STR_698A	0.34	3.42	2.5	8.54	0.50	5.00	2.5	12.51	0.38	1.90	2	3.80	High	0	1.5	0
STR_698B	0.25	2.55	2.5	6.36	0.42	4.19	2.5	10.47	0.48	2.40	2	4.80	High	0	1.5	0

Site ID	Property Ownership				Potential for Quick Implementation				Existing Drainage Problem/Hotspot				County Maintenance Burden			
	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
RR_203-1&2	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	High	0	0.5	0
RR_206A-1&2	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
RR_206B	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
RR_211	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
RR_217	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	High	0	0.5	0
RR_645	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
RR_648	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
RR_659	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
RR_665	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
RR_687	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
RR_690	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
RR_691	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
STR_224	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
STR_670A-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
STR_670B-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
STR_671	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
STR_673	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
STR_674A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
STR_674B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
STR_676	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
STR_678	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
STR_679	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
STR_685A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
STR_685B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
STR_688	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
STR_689	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
STR_691	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
STR_696	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
STR_698A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
STR_698B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0



Site ID	Educational Opportunity				Pollutant Removal - VRRM													
	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit <sup>1</sup>	Size-Adjusted N Removal Credit	Size-Adjusted N Removal Credit <sup>1</sup>	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
RR_203-1&2	Multi family, near parking lot, near sidewalks/pathways	5	0.5	2.5	2.80	20.02	Street Bioretention	55%	64%	17%	9%	9%	11%	11%	0.27	2.21	29.14	799
RR_206A-1&2	Park	8	0.5	4	0.60	4.32	Dry Swale	52%	64%	35%	27%	27%	33%	33%	0.16	1.44	35.09	579
RR_206B	Park	8	0.5	4	1.83	13.08	Bioretention	55%	64%	32%	26%	26%	30%	30%	0.47	3.94	45.33	272
RR_211	Library	10	0.5	5	2.07	14.80	Bioretention	55%	55%	39%	31%	31%	31%	31%	0.64	4.58	54.60	121
RR_217		0	0.5	0	1.42	10.16	Bioretention	55%	64%	167%	61%	55%	71%	64%	0.78	6.50	40.83	376
RR_645		0	0.5	0	0.66	4.71	Bioretention	55%	64%	273%	63%	55%	74%	64%	0.36	3.01	36.95	507
RR_648		0	0.5	0	1.00	7.18	Bioretention	55%	64%	100%	55%	55%	64%	64%	0.55	4.57	38.04	465
RR_659		0	0.5	0	1.45	10.36	Bioretention	55%	64%	175%	62%	55%	72%	64%	0.80	6.63	43.62	302
RR_665		0	0.5	0	1.39	9.91	Street Bioretention	55%	64%	30%	24%	24%	28%	28%	0.33	2.77	32.63	675
RR_687		0	0.5	0	1.97	14.09	Bioretention	55%	64%	95%	54%	54%	63%	63%	1.06	8.81	51.67	163
RR_690	Urban streets w/ sidewalks	5	0.5	2.5	0.74	5.29	Infiltration	63%	64%	53%	45%	45%	46%	46%	0.33	2.41	39.04	435
RR_691		0	0.5	0	1.07	7.63	Infiltration	63%	64%	222%	71%	63%	73%	64%	0.67	4.88	46.57	241
STR_224	Church	0	0.5	0	2.91	20.79	Bioretention	55%	58%	29%	22%	22%	23%	23%	0.65	4.86	46.05	256
STR_670A-1&2	Street with sidewalk	5	0.5	2.5	2.75	19.64	Street Bioretention	55%	58%	46%	35%	35%	37%	37%	0.96	7.19	51.55	165
STR_670B-1&2	Street with sidewalk	5	0.5	2.5	1.92	13.73	Street Bioretention	55%	64%	34%	27%	27%	31%	31%	0.52	4.31	39.55	414
STR_671	Street with sidewalk	5	0.5	2.5	2.18	15.59	Street Bioretention	55%	64%	16%	8%	8%	10%	10%	0.18	1.48	30.06	773
STR_673	Street with sidewalk	5	0.5	2.5	1.49	10.63	Street Bioretention	55%	64%	23%	16%	16%	19%	19%	0.24	2.04	30.72	754
STR_674A	Street with sidewalk	5	0.5	2.5	0.79	5.63	Street Bioretention	55%	64%	30%	24%	24%	28%	28%	0.19	1.58	28.33	820
STR_674B	Street with sidewalk	5	0.5	2.5	1.05	7.48	Street Bioretention	55%	64%	49%	37%	37%	43%	43%	0.38	3.20	34.31	611
STR_676	Street with sidewalk	5	0.5	2.5	2.17	15.50	Street Bioretention	55%	64%	42%	33%	33%	38%	38%	0.71	5.92	46.38	247
STR_678	Street with sidewalk	5	0.5	2.5	0.55	3.94	Street Bioretention	55%	64%	70%	47%	47%	55%	55%	0.26	2.15	29.06	803
STR_679	Street with sidewalk	5	0.5	2.5	2.46	17.62	Street Bioretention	55%	64%	15%	8%	8%	10%	10%	0.20	1.68	33.64	635
STR_685A	Street with sidewalk	5	0.5	2.5	1.79	12.84	Street Bioretention	55%	64%	35%	29%	29%	33%	33%	0.51	4.28	40.45	387
STR_685B	Street with sidewalk	5	0.5	2.5	1.80	12.91	Street Bioretention	55%	64%	34%	28%	28%	32%	32%	0.50	4.16	31.98	699
STR_688	Street with sidewalk	5	0.5	2.5	2.13	15.26	Street Bioretention	55%	64%	23%	17%	17%	20%	20%	0.37	3.08	36.06	542
STR_689	Street with sidewalk	5	0.5	2.5	0.87	6.20	Street Bioretention	55%	64%	84%	51%	51%	59%	59%	0.44	3.67	34.93	587
STR_691	Street with sidewalk	5	0.5	2.5	0.89	6.40	Street Bioretention	55%	64%	99%	55%	55%	64%	64%	0.49	4.07	35.93	549
STR_696	Street with sidewalk	5	0.5	2.5	1.83	13.11	Street Bioretention	55%	64%	44%	34%	34%	39%	39%	0.62	5.18	43.65	300
STR_698A	Street with sidewalk	5	0.5	2.5	1.26	9.05	Street Bioretention	55%	64%	33%	27%	27%	31%	31%	0.34	2.84	25.34	905
STR_698B	Street with sidewalk	5	0.5	2.5	1.40	10.02	Street Bioretention	55%	64%	25%	18%	18%	21%	21%	0.25	2.12	24.16	930

Site ID	Pollutant Removal - CSN											Rank
	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	
RR_203-1&2	2.10	22.89	1,683.90	0.17	23.1%	0.49	19.7%	4.52	24.8%	417.48	34.64	668
RR_206A-1&2	0.46	6.80	269.42	0.47	50.4%	0.23	43.3%	2.94	54.0%	145.57	36.84	598
RR_206B	1.43	24.71	606.20	0.57	56.3%	0.80	48.3%	11.93	60.3%	365.83	53.58	201
RR_211	1.56	18.63	1,158.52	0.41	46.3%	0.72	39.8%	7.41	49.7%	575.24	56.69	157
RR_217	1.07	11.73	848.69	1.66	77.0%	0.82	65.9%	7.73	82.6%	700.96	41.82	428
RR_645	0.49	5.49	390.66	2.72	80.4%	0.40	69.8%	3.84	85.0%	332.07	37.83	563
RR_648	0.76	10.03	511.91	1.15	72.4%	0.55	61.9%	6.21	77.6%	397.40	38.12	554
RR_659	1.09	12.57	835.21	1.79	77.6%	0.85	66.4%	8.35	83.3%	695.57	44.86	351
RR_665	1.04	11.02	848.69	0.29	36.6%	0.38	31.4%	3.46	39.2%	332.86	33.79	701
RR_687	1.49	19.02	1,037.28	1.06	71.1%	1.06	60.7%	11.55	76.2%	789.92	51.73	234
RR_690	0.56	6.07	444.55	0.52	53.4%	0.30	45.8%	2.78	57.2%	254.35	38.21	551
RR_691	0.80	8.36	660.09	2.12	78.3%	0.62	67.0%	5.60	84.1%	555.44	45.52	338
STR_224	2.19	25.57	1,656.96	0.30	37.3%	0.82	32.0%	8.18	39.9%	661.90	50.21	256
STR_670A-1&2	2.14	36.47	942.97	0.78	64.6%	1.38	55.2%	20.15	69.2%	652.34	62.02	102
STR_670B-1&2	1.48	22.27	821.75	0.47	50.4%	0.74	43.2%	9.62	54.0%	443.40	45.18	345
STR_671	1.70	30.15	687.03	0.30	37.4%	0.64	32.0%	9.66	40.0%	274.94	41.51	437
STR_673	1.15	18.90	552.32	0.36	42.5%	0.49	36.5%	6.89	45.5%	251.40	36.84	599
STR_674A	0.60	7.54	417.61	0.34	40.6%	0.24	34.8%	2.63	43.5%	181.61	29.65	822
STR_674B	0.79	9.80	565.79	0.53	54.0%	0.43	46.3%	4.54	57.8%	327.20	35.37	650
STR_676	1.65	21.91	1,091.17	0.49	51.7%	0.85	44.3%	9.72	55.4%	604.49	49.91	263
STR_678	0.42	5.45	282.90	0.81	65.3%	0.27	55.9%	3.05	70.0%	198.04	29.43	832
STR_679	1.89	27.86	1,091.17	0.20	27.7%	0.52	23.7%	6.61	29.7%	324.12	41.70	431
STR_685A	1.36	17.11	956.46	0.39	44.8%	0.61	38.5%	6.58	48.0%	459.41	42.83	403
STR_685B	1.38	18.91	875.63	0.42	47.0%	0.65	40.3%	7.63	50.4%	441.07	35.68	637
STR_688	1.65	26.03	848.69	0.35	41.4%	0.68	35.5%	9.24	44.3%	376.09	43.84	376
STR_689	0.66	8.35	458.02	0.94	68.6%	0.45	58.7%	4.90	73.6%	336.89	35.18	659
STR_691	0.68	9.42	431.08	1.22	73.3%	0.50	62.6%	5.90	78.5%	338.59	36.20	619
STR_696	1.38	16.54	1,023.81	0.46	49.9%	0.69	42.8%	7.08	53.4%	547.04	45.34	343
STR_698A	0.98	15.27	511.91	0.48	51.2%	0.50	43.9%	6.71	54.9%	281.01	29.31	838
STR_698B	1.07	15.34	646.62	0.32	39.0%	0.42	33.5%	5.14	41.8%	270.43	28.27	864

Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%IC	%Turf	P (in)	Rv	Water Quality Volume (CF)	Treatment Volume (CF)	Treatment Volume Sum for Projects in Series*	% Water Quality Volume Treated
STR_698C	Stohman's Run	4539 39th Street North	Street Bioretention	1.11	60%	40%	1.00	0.66	2661.88	1556.00		0.58
STR_699A	Stohman's Run	4543 40th Street North	Street Bioretention	2.17	35%	65%	1.00	0.48	3773.39	678.00		0.18
STR_699B	Stohman's Run	4600 40th Street North	Street Bioretention	1.47	43%	57%	1.00	0.53	2843.38	846.00		0.30
STR_851	Stohman's Run	Walker Chapel United Methodist- 4102 North Glebe Ro	Bioretention	0.84	58%	42%	1.00	0.65	1969.28	2570.00		1.31
SR-103	Spout Run	The Birches - #2307 North Glebe Road	Disconnection	0.54	61%	39%	1.00	0.67	1304.12	1304.12		1.00
SR-112	Spout Run	Behind Lee Heights Shops - intersection of Lee Hwy and N. Woodstock St.	Bioretention	0.39	97%	3%	1.00	0.93	1313.91	1553.25		1.18
SR-204	Spout Run	Washington and Lee Administration Building - near I66 and N. Quincy Rd.	Bioretention	0.65	46%	54%	1.00	0.56	1311.41	2549.53		1.94
SR-205	Spout Run	#1020 North Quincy Apartment Buildings - intersection of N. Randolph St. and 11th St. N.	Bioretention	0.51	71%	29%	1.00	0.74	1366.81	1512.50		1.11
SR-206	Spout Run	Central Library - 1015 North Quincy Street	Wet Swale	4.19	34%	66%	1.00	0.47	7121.18	788.00		0.11
SR-208A	Spout Run	9th Street North between North Oakland & North Nelson	Street Bioretention	0.72	37%	63%	1.00	0.49	1291.14	335.25		0.26
SR-208B	Spout Run	9th Street North between North Oakland & North Nelson	Street Bioretention	0.70	39%	61%	1.00	0.51	1288.70	335.25		0.26
SR-214	Spout Run	Woodstock Park - west of the intersection of N. Vermont St. and 20th Rd N.	Bioretention	0.45	23%	77%	1.00	0.39	633.63	1035.00		1.63
SR-451	Spout Run	9th Street North east of North Pollard Street	Stormwater Planters	0.15	94%	6%	1.00	0.91	493.43	360.00		0.73
SR-506A	Spout Run	W side of N. Buchanan Street and 23rd Street North	Street Bioretention	0.79	58%	42%	1.00	0.64	1845.08	265.75		0.14
SR-506B	Spout Run	E side of N. Buchanan Street and 23rd Street North	Street Bioretention	0.69	50%	50%	1.00	0.59	1465.25	871.25		0.59
SR-509A	Spout Run	#2215 North Ablemarle Street, N side of traffic island	Street Bioretention	1.39	64%	36%	1.00	0.69	3467.41	2007.00		0.58
SR-509B	Spout Run	#2215 North Ablemarle Street, S side of traffic island	Permeable Pavement	0.65	97%	3%	1.00	0.93	2189.85	2160.00		0.99
SR-517	Spout Run	North Woodley Street and North Glebe Road; SE corner of intersection	Bioretention	0.75	70%	30%	1.00	0.73	1990.15	1864.00		0.94
SR-521A	Spout Run	2048 N. Woodstock St. @ Woodstock Park	Permeable Pavement	0.37	78%	22%	1.00	0.79	1045.92	1279.20		1.22
SR-521B	Spout Run	Woodstock Rd. from Glebe Rd. to Lee Hwy	Impervious Cover Removal	0.48	100%	0%	1.00	0.95	1271.95	1271.95		1.00
SR-523	Spout Run	Intersection of 20th Road N and N Vermont St. E side of N. Vermont St.	Street Bioretention	0.78	47%	53%	1.00	0.56	1594.36	498.75		0.31
SR-525A	Spout Run	Along 19th Road N between N. Upland St. and N. Upton St.	Street Bioretention	0.96	44%	56%	1.00	0.54	1885.97	1104.00		0.59
SR-525B	Spout Run	S side of intersection of N Vermont St and N Upland St	Street Bioretention	0.99	57%	43%	1.00	0.64	2285.95	677.00		0.30
SR-525C	Spout Run	W side of intersection of N Vermont St and N Upland St	Street Bioretention	0.96	56%	44%	1.00	0.63	2191.24	732.00		0.33
SR-525D	Spout Run	W side of intersection of N Vermont St and 20th St. N	Street Bioretention	0.81	53%	47%	1.00	0.61	1784.47	361.13		0.20
SR-528	Spout Run	4405 & 4401 19th Rd N @ intersection with N Utah St.	Street Bioretention	0.77	47%	53%	1.00	0.56	1573.92	633.00		0.40
SR-533A	Spout Run	1502 N Utah St on corner of 15th St N	Street Bioretention	1.63	42%	58%	1.00	0.53	3115.84	498.75		0.16

Site ID	Phosphorus Removal - VRRM				Phosphorus Removal - CSN				Impervious Area Acreage				Potential Utility or Site Constraints			
	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
STR_698C	0.71	7.09	2.5	17.72	0.75	7.51	2.5	18.77	0.67	3.35	2	6.70	High	0	1.5	0
STR_699A	0.25	2.54	2.5	6.36	0.58	5.79	2.5	14.49	0.77	3.85	2	7.70	High	0	1.5	0
STR_699B	0.41	4.13	2.5	10.32	0.59	5.92	2.5	14.80	0.63	3.15	2	6.30	Medium	5	1.5	7.5
STR_851	0.68	6.81	2.5	17.01	0.71	7.09	2.5	17.71	0.49	2.45	2	4.90	Medium	5	1.5	7.5
SR-103	0.20	2.05	2.5	5.12	0.44	4.43	2.5	11.08	0.33	1.65	2	3.29	Medium	5	1.5	7.5
SR-112	0.45	4.54	2.5	11.35	0.45	4.45	2.5	11.13	0.38	1.89	2	3.78	Medium	5	1.5	7.5
SR-204	0.45	4.53	2.5	11.33	0.49	4.93	2.5	12.33	0.30	1.50	2	2.99	Medium	5	1.5	7.5
SR-205	0.47	4.72	2.5	11.81	0.47	4.69	2.5	11.71	0.36	1.81	2	3.62	Medium	5	1.5	7.5
SR-206	0.03	0.29	2.5	0.73	0.74	7.40	2.5	18.50	1.42	7.12	2	14.25	Low	10	1.5	15
SR-208A	0.16	1.57	2.5	3.93	0.26	2.56	2.5	6.40	0.27	1.35	2	2.70	high	0	1.5	0
SR-208B	0.16	1.65	2.5	4.12	0.25	2.52	2.5	6.29	0.27	1.37	2	2.75	high	0	1.5	0
SR-214	0.22	2.19	2.5	5.47	0.25	2.50	2.5	6.26	0.10	0.52	2	1.04	Medium	5	1.5	7.5
SR-451	0.15	1.48	2.5	3.69	0.14	1.44	2.5	3.59	0.14	0.71	2	1.41	Medium	5	1.5	7.5
SR-506A	0.07	0.71	2.5	1.77	0.20	1.97	2.5	4.92	0.46	2.29	2	4.58	High	0	1.5	0
SR-506B	0.39	3.93	2.5	9.83	0.43	4.31	2.5	10.78	0.35	1.73	2	3.45	Medium	5	1.5	7.5
SR-509A	0.91	9.13	2.5	22.82	0.96	9.63	2.5	24.09	0.89	4.45	2	8.90	High	0	1.5	0
SR-509B	0.80	8.02	2.5	20.05	0.71	7.08	2.5	17.69	0.63	3.15	2	6.31	High	0	1.5	0
SR-517	0.67	6.70	2.5	16.76	0.65	6.55	2.5	16.37	0.53	2.63	2	5.25	Medium	5	1.5	7.5
SR-521A	0.39	3.86	2.5	9.65	0.36	3.63	2.5	9.08	0.28	1.42	2	2.85	Low	10	1.5	15
SR-521B	0.80	8.01	2.5	20.02	0.49	4.89	2.5	12.21	0.48	2.40	2	4.80	Medium	5	1.5	7.5
SR-523	0.25	2.50	2.5	6.26	0.33	3.34	2.5	8.35	0.37	1.83	2	3.67	Medium	5	1.5	7.5
SR-525A	0.50	5.02	2.5	12.55	0.57	5.65	2.5	14.13	0.42	2.11	2	4.22	Medium	5	1.5	7.5
SR-525B	0.33	3.32	2.5	8.30	0.44	4.37	2.5	10.92	0.56	2.82	2	5.64	Medium	5	1.5	7.5
SR-525C	0.37	3.72	2.5	9.29	0.46	4.57	2.5	11.43	0.54	2.69	2	5.38	Medium	5	1.5	7.5
SR-525D	0.16	1.59	2.5	3.99	0.26	2.61	2.5	6.53	0.43	2.15	2	4.29	Medium	5	1.5	7.5
SR-528	0.32	3.19	2.5	7.98	0.39	3.86	2.5	9.64	0.36	1.81	2	3.62	Medium	5	1.5	7.5
SR-533A	0.19	1.86	2.5	4.64	0.41	4.08	2.5	10.20	0.68	3.42	2	6.85	Medium	5	1.5	7.5

Site ID	Property Ownership				Potential for Quick Implementation				Existing Drainage Problem/Hotspot				County Maintenance Burden			
	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
STR_698C	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
STR_699A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
STR_699B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
STR_851	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
SR-103	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
SR-112	Private	0	1.5	0	No	0	1	0	Yes	10	0.5	5	Medium	5	0.5	2.5
SR-204	School	4	1.5	6	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
SR-205	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
SR-206	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
SR-208A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	high	0	0.5	0
SR-208B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	high	0	0.5	0
SR-214	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
SR-451	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
SR-506A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
SR-506B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
SR-509A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
SR-509B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
SR-517	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
SR-521A	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	High	0	0.5	0
SR-521B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
SR-523	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
SR-525A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
SR-525B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
SR-525C	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
SR-525D	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
SR-528	Street ROW	7	1.5	10.5	Yes	10	1	10	No	0	0.5	0	High	0	0.5	0
SR-533A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0

Site ID	Educational Opportunity				Pollutant Removal - VRRM													
	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit <sup>1</sup>	Size-Adjusted N Removal Credit	Size-Adjusted N Removal Credit <sup>1</sup>	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
STR_698C	Street with sidewalk	5	0.5	2.5	1.67	11.96	Street Bioretention	55%	64%	58%	42%	42%	49%	49%	0.71	5.90	37.42	492
STR_699A	Street with sidewalk	5	0.5	2.5	2.37	16.96	Street Bioretention	55%	64%	18%	11%	11%	12%	12%	0.25	2.12	27.06	854
STR_699B	Street with sidewalk	5	0.5	2.5	1.79	12.78	Street Bioretention	55%	64%	30%	23%	23%	27%	27%	0.41	3.44	37.12	499
STR_851	Church	0	0.5	0	1.24	8.85	Bioretention	55%	64%	131%	59%	55%	69%	64%	0.68	5.66	31.91	702
SR-103	Housing complex	0	0.5	0	0.82	5.86	Disconnection	25%	64%	100%	25%	25%	64%	64%	0.20	3.75	20.92	983
SR-112	Shopping Center	5	0.5	2.5	0.83	5.91	Bioretention	55%	64%	118%	58%	55%	67%	64%	0.45	3.78	32.63	674
SR-204	Parking lot next to Washington and Lee admin building	8	0.5	4	0.82	5.89	Bioretention	55%	25%	194%	62%	55%	28%	25%	0.45	1.47	34.32	610
SR-205	Parking lot	5	0.5	2.5	0.86	6.14	Bioretention	55%	64%	111%	57%	55%	66%	64%	0.47	3.93	27.93	830
SR-206	Library	10	0.5	5	4.47	32.01	Wet Swale	20%	64%	11%	1%	1%	2%	2%	0.03	0.67	52.48	150
SR-208A	Park	8	0.5	4	0.81	5.80	Street Bioretention	55%	64%	26%	19%	19%	23%	23%	0.16	1.31	21.13	977
SR-208B	Park	8	0.5	4	0.81	5.79	Street Bioretention	55%	25%	26%	20%	20%	9%	9%	0.16	0.54	21.37	976
SR-214	Park	8	0.5	4	0.40	2.85	Bioretention	55%	64%	163%	61%	55%	71%	64%	0.22	1.82	45.51	269
SR-451	Residential street with sidewalks	5	0.5	2.5	0.31	2.22	Stormwater Planters	55%	64%	73%	48%	48%	55%	55%	0.15	1.23	17.60	1009
SR-506A	Residential street with sidewalks	5	0.5	2.5	1.16	8.29	Street Bioretention	55%	64%	14%	6%	6%	7%	7%	0.07	0.59	19.35	998
SR-506B	Residential street with sidewalks	5	0.5	2.5	0.92	6.59	Street Bioretention	55%	64%	59%	43%	43%	50%	50%	0.39	3.27	33.78	626
SR-509A	Residential street with sidewalks	5	0.5	2.5	2.18	15.59	Street Bioretention	55%	64%	58%	42%	42%	49%	49%	0.91	7.60	44.72	280
SR-509B	Adjacent to diner	5	0.5	2.5	1.38	9.84	Permeable Pavement	59%	64%	99%	58%	58%	63%	63%	0.80	6.25	39.35	423
SR-517	Adjacent to sidewalk	5	0.5	2.5	1.25	8.95	Bioretention	55%	64%	94%	54%	54%	62%	62%	0.67	5.58	34.51	604
SR-521A	Park	8	0.5	4	0.66	4.70	Permeable Pavement	59%	64%	122%	62%	59%	68%	64%	0.39	3.01	46.50	244
SR-521B	Street median	0	0.5	0	1.04	7.44	Impervious Cover Removal	77%	59%	100%	77%	77%	59%	59%	0.80	4.37	47.82	217
SR-523	Residential street with sidewalks	5	0.5	2.5	1.00	7.17	Street Bioretention	55%	64%	31%	25%	25%	29%	29%	0.25	2.08	30.42	763
SR-525A	Road	0	0.5	0	1.18	8.48	Street Bioretention	55%	59%	59%	42%	42%	45%	45%	0.50	3.84	34.78	593
SR-525B	Residential street with sidewalks	5	0.5	2.5	1.44	10.27	Street Bioretention	55%	77%	30%	23%	23%	32%	32%	0.33	3.32	34.44	605
SR-525C	Residential street with sidewalks	5	0.5	2.5	1.38	9.85	Street Bioretention	55%	64%	33%	27%	27%	31%	31%	0.37	3.09	35.17	577
SR-525D	Residential street with sidewalks	5	0.5	2.5	1.12	8.02	Street Bioretention	55%	64%	20%	14%	14%	17%	17%	0.16	1.33	28.78	810
SR-528	Near park	8	0.5	4	0.99	7.07	Street Bioretention	55%	64%	40%	32%	32%	38%	38%	0.32	2.66	43.60	303
SR-533A	Residential street with sidewalks	5	0.5	2.5	1.96	14.00	Street Bioretention	55%	64%	16%	9%	9%	11%	11%	0.19	1.55	31.99	697

Site ID	Pollutant Removal - CSN											
	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	Rank
STR_698C	1.27	15.73	902.57	0.64	59.3%	0.75	50.8%	7.99	63.6%	573.72	38.47	544
STR_699A	1.82	27.08	1,037.28	0.24	31.8%	0.58	27.3%	7.38	34.1%	353.54	35.19	658
STR_699B	1.37	19.08	848.69	0.37	43.4%	0.59	37.2%	7.10	46.5%	394.37	41.60	433
STR_851	0.94	11.79	660.09	1.44	75.6%	0.71	64.6%	7.62	81.0%	534.99	32.61	743
SR-103	0.62	7.67	443.74	1.09	71.5%	0.44	61.1%	4.69	76.6%	339.99	26.87	894
SR-112	0.62	6.50	509.62	1.13	72.1%	0.45	61.6%	4.00	77.3%	393.87	32.42	751
SR-204	0.63	8.58	402.79	2.35	78.5%	0.49	67.2%	5.76	84.5%	340.18	35.32	653
SR-205	0.65	7.59	487.79	1.15	72.4%	0.47	61.9%	4.70	77.6%	378.49	27.84	875
SR-206	3.44	51.87	1,919.11	0.15	21.5%	0.74	18.3%	9.50	23.0%	442.11	70.25	53
SR-208A	0.62	9.10	363.32	0.34	41.1%	0.26	35.3%	3.21	44.1%	160.14	23.60	959
SR-208B	0.62	8.93	370.32	0.34	40.6%	0.25	34.8%	3.11	43.5%	161.06	23.54	960
SR-214	0.31	5.23	139.43	2.75	80.8%	0.25	70.0%	3.66	85.0%	118.51	46.29	328
SR-451	0.23	2.47	189.94	0.70	61.9%	0.14	53.0%	1.31	66.3%	125.91	17.50	1013
SR-506A	0.88	11.07	617.25	0.16	22.4%	0.20	19.1%	2.12	24.0%	148.29	22.51	972
SR-506B	0.70	9.29	464.76	0.70	61.6%	0.43	52.7%	4.90	66.0%	306.64	34.73	665
SR-509A	1.65	20.04	1,198.40	0.62	58.5%	0.96	50.1%	10.05	62.7%	751.49	45.98	333
SR-509B	1.03	10.83	849.36	0.94	68.8%	0.71	58.8%	6.36	73.7%	625.77	37.00	596
SR-517	0.94	11.12	707.24	0.98	69.5%	0.65	59.4%	6.60	74.4%	526.51	34.12	684
SR-521A	0.49	5.61	383.53	1.24	73.5%	0.36	62.9%	3.53	78.8%	302.28	45.93	335
SR-521B	0.78	8.09	646.62	0.73	62.8%	0.49	53.8%	4.35	67.3%	435.27	40.01	489
SR-523	0.76	10.34	493.85	0.37	43.8%	0.33	37.5%	3.88	46.9%	231.50	32.52	746
SR-525A	0.90	12.54	569.02	0.72	62.5%	0.57	53.5%	6.70	66.9%	380.89	36.35	614
SR-525B	1.09	13.80	760.18	0.33	40.1%	0.44	34.4%	4.75	43.0%	326.82	37.07	592
SR-525C	1.04	13.32	724.21	0.38	43.8%	0.46	37.6%	5.00	46.9%	339.67	37.30	584
SR-525D	0.85	11.07	578.32	0.23	30.7%	0.26	26.3%	2.91	32.9%	190.06	31.32	784
SR-528	0.75	10.21	487.52	0.48	51.2%	0.39	43.9%	4.48	54.8%	267.31	45.26	344
SR-533A	1.50	21.06	922.24	0.20	27.3%	0.41	23.3%	4.91	29.2%	269.43	37.55	574

Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%IC	%Turf	P (in)	Rv	Water Quality Volume (CF)	Treatment Volume (CF)	Treatment Volume Sum for Projects in Series*	% Water Quality Volume Treated
SR-533B	Spout Run	1503 N Utah St on corner of 15th St N	Street Bioretention	0.31	50%	50%	1.00	0.59	658.30	746.75		1.13
SR-534	Spout Run	1600 N Taylor St (corner of 16th St N)	Dry Swale	3.48	29%	71%	1.00	0.43	5453.41	2645.00		0.49
SR-538	Spout Run	Corner of N Quincy St and 15th St N	Street Bioretention	0.46	100%	0%	1.00	0.95	1586.31	907.00		0.57
SR-539A	Spout Run	1740 N Quincy St	Street Bioretention	0.48	64%	36%	1.00	0.69	1197.38	374.63		0.31
SR-539B	Spout Run	1741 N Quincy St	Street Bioretention	0.36	56%	44%	1.00	0.63	821.72	764.75		0.93
SR-542	Spout Run	18th St. N. and N. Nelson St.	Street Bioretention	1.08	49%	51%	1.00	0.58	2252.59	266.00		0.12
SR-543	Spout Run	Cherrydale Park - south of the intersection of N. Nelson St. and 17th St. N.	Bioretention	0.65	33%	67%	1.00	0.46	1098.41	3420.00		3.11
SR-560A	Spout Run	Key Blvd and North Edgewood Street	Street Bioretention	0.44	53%	47%	1.00	0.61	971.70	444.00		0.46
SR-560C	Spout Run	Key Blvd and North Edgewood Street	Street Bioretention	1.71	35%	65%	1.00	0.48	2968.96	634.00		0.21
SR-560D	Spout Run	Key Blvd and North Edgewood Street	Street Bioretention	0.70	59%	41%	1.00	0.65	1664.50	594.00		0.36
SR-560E	Spout Run	Key Blvd and North Edgewood Street	Street Bioretention	0.43	48%	52%	1.00	0.57	891.96	381.00		0.43
SR-561B	Spout Run	North Edgewood Street and North Highland Street	Street Bioretention	0.36	62%	38%	1.00	0.68	891.73	369.00		0.41
SR-562A	Spout Run	Lyon Village Park - intersection of N. Highland St and 19th St N.	Bioretention	1.04	53%	47%	1.00	0.61	2288.10	857.50		0.37
SR-564	Spout Run	20th street North at the Lyon Village Community House	Bioretention	0.52	59%	41%	1.00	0.65	1240.26	3327.25		2.68
SR-566A	Spout Run	Dog Park at the intersection of 13th St. N. and N. Hartford St.	Bioretention	0.63	21%	79%	1.00	0.38	852.11	7153.00		8.39
SR-567	Spout Run	Intersection of Key Blvd and N. Herndon St.	Street Bioretention	0.54	40%	60%	1.00	0.51	1015.50	1278.00		1.26
SR-570A	Spout Run	18th Road North and North Herndon Street	Street Bioretention	0.64	42%	58%	1.00	0.53	1227.21	698.50		0.57
SR-570B	Spout Run	18th Road North and North Herndon Street	Street Bioretention	0.53	41%	59%	1.00	0.52	987.52	495.50		0.50
SR-571	Spout Run	Corner of N. Jackson St. and 17th St. N.	Bioretention	1.14	50%	50%	1.00	0.59	2420.85	462.50		0.19
SR-573A	Spout Run	Lyon Park near 17th St. N. and N. Johnson St.	Disconnection with Compost Amendments	0.82	28%	72%	1.00	0.43	1268.76	1268.76		1.00
SR-575A	Spout Run	Intersection of Kirkwood and Lee Hwy - in front of Walgreens	Street Bioretention	0.74	31%	69%	1.00	0.44	1192.19	605.25		0.51
SR-575B	Spout Run	Intersection of Kirkwood and Lee Hwy - in front of Walgreens	Bioretention	0.36	47%	53%	1.00	0.56	736.19	495.00		0.67
SR-602A	Spout Run	N. Quincy St. & 9th St. N.	Stormwater Planters	0.27	96%	4%	1.00	0.92	902.48	350.00		0.39
SR-602B	Spout Run	N. Quincy St. & 9th St. N.	Stormwater Planters	0.52	95%	5%	1.00	0.91	1724.32	525.00		0.30
SR-603	Spout Run	9th Street North, west of North Pollard Street	Street Bioretention	0.40	99%	1%	1.00	0.94	1368.80	600.75		0.44
SR-607	Spout Run	736 North Oakland Street (at Wilson Blvd)	Street Bioretention	1.17	56%	44%	1.00	0.63	2663.39	537.75		0.20
SR-608	Spout Run	North Nelson Street at Wilson Blvd (737 North Nelson Street)	Street Bioretention	0.84	53%	47%	1.00	0.61	1855.59	2245.50		1.21



Site ID	Phosphorus Removal - VRRM				Phosphorus Removal - CSN				Impervious Area Acreage				Potential Utility or Site Constraints			
	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
SR-533B	0.23	2.27	2.5	5.69	0.23	2.34	2.5	5.86	0.16	0.78	2	1.55	High	0	1.5	0
SR-534	1.19	11.91	2.5	29.78	1.66	16.56	2.5	41.40	1.01	5.05	2	10.09	Low	10	1.5	15
SR-538	0.42	4.18	2.5	10.44	0.41	4.08	2.5	10.19	0.46	2.30	2	4.60	Low	10	1.5	15
SR-539A	0.19	1.88	2.5	4.70	0.23	2.31	2.5	5.77	0.31	1.54	2	3.07	Medium	5	1.5	7.5
SR-539B	0.28	2.77	2.5	6.92	0.28	2.77	2.5	6.92	0.20	1.01	2	2.02	Medium	5	1.5	7.5
SR-542	0.03	0.26	2.5	0.64	0.21	2.14	2.5	5.35	0.53	2.63	2	5.25	Medium	5	1.5	7.5
SR-543	0.38	3.80	2.5	9.49	0.45	4.51	2.5	11.29	0.22	1.09	2	2.18	Medium	5	1.5	7.5
SR-560A	0.21	2.14	2.5	5.35	0.25	2.49	2.5	6.21	0.23	1.17	2	2.34	Medium	5	1.5	7.5
SR-560C	0.28	2.84	2.5	7.11	0.52	5.22	2.5	13.05	0.60	3.02	2	6.04	Medium	5	1.5	7.5
SR-560D	0.30	3.00	2.5	7.49	0.36	3.58	2.5	8.94	0.42	2.08	2	4.16	Medium	5	1.5	7.5
SR-560E	0.19	1.87	2.5	4.69	0.22	2.25	2.5	5.62	0.21	1.04	2	2.07	Low	10	1.5	15
SR-561B	0.18	1.84	2.5	4.60	0.21	2.08	2.5	5.19	0.23	1.13	2	2.27	Low	10	1.5	15
SR-562A	0.43	4.34	2.5	10.86	0.52	5.21	2.5	13.03	0.55	2.75	2	5.51	Medium	5	1.5	7.5
SR-564	0.43	4.29	2.5	10.71	0.50	5.02	2.5	12.54	0.31	1.55	2	3.10	Medium	5	1.5	7.5
SR-566A	0.29	2.94	2.5	7.36	0.35	3.55	2.5	8.87	0.13	0.67	2	1.33	Medium	5	1.5	7.5
SR-567	0.35	3.51	2.5	8.77	0.37	3.75	2.5	9.37	0.22	1.10	2	2.20	Low	10	1.5	15
SR-570A	0.32	3.20	2.5	7.99	0.37	3.66	2.5	9.16	0.27	1.35	2	2.70	Low	10	1.5	15
SR-570B	0.24	2.36	2.5	5.89	0.28	2.81	2.5	7.02	0.21	1.07	2	2.14	Low	10	1.5	15
SR-571	0.20	1.96	2.5	4.90	0.34	3.45	2.5	8.62	0.57	2.85	2	5.70	Low	10	1.5	15
SR-573A	0.20	1.99	2.5	4.98	0.47	4.69	2.5	11.72	0.23	1.16	2	2.33	Low	10	1.5	15
SR-575A	0.28	2.85	2.5	7.11	0.36	3.64	2.5	9.10	0.23	1.13	2	2.27	Low	10	1.5	15
SR-575B	0.21	2.11	2.5	5.28	0.23	2.30	2.5	5.74	0.17	0.85	2	1.70	Low	10	1.5	15
SR-602A	0.18	1.75	2.5	4.38	0.18	1.85	2.5	4.62	0.26	1.30	2	2.59	Medium	5	1.5	7.5
SR-602B	0.26	2.61	2.5	6.51	0.30	2.98	2.5	7.45	0.49	2.47	2	4.94	Medium	5	1.5	7.5
SR-603	0.29	2.92	2.5	7.30	0.30	3.02	2.5	7.55	0.40	1.98	2	3.96	High	0	1.5	0
SR-607	0.24	2.38	2.5	5.95	0.38	3.83	2.5	9.57	0.65	3.26	2	6.53	medium	5	1.5	7.5
SR-608	0.64	6.41	2.5	16.03	0.66	6.64	2.5	16.61	0.45	2.24	2	4.48	high	0	1.5	0

Site ID	Property Ownership				Potential for Quick Implementation				Existing Drainage Problem/Hotspot				County Maintenance Burden			
	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
SR-533B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
SR-534	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
SR-538	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
SR-539A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
SR-539B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
SR-542	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
SR-543	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
SR-560A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
SR-560C	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
SR-560D	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
SR-560E	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
SR-561B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
SR-562A	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
SR-564	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
SR-566A	Public	10	1.5	15	Yes	10	1	10	Yes	10	0.5	5	Medium	5	0.5	2.5
SR-567	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
SR-570A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
SR-570B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
SR-571	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
SR-573A	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Low	10	0.5	5
SR-575A	Street ROW	7	1.5	10.5	Yes	10	1	10	Yes	10	0.5	5	High	0	0.5	0
SR-575B	Street ROW	7	1.5	10.5	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
SR-602A	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
SR-602B	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
SR-603	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
SR-607	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	high	0	0.5	0
SR-608	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	high	0	0.5	0

Site ID	Educational Opportunity				Pollutant Removal - VRRM													
	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit <sup>1</sup>	Size-Adjusted N-Removal Credit	Size-Adjusted N-Removal Credit <sup>1</sup>	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
SR-533B	Residential street with sidewalks	5	0.5	2.5	0.41	2.96	Street Bioretention	55%	64%	113%	57%	55%	66%	64%	0.23	1.89	20.24	990
SR-534	Residential street with sidewalks	5	0.5	2.5	3.43	24.51	Dry Swale	52%	64%	49%	35%	35%	43%	43%	1.19	10.49	84.87	19
SR-538	Road	0	0.5	0	1.00	7.13	Street Bioretention	55%	64%	57%	42%	42%	49%	49%	0.42	3.48	40.54	383
SR-539A	Residential street with sidewalks	5	0.5	2.5	0.75	5.38	Street Bioretention	55%	64%	31%	25%	25%	29%	29%	0.19	1.56	28.27	822
SR-539B	Park	5	0.5	2.5	0.52	3.69	Street Bioretention	55%	55%	93%	54%	54%	54%	54%	0.28	1.98	29.43	792
SR-542	Residential street with sidewalks	5	0.5	2.5	1.42	10.12	Street Bioretention	55%	64%	12%	2%	2%	2%	2%	0.03	0.21	26.39	872
SR-543	Park	8	0.5	4	0.69	4.94	Bioretention	55%	64%	311%	63%	55%	74%	64%	0.38	3.16	50.67	175
SR-560A	Residential street with sidewalks	5	0.5	2.5	0.61	4.37	Street Bioretention	55%	64%	46%	35%	35%	41%	41%	0.21	1.78	28.18	824
SR-560C	Residential street with sidewalks	5	0.5	2.5	1.87	13.34	Street Bioretention	55%	64%	21%	15%	15%	18%	18%	0.28	2.37	33.65	634
SR-560D	Residential street with sidewalks	5	0.5	2.5	1.05	7.48	Street Bioretention	55%	64%	36%	29%	29%	33%	33%	0.30	2.49	32.15	691
SR-560E	Residential street with sidewalks	5	0.5	2.5	0.56	4.01	Street Bioretention	55%	64%	43%	33%	33%	39%	39%	0.19	1.56	34.76	595
SR-561B	Residential street with sidewalks	5	0.5	2.5	0.56	4.01	Street Bioretention	55%	64%	41%	33%	33%	38%	38%	0.18	1.53	34.87	590
SR-562A	Park	8	0.5	4	1.44	10.28	Bioretention	55%	64%	37%	30%	30%	35%	35%	0.43	3.62	55.36	114
SR-564	Near apartment complex, bus stop	5	0.5	2.5	0.78	5.57	Bioretention	55%	64%	268%	63%	55%	74%	64%	0.43	3.57	36.81	510
SR-566A	Dog park	8	0.5	4	0.54	3.83	Bioretention	55%	64%	839%	63%	55%	74%	64%	0.29	2.45	52.69	148
SR-567	Residential street with sidewalks	5	0.5	2.5	0.64	4.56	Street Bioretention	55%	64%	126%	59%	55%	68%	64%	0.35	2.92	38.97	439
SR-570A	Residential street with sidewalks	5	0.5	2.5	0.77	5.52	Street Bioretention	55%	64%	57%	41%	41%	48%	48%	0.32	2.66	38.69	449
SR-570B	Residential street with sidewalks	5	0.5	2.5	0.62	4.44	Street Bioretention	55%	64%	50%	38%	38%	44%	44%	0.24	1.96	36.04	545
SR-571	Residential street with sidewalks	5	0.5	2.5	1.52	10.88	Bioretention	55%	64%	19%	13%	13%	15%	15%	0.20	1.63	38.60	452
SR-573A	Park	8	0.5	4	0.80	5.70	Disconnection	25%	64%	100%	25%	25%	64%	64%	0.20	3.65	56.31	104
SR-575A	Commercial Property - parking lot	5	0.5	2.5	0.75	5.36	Street Bioretention	55%	64%	51%	38%	38%	44%	44%	0.28	2.37	52.38	152
SR-575B	Arterial road	0	0.5	0	0.46	3.31	Bioretention	55%	64%	67%	46%	46%	53%	53%	0.21	1.76	44.98	277
SR-602A	High foot traffic area	5	0.5	2.5	0.57	4.06	Stormwater Planters	55%	25%	39%	31%	31%	14%	14%	0.18	0.57	19.48	996
SR-602B	High foot traffic area	5	0.5	2.5	1.08	7.75	Stormwater Planters	55%	64%	30%	24%	24%	28%	28%	0.26	2.17	23.95	935
SR-603	High foot traffic area	5	0.5	2.5	0.86	6.15	Street Bioretention	55%	64%	44%	34%	34%	39%	39%	0.29	2.43	24.26	928
SR-607	Residential street with sidewalks	5	0.5	2.5	1.67	11.97	Street Bioretention	55%	64%	20%	14%	14%	17%	17%	0.24	1.98	32.97	661
SR-608	Residential street with sidewalks	5	0.5	2.5	1.17	8.34	Street Bioretention	55%	64%	121%	58%	55%	68%	64%	0.64	5.34	33.51	642

Site ID	Pollutant Removal - CSN											Rank
	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	
SR-533B	0.31	4.17	208.80	1.33	74.5%	0.23	63.7%	2.66	79.9%	166.80	20.41	994
SR-534	2.65	41.90	1,359.51	0.72	62.5%	1.66	53.5%	22.43	67.0%	911.05	96.49	13
SR-538	0.75	7.76	619.68	0.54	54.7%	0.41	46.9%	3.64	58.6%	363.12	40.29	482
SR-539A	0.57	6.92	413.84	0.34	40.6%	0.23	34.8%	2.41	43.5%	179.98	29.34	836
SR-539B	0.39	4.99	271.58	1.05	70.7%	0.28	60.5%	3.02	75.8%	205.85	29.44	831
SR-542	1.08	14.42	707.51	0.14	19.9%	0.21	16.9%	2.44	21.3%	150.60	31.10	788
SR-543	0.53	8.04	293.94	4.32	85.0%	0.45	70.0%	5.63	85.0%	249.85	52.47	220
SR-560A	0.46	6.03	314.96	0.52	53.6%	0.25	46.0%	2.77	57.4%	180.86	29.05	845
SR-560C	1.43	21.35	813.80	0.29	36.4%	0.52	31.2%	6.67	39.0%	317.46	39.59	505
SR-560D	0.79	9.91	560.40	0.39	45.2%	0.36	38.8%	3.84	48.4%	271.20	33.60	707
SR-560E	0.43	5.73	279.12	0.51	52.7%	0.22	45.2%	2.59	56.4%	157.46	35.69	636
SR-561B	0.42	5.20	305.66	0.45	49.0%	0.21	42.1%	2.19	52.5%	160.53	35.46	646
SR-562A	1.09	14.19	741.99	0.43	47.7%	0.52	40.9%	5.81	51.1%	379.39	57.53	146
SR-564	0.59	7.39	417.47	2.96	85.0%	0.50	70.0%	5.17	85.0%	354.85	38.64	537
SR-566A	0.42	7.20	179.17	14.82	85.0%	0.35	70.0%	5.04	85.0%	152.29	54.20	191
SR-567	0.49	6.96	295.69	1.60	76.7%	0.37	65.6%	4.57	82.3%	243.27	39.56	507
SR-570A	0.59	8.28	364.13	0.71	62.2%	0.37	53.2%	4.41	66.6%	242.59	39.86	495
SR-570B	0.47	6.74	288.82	0.64	59.2%	0.28	50.7%	3.42	63.4%	183.18	37.17	589
SR-571	1.16	15.35	767.86	0.22	29.8%	0.34	25.5%	3.92	31.9%	245.12	42.32	414
SR-573A	0.62	9.81	313.21	1.50	76.0%	0.47	65.0%	6.38	81.5%	255.39	63.04	95
SR-575A	0.58	8.99	305.66	0.73	63.0%	0.36	53.9%	4.85	67.5%	206.31	54.37	189
SR-575B	0.35	4.77	228.47	0.80	65.2%	0.23	55.8%	2.66	69.9%	159.63	45.44	340
SR-602A	0.42	4.48	349.17	0.37	43.5%	0.18	37.4%	1.67	46.6%	162.86	19.71	1001
SR-602B	0.81	8.59	665.48	0.29	36.8%	0.30	31.5%	2.71	39.4%	262.04	24.89	936
SR-603	0.64	6.72	533.46	0.42	47.0%	0.30	40.3%	2.71	50.3%	268.38	24.51	942
SR-607	1.27	16.21	879.00	0.23	30.2%	0.38	25.8%	4.19	32.3%	284.15	36.60	609
SR-608	0.89	11.48	603.11	1.38	75.0%	0.66	64.2%	7.37	80.5%	485.22	34.09	686

Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%IC	%Turf	P (in)	Rv	Water Quality Volume (CF)	Treatment Volume (CF)	Treatment Volume Sum for Projects in Series*	% Water Quality Volume Treated
SR-609	Spout Run	N. Monroe St. @ Wilson Blvd	Street Bioretention	2.27	60%	40%	1.00	0.66	5421.99	732.00		0.14
SR-610	Spout Run	North Lincoln Street between Wilson & Fairfax Drive	Street Bioretention	0.80	85%	15%	1.00	0.84	2438.91	894.00		0.37
SR-612A	Spout Run	North Irving Street and 13th Street North	Street Bioretention	1.26	98%	2%	1.00	0.94	4262.26	794.00		0.19
SR-612B	Spout Run	North Irving Street and 13th Street North	Street Bioretention	0.79	58%	42%	1.00	0.64	1841.63	621.25		0.34
SR-616A	Spout Run	18th St. N. @ N. Taylor St.	Street Bioretention	0.25	74%	26%	1.00	0.76	689.88	265.00		0.38
SR-616B	Spout Run	18th St. N. @ N. Taylor St.	Street Bioretention	0.38	59%	41%	1.00	0.65	897.58	352.50		0.39
SR-617	Spout Run	19th St. N., East of Wakefield St.	Street Bioretention	0.47	46%	54%	1.00	0.56	948.25	652.50		0.69
SR-618	Spout Run	18th St. N., east of Upton St.	Street Bioretention	0.28	51%	49%	1.00	0.59	602.01	907.00		1.51
SR-619-1&2	Spout Run	1401 Kirkwood Road	Street Bioretention	1.78	34%	66%	1.00	0.47	3045.25	722.63	722.63	0.24
SR-620A	Spout Run	Median at Kirkwood Road & 13th Street North	Bioretention	0.48	63%	37%	1.00	0.68	1185.26	1561.50		1.32
SR-620B	Spout Run	13th Street North at Kirkwood Road next to YMCA	Street Bioretention	0.92	52%	48%	1.00	0.60	2006.65	669.00		0.33
SR-622	Spout Run	Corner of Kirkwood & Fairfax Drive	Bioretention	0.90	65%	35%	1.00	0.70	2262.14	1835.25		0.81
SR-801	Spout Run	North Jackson Street and 18th Street North	Street Bioretention	0.98	49%	51%	1.00	0.58	2071.83	930.50		0.45
TR_100A	Torreyson Run	Swanson Middle School	Bioretention	0.99	24%	76%	1.00	0.39	1407.25	5718.00		4.06
TR_100B	Torreyson Run	Swanson Middle School	Bioretention	0.96	26%	74%	1.00	0.41	1432.05	3182.50		2.22
TR_106	Torreyson Run	Lee Community Center	Permeable Pavement	0.11	94%	6%	1.00	0.91	361.85	2034.00		5.62
TR_113A	Torreyson Run	CVS/Advanced Auto Parts Shopping Center	Parking Lot Bioretention	0.58	98%	2%	1.00	0.94	1969.39	1173.88		0.60
TR_115	Torreyson Run	Safeway/Sleepy's Shopping Center	Parking Lot Bioretention	0.45	99%	1%	1.00	0.94	1542.82	554.25		0.36
TR_116	Torreyson Run	Lee-Harrison Shopping Center	Parking Lot Bioretention	0.37	89%	11%	1.00	0.87	1165.97	2463.75		2.11
TR_122A-1&2	Torreyson Run	24th Street North and North Illinois Street	Street Bioretention	1.92	38%	62%	1.00	0.50	3491.06	1313.00	1313	0.38
TR_122B	Torreyson Run	#5600 24th Street North	Street Bioretention	0.68	63%	37%	1.00	0.68	1679.33	894.00		0.53
TR_124-1&2	Torreyson Run	23rd Street North and North Madison Street	Street Bioretention	1.19	30%	70%	1.00	0.44	1895.29	871.25	871.25	0.46
TR_125	Torreyson Run	North Kentucky Street and 22nd Street North	Street Bioretention	1.05	42%	58%	1.00	0.53	2017.47	944.00		0.47
TR_128A	Torreyson Run	#1915 North Kenilworth Street	Street Bioretention	4.56	29%	71%	1.00	0.43	7130.47	962.00		0.13
TR_128B	Torreyson Run	#1916 North Kenilworth Street	Street Bioretention	1.31	55%	45%	1.00	0.62	2967.61	1409.00		0.47
TR_128C	Torreyson Run	#1917 North Kenilworth Street	Street Bioretention	0.47	48%	52%	1.00	0.57	973.16	1204.50		1.24
TR_129A	Torreyson Run	#1906 North Jefferson Street	Street Bioretention	1.36	56%	44%	1.00	0.63	3104.26	1074.00		0.35
TR_129B-1&2	Torreyson Run	#1906 Jefferson Street North	Street Bioretention	1.21	56%	44%	1.00	0.63	2761.88	912.00	912	0.33

Site ID	Phosphorus Removal - VRRM				Phosphorus Removal - CSN				Impervious Area Acreage				Potential Utility or Site Constraints			
	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
SR-609	0.16	1.58	2.5	3.95	0.54	5.41	2.5	13.51	1.36	6.81	2	13.62	Medium	5	1.5	7.5
SR-610	0.45	4.51	2.5	11.27	0.49	4.92	2.5	12.30	0.68	3.40	2	6.79	high	0	1.5	0
SR-612A	0.32	3.20	2.5	8.00	0.49	4.93	2.5	12.32	1.23	6.15	2	12.30	medium	5	1.5	7.5
SR-612B	0.31	3.12	2.5	7.81	0.38	3.84	2.5	9.59	0.46	2.28	2	4.57	medium	5	1.5	7.5
SR-616A	0.13	1.34	2.5	3.35	0.15	1.48	2.5	3.69	0.19	0.93	2	1.85	Medium	5	1.5	7.5
SR-616B	0.18	1.79	2.5	4.47	0.21	2.05	2.5	5.13	0.22	1.12	2	2.24	Medium	5	1.5	7.5
SR-617	0.28	2.76	2.5	6.90	0.30	3.00	2.5	7.49	0.22	1.08	2	2.16	Medium	5	1.5	7.5
SR-618	0.21	2.08	2.5	5.20	0.22	2.23	2.5	5.57	0.14	0.71	2	1.43	Medium	5	1.5	7.5
SR-619-1&2	0.33	3.32	2.5	8.30	0.58	5.83	2.5	14.58	0.61	3.06	2	6.13	medium	5	1.5	7.5
SR-620A	0.41	4.10	2.5	10.24	0.42	4.24	2.5	10.61	0.30	1.52	2	3.03	medium	5	1.5	7.5
SR-620B	0.34	3.40	2.5	8.51	0.43	4.26	2.5	10.64	0.48	2.40	2	4.80	high	0	1.5	0
SR-622	0.72	7.18	2.5	17.94	0.72	7.18	2.5	17.96	0.58	2.92	2	5.84	medium	5	1.5	7.5
SR-801	0.45	4.49	2.5	11.23	0.53	5.34	2.5	13.34	0.49	2.43	2	4.85	Low	10	1.5	15
TR_100A	0.49	4.86	2.5	12.16	0.58	5.84	2.5	14.61	0.23	1.16	2	2.33	Low	10	1.5	15
TR_100B	0.49	4.95	2.5	12.37	0.59	5.93	2.5	14.82	0.25	1.26	2	2.51	Low	10	1.5	15
TR_106	0.13	1.34	2.5	3.34	0.14	1.45	2.5	3.62	0.10	0.52	2	1.03	Low	10	1.5	15
TR_113A	0.53	5.29	2.5	13.21	0.52	5.19	2.5	12.96	0.57	2.84	2	5.68	Low	10	1.5	15
TR_115	0.28	2.78	2.5	6.94	0.30	2.98	2.5	7.45	0.45	2.23	2	4.47	Low	10	1.5	15
TR_116	0.40	4.03	2.5	10.07	0.43	4.30	2.5	10.75	0.33	1.64	2	3.29	Medium	5	1.5	7.5
TR_122A-1&2	0.66	6.63	2.5	16.56	0.87	8.68	2.5	21.71	0.74	3.69	2	7.39	Medium	5	1.5	7.5
TR_122B	0.42	4.20	2.5	10.50	0.45	4.49	2.5	11.23	0.43	2.14	2	4.29	Medium	5	1.5	7.5
TR_124-1&2	0.42	4.17	2.5	10.43	0.56	5.58	2.5	13.95	0.36	1.78	2	3.57	Medium	5	1.5	7.5
TR_125	0.45	4.54	2.5	11.35	0.55	5.50	2.5	13.76	0.44	2.22	2	4.45	Medium	5	1.5	7.5
TR_128A	0.21	2.08	2.5	5.19	0.95	9.47	2.5	23.66	1.32	6.58	2	13.17	High	0	1.5	0
TR_128B	0.67	6.75	2.5	16.87	0.77	7.68	2.5	19.19	0.73	3.63	2	7.25	Medium	5	1.5	7.5
TR_128C	0.34	3.36	2.5	8.41	0.35	3.53	2.5	8.82	0.23	1.13	2	2.26	Low	10	1.5	15
TR_129A	0.54	5.39	2.5	13.49	0.66	6.63	2.5	16.57	0.76	3.81	2	7.62	High	0	1.5	0
TR_129B-1&2	0.47	4.69	2.5	0.00	0.57	5.72	2.5	14.29	0.68	3.39	2	6.78	Low	10	1.5	15

Site ID	Property Ownership				Potential for Quick Implementation				Existing Drainage Problem/Hotspot				County Maintenance Burden			
	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
SR-609	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
SR-610	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	high	0	0.5	0
SR-612A	Street ROW	7	1.5	10.5	No	0	1	0	Yes	10	0.5	5	high	0	0.5	0
SR-612B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	high	0	0.5	0
SR-616A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
SR-616B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
SR-617	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
SR-618	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
SR-619-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	high	0	0.5	0
SR-620A	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	medium	5	0.5	2.5
SR-620B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	high	0	0.5	0
SR-622	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	medium	5	0.5	2.5
SR-801	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
TR_100A	School	4	1.5	6	No	0	1	0	No	10	0.5	5	High	0	0.5	0
TR_100B	School	4	1.5	6	No	0	1	0	No	10	0.5	5	High	0	0.5	0
TR_106	Public	10	1.5	15	No	0	1	0	No	10	0.5	5	High	0	0.5	0
TR_113A	Private	0	1.5	0	No	0	1	0	No	10	0.5	5	Medium	5	0.5	2.5
TR_115	Private	0	1.5	0	No	0	1	0	No	10	0.5	5	Medium	5	0.5	2.5
TR_116	Private	0	1.5	0	No	0	1	0	Yes	10	0.5	5	Medium	5	0.5	2.5
TR_122A-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
TR_122B	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
TR_124-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
TR_125	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
TR_128A	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
TR_128B	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
TR_128C	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
TR_129A	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
TR_129B-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0

Site ID	Educational Opportunity				Pollutant Removal - VRRM													
	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit <sup>1</sup>	Size-Adjusted N Removal Credit	Size-Adjusted N Removal Credit <sup>1</sup>	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
SR-609	Residential street w/ sidewalk	5	0.5	2.5	3.41	24.37	Street Bioretention	55%	64%	14%	5%	5%	5%	5%	0.16	1.31	38.07	463
SR-610	All other streets	0	0.5	0	1.53	10.96	Street Bioretention	55%	64%	37%	29%	29%	34%	34%	0.45	3.75	28.57	816
SR-612A	Residential street with sidewalks	5	0.5	2.5	2.68	19.16	Street Bioretention	55%	64%	19%	12%	12%	14%	14%	0.32	2.66	45.80	262
SR-612B	Residential street with sidewalks	5	0.5	2.5	1.16	8.28	Street Bioretention	55%	64%	34%	27%	27%	31%	31%	0.31	2.60	32.88	666
SR-616A	Residential street w/ sidewalk	5	0.5	2.5	0.43	3.10	Street Bioretention	55%	64%	38%	31%	31%	36%	36%	0.13	1.12	25.70	894
SR-616B	Residential street w/ sidewalk	5	0.5	2.5	0.56	4.03	Street Bioretention	55%	64%	39%	32%	32%	37%	37%	0.18	1.49	27.21	847
SR-617	Street	0	0.5	0	0.60	4.26	Street Bioretention	55%	64%	69%	46%	46%	54%	54%	0.28	2.30	27.06	853
SR-618	Residential street w/ sidewalk	5	0.5	2.5	0.38	2.71	Street Bioretention	55%	64%	151%	60%	55%	70%	64%	0.21	1.73	27.13	851
SR-619-1&2	Residential street with sidewalks	5	0.5	2.5	1.91	13.69	Street Bioretention	55%	64%	24%	17%	17%	20%	20%	0.33	2.76	34.93	588
SR-620A	street median, near YMCA	5	0.5	2.5	0.74	5.33	Bioretention	55%	64%	132%	59%	55%	69%	64%	0.41	3.41	40.77	378
SR-620B	Residential street with sidewalks	5	0.5	2.5	1.26	9.02	Street Bioretention	55%	64%	33%	27%	27%	31%	31%	0.34	2.83	26.31	873
SR-622	park	8	0.5	4	1.42	10.17	Bioretention	55%	64%	81%	50%	50%	59%	59%	0.72	5.97	52.78	145
SR-801	Residential street with sidewalks	5	0.5	2.5	1.30	9.31	Street Bioretention	55%	64%	45%	35%	35%	40%	40%	0.45	3.74	44.08	287
TR_100A	School	10	0.5	5	0.88	6.33	Bioretention	55%	64%	406%	63%	55%	74%	64%	0.49	4.05	45.48	270
TR_100B	School	10	0.5	5	0.90	6.44	Bioretention	55%	64%	222%	63%	55%	73%	64%	0.49	4.12	45.88	260
TR_106	Community Center	8	0.5	4	0.23	1.63	Permeable Pavement	59%	64%	562%	68%	59%	74%	64%	0.13	1.04	43.37	313
TR_113A	Shopping Center	5	0.5	2.5	1.24	8.85	Parking Lot Bioretention	55%	64%	60%	43%	43%	50%	50%	0.53	4.40	43.90	290
TR_115	Shopping Center	5	0.5	2.5	0.97	6.93	Parking Lot Bioretention	55%	64%	36%	29%	29%	33%	33%	0.28	2.31	36.41	528
TR_116	Shopping Center	5	0.5	2.5	0.73	5.24	Parking Lot Bioretention	55%	59%	211%	63%	55%	67%	59%	0.40	3.08	30.86	743
TR_122A-1&2	Street w/o sidewalk	0	0.5	0	2.19	15.69	Street Bioretention	55%	64%	38%	30%	30%	35%	35%	0.66	5.52	46.95	232
TR_122B	Street w/o sidewalk	0	0.5	0	1.06	7.55	Street Bioretention	55%	64%	53%	40%	40%	46%	46%	0.42	3.50	37.79	477
TR_124-1&2	Street w/o sidewalk	0	0.5	0	1.19	8.52	Street Bioretention	55%	64%	46%	35%	35%	41%	41%	0.42	3.47	36.99	504
TR_125	Street w/o sidewalk	0	0.5	0	1.27	9.07	Street Bioretention	55%	64%	47%	36%	36%	42%	42%	0.45	3.78	38.80	445
TR_128A	Street w/ sidewalks	5	0.5	2.5	4.48	32.05	Street Bioretention	55%	64%	13%	5%	5%	5%	5%	0.21	1.73	36.36	531
TR_128B	Street w/ sidewalks	5	0.5	2.5	1.86	13.34	Street Bioretention	55%	64%	47%	36%	36%	42%	42%	0.67	5.62	49.62	192
TR_128C	Street w/ sidewalks	5	0.5	2.5	0.61	4.37	Street Bioretention	55%	64%	124%	58%	55%	68%	64%	0.34	2.80	43.66	299
TR_129A	Street w/ sidewalks	5	0.5	2.5	1.95	13.95	Street Bioretention	55%	64%	35%	28%	28%	32%	32%	0.54	4.49	39.10	432
TR_129B-1&2	Street w/ sidewalks	5	0.5	2.5	1.74	12.41	Street Bioretention	55%	64%	33%	27%	27%	31%	31%	0.47	3.90	39.78	406



Site ID	Pollutant Removal - CSN											
	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	Rank
SR-609	2.58	32.11	1,834.78	0.15	21.0%	0.54	17.8%	5.73	22.5%	411.97	47.63	299
SR-610	1.15	12.67	915.10	0.36	42.8%	0.49	36.7%	4.65	45.8%	419.48	29.59	828
SR-612A	2.00	20.99	1,657.23	0.18	24.6%	0.49	21.0%	4.41	26.4%	436.93	50.13	257
SR-612B	0.88	11.07	614.96	0.37	43.8%	0.38	37.6%	4.16	46.9%	288.33	34.66	667
SR-616A	0.33	3.77	249.22	0.39	45.3%	0.15	38.8%	1.47	48.5%	120.86	26.04	912
SR-616B	0.43	5.35	302.02	0.43	48.0%	0.21	41.2%	2.20	51.4%	155.38	27.87	872
SR-617	0.45	6.20	291.25	0.83	66.0%	0.30	56.4%	3.50	70.7%	205.94	27.66	877
SR-618	0.29	3.79	192.37	1.75	77.5%	0.22	66.3%	2.51	83.1%	159.85	27.50	880
SR-619-1&2	1.47	22.08	825.52	0.32	39.6%	0.58	34.0%	7.51	42.5%	350.60	41.21	447
SR-620A	0.56	6.87	408.58	1.42	75.4%	0.42	64.5%	4.43	80.8%	330.16	41.14	453
SR-620B	0.96	12.52	647.02	0.38	44.4%	0.43	38.1%	4.77	47.6%	308.07	28.45	858
SR-622	1.07	12.99	786.18	0.87	66.9%	0.72	57.2%	7.43	71.7%	563.77	52.80	215
SR-801	0.99	13.20	653.89	0.53	53.9%	0.53	46.2%	6.10	57.7%	377.42	46.20	330
TR_100A	0.69	11.55	313.47	6.77	85.0%	0.58	70.0%	8.08	85.0%	266.45	47.94	291
TR_100B	0.70	11.37	338.26	3.49	85.0%	0.59	70.0%	7.96	85.0%	287.52	48.33	284
TR_106	0.17	1.81	139.29	5.42	85.0%	0.14	70.0%	1.27	85.0%	118.40	43.65	384
TR_113A	0.93	9.70	765.70	0.57	56.0%	0.52	48.0%	4.66	60.0%	459.66	43.65	385
TR_115	0.72	7.56	601.62	0.34	41.1%	0.30	35.3%	2.67	44.0%	264.88	36.91	597
TR_116	0.55	5.96	442.53	2.07	78.3%	0.43	66.9%	3.99	84.1%	372.02	31.53	779
TR_122A-1&2	1.68	24.35	995.25	0.49	51.6%	0.87	44.3%	10.79	55.3%	550.73	52.09	226
TR_122B	0.80	9.76	577.65	0.57	56.3%	0.45	48.3%	4.71	60.3%	348.44	38.51	542
TR_124-1&2	0.92	14.40	480.38	0.67	60.7%	0.56	52.0%	7.49	65.0%	312.44	40.52	469
TR_125	0.97	13.59	599.33	0.58	56.8%	0.55	48.7%	6.62	60.9%	364.74	41.21	448
TR_128A	3.46	54.86	1,773.62	0.20	27.3%	0.95	23.4%	12.83	29.3%	519.42	54.83	185
TR_128B	1.41	18.12	976.80	0.54	54.3%	0.77	46.5%	8.43	58.1%	567.94	51.94	231
TR_128C	0.47	6.26	303.91	1.47	75.8%	0.35	64.8%	4.06	81.3%	247.00	44.08	368
TR_129A	1.48	18.87	1,025.97	0.39	44.8%	0.66	38.4%	7.25	48.0%	492.48	42.18	419
TR_129B-1&2	1.32	16.79	912.81	0.37	43.4%	0.57	37.3%	6.26	46.5%	424.82	54.07	192

Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%C	%Turf	P (in)	Rv	Water Quality Volume (CF)	Treatment Volume (CF)	Treatment Volume Sum for Projects in Series*	% Water Quality Volume Treated
TR_130A	Torreyson Run	#2001 North Illinois Street	Street Bioretention	1.05	57%	43%	1.00	0.64	2424.50	558.75		0.23
TR_131-1&2&3	Torreyson Run	North Inglewood Street between 22nd Street North and Patrick Henry Drive	Street Bioretention	2.64	33%	67%	1.00	0.46	4416.90	3234.25	3234.25	0.73
TR_132A	Torreyson Run	#5616 19th Street North	Street Bioretention	2.43	39%	61%	1.00	0.50	4451.91	1266.00		0.28
TR_132B	Torreyson Run	#5617 19th Street North	Street Bioretention	1.73	47%	53%	1.00	0.57	3557.41	1438.00		0.40
TR_133	Torreyson Run	20th Street North across from North Kensington Street	Street Bioretention	0.91	45%	55%	1.00	0.55	1811.86	771.50		0.43
TR_134	Torreyson Run	20th Street North and North Lexington Street	Street Bioretention	0.82	53%	47%	1.00	0.61	1812.59	319.50		0.18
TR_136	Torreyson Run	North Madison Street and 21st Street North	Street Bioretention	0.59	54%	46%	1.00	0.61	1315.43	849.25		0.65
TR_137	Torreyson Run	Patrick Henry Drive north of 18th Road North	Street Bioretention	0.53	53%	47%	1.00	0.61	1165.83	578.75		0.50
TR_138	Torreyson Run	North Madison Street and 19th Street North	Street Bioretention	1.42	27%	73%	1.00	0.42	2156.61	970.75		0.45
TR_139	Torreyson Run	North Inglewood Street and 19th Street North	Street Bioretention	2.80	38%	62%	1.00	0.50	5040.47	993.00		0.20
TR_140A	Torreyson Run	18th Street North and North Jefferson Street	Street Bioretention	0.92	50%	50%	1.00	0.59	1953.67	776.38		0.40
TR_140B	Torreyson Run	18th Street North and North Jefferson Street	Street Bioretention	0.92	47%	53%	1.00	0.57	1887.68	330.25		0.17
TR_140D-1&2	Torreyson Run	18th Street North and North Jefferson Street	Street Bioretention	3.08	36%	64%	1.00	0.48	5397.90	861.00	861	0.16
TR_140E-1&2&3	Torreyson Run	18th Street North and North Jefferson Street	Street Bioretention	2.30	39%	61%	1.00	0.51	4228.31	1245.00	1245	0.29
TR_142-1&2	Torreyson Run	North Patrick Henry Drive between 16th Street North and 18th Street North	Street Bioretention	1.67	65%	35%	1.00	0.69	4210.13	1037.25	1037.25	0.25
TR_144	Torreyson Run	North Lexington Street between 16th Street North and 18th Street North	Street Bioretention	0.69	58%	42%	1.00	0.64	1611.52	709.00		0.44
TR_149	Torreyson Run	North Lancaster Street between 14th Road North and 15th Road North	Street Bioretention	1.40	34%	66%	1.00	0.47	2379.39	1945.50		0.82
TR_150A	Torreyson Run	North Longfellow Street and North Livingston Street	Street Bioretention	1.06	36%	64%	1.00	0.48	1857.72	621.00		0.33
TR_150B	Torreyson Run	North Longfellow Street and North Livingston Street	Street Bioretention	0.35	45%	55%	1.00	0.55	696.87	480.75		0.69
TR_151	Torreyson Run	14th Street North and North Longfellow Street	Street Bioretention	0.61	56%	44%	1.00	0.63	1392.35	677.00		0.49
TR_154A-1&2	Torreyson Run	Patrick Henry Drive and 20th Street North	Street Bioretention	2.47	39%	61%	1.00	0.51	4552.75	872.00	872	0.19
TR_154B-1&2	Torreyson Run	Patrick Henry Drive and North Huntington Street	Street Bioretention	1.20	62%	38%	1.00	0.67	2929.85	1501.00	1501	0.51
TR_160A-1&2	Torreyson Run	North Lexington Street and 22nd Street North	Street Bioretention	1.17	60%	40%	1.00	0.66	2802.01	948.75	948.75	0.34
TR_160B	Torreyson Run	North Lexington Street and 22nd Street North	Street Bioretention	0.99	62%	38%	1.00	0.67	2417.12	797.00		0.33
TR_500	Torreyson Run	11th Street North and North Livingston Street	Bioretention	1.21	58%	42%	1.00	0.64	2826.01	1545.00		0.55
UL_152 A	Upper Long Branch	Carlin Springs Urgent Health Care Center, 611 South Carlin Springs Road	Bioretention	0.99	51%	49%	1.00	0.59	2134.38	2653.65		1.24
UL_152 B	Upper Long Branch	Carlin Springs Urgent Health Care Center, 611 South Carlin Springs Road	Bioretention	12.27	59%	41%	1.00	0.65	29133.02	5950.90		0.20
UL_227	Upper Long Branch	Greenbrier Baptist Church, 5401 7th Road South	Bioretention	0.32	93%	7%	1.00	0.90	1047.34	10300.40		9.83
UL_228	Upper Long Branch	737 South Carling Springs Road	Bioretention	2.09	10%	90%	1.00	0.30	2246.49	2859.60		1.27
UL_706	Upper Long Branch	641 South Greenbrier Street	Street Bioretention	1.61	46%	54%	1.00	0.56	3258.07	1190.60		0.37

Site ID	Phosphorus Removal - VRRM				Phosphorus Removal - CSN				Impervious Area Acreage				Potential Utility or Site Constraints			
	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
TR_130A	0.26	2.64	2.5	6.61	0.38	3.85	2.5	9.61	0.60	2.99	2	5.99	Medium	5	1.5	7.5
TR_131-1&2&3	1.34	13.36	2.5	33.41	1.50	15.03	2.5	37.56	0.87	4.36	2	8.71	Medium	5	1.5	7.5
TR_132A	0.63	6.26	2.5	15.64	0.93	9.26	2.5	23.16	0.95	4.74	2	9.48	High	0	1.5	0
TR_132B	0.72	7.22	2.5	18.04	0.87	8.72	2.5	21.80	0.82	4.11	2	8.21	Low-Medium	7	1.5	10.5
TR_133	0.38	3.81	2.5	9.52	0.46	4.64	2.5	11.59	0.41	2.05	2	4.10	Medium	5	1.5	7.5
TR_134	0.12	1.22	2.5	3.06	0.24	2.37	2.5	5.91	0.44	2.18	2	4.37	High	0	1.5	0
TR_136	0.37	3.70	2.5	9.26	0.40	3.95	2.5	9.88	0.32	1.59	2	3.19	Low	10	1.5	15
TR_137	0.27	2.73	2.5	6.81	0.31	3.12	2.5	7.79	0.28	1.40	2	2.80	Low	10	1.5	15
TR_138	0.47	4.75	2.5	11.87	0.64	6.45	2.5	16.12	0.39	1.93	2	3.86	High	0	1.5	0
TR_139	0.41	4.08	2.5	10.20	0.81	8.12	2.5	20.30	1.06	5.29	2	10.58	Medium	5	1.5	7.5
TR_140A	0.39	3.89	2.5	9.72	0.47	4.68	2.5	11.70	0.46	2.30	2	4.60	Medium	5	1.5	7.5
TR_140B	0.13	1.27	2.5	3.18	0.25	2.55	2.5	6.37	0.44	2.18	2	4.35	Medium	5	1.5	7.5
TR_140D-1&2	0.28	2.77	2.5	0.00	0.75	7.49	2.5	18.72	1.11	5.54	2	11.09	Medium	5	1.5	7.5
TR_140E-1&2&3	0.61	6.14	2.5	0.00	0.90	8.99	2.5	22.47	0.90	4.51	2	9.03	Medium	5	1.5	7.5
TR_142-1&2	0.48	4.81	2.5	12.01	0.68	6.78	2.5	16.94	1.09	5.43	2	10.86	Medium	5	1.5	7.5
TR_144	0.34	3.44	2.5	8.59	0.40	3.95	2.5	9.89	0.40	2.00	2	4.00	Medium	5	1.5	7.5
TR_149	0.75	7.55	2.5	18.87	0.83	8.28	2.5	20.71	0.48	2.38	2	4.76	High	0	1.5	0
TR_150A	0.32	3.15	2.5	7.88	0.44	4.40	2.5	10.99	0.38	1.91	2	3.82	High	0	1.5	0
TR_150B	0.20	2.03	2.5	5.07	0.22	2.21	2.5	5.53	0.16	0.79	2	1.58	High	0	1.5	0
TR_151	0.32	3.22	2.5	8.04	0.36	3.64	2.5	9.10	0.34	1.71	2	3.42	Medium	5	1.5	7.5
TR_154A-1&2	0.37	3.68	2.5	0.00	0.71	7.06	2.5	17.66	0.97	4.87	2	9.74	Low	10	1.5	15
TR_154B-1&2	0.71	7.08	2.5	17.71	0.77	7.71	2.5	19.27	0.74	3.72	2	7.44	High	0	1.5	0
TR_160A-1&2	0.48	4.75	2.5	0.00	0.58	5.79	2.5	14.47	0.70	3.52	2	7.05	Medium	5	1.5	7.5
TR_160B	0.39	3.93	2.5	9.83	0.49	4.87	2.5	12.17	0.61	3.07	2	6.14	Medium	5	1.5	7.5
TR_500	0.72	7.18	2.5	17.94	0.78	7.78	2.5	19.45	0.70	3.51	2	7.02	High	0	1.5	0
UL_152 A	0.74	7.38	2.5	18.44	0.77	7.70	2.5	19.26	0.51	2.54	2	5.07	Low	10	1.5	15
UL_152 B	2.60	26.02	2.5	65.06	4.15	41.47	2.5	103.68	7.30	36.48	2	72.96	Medium	5	1.5	7.5
UL_227	0.36	3.62	2.5	9.05	0.42	4.19	2.5	10.47	0.30	1.49	2	2.99	Medium	5	1.5	7.5
UL_228	0.78	7.76	2.5	19.41	0.95	9.52	2.5	23.81	0.22	1.09	2	2.18	Low	10	1.5	15
UL_706	0.60	6.02	2.5	15.06	0.76	7.57	2.5	18.93	0.74	3.72	2	7.44	Medium	5	1.5	7.5

Site ID	Property Ownership				Potential for Quick Implementation				Existing Drainage Problem/Hotspot				County Maintenance Burden			
	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
TR_130A	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
TR_131-1&2&3	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
TR_132A	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
TR_132B	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
TR_133	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
TR_134	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
TR_136	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
TR_137	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
TR_138	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
TR_139	Street ROW	7	1.5	10.5	No	0	1	0	Yes	10	0.5	5	High	0	0.5	0
TR_140A	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
TR_140B	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
TR_140D-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
TR_140E-1&2&3	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
TR_142-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
TR_144	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
TR_149	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
TR_150A	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
TR_150B	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
TR_151	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
TR_154A-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
TR_154B-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
TR_160A-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
TR_160B	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
TR_500	Unknown	0	1.5	0	Yes	10	1	10	No	10	0.5	5	Medium	5	0.5	2.5
UL_152 A	Private	0	1.5	0	No	0	1	0	Yes	10	0.5	5	Medium	5	0.5	2.5
UL_152 B	Private	0	1.5	0	No	0	1	0	Yes	10	0.5	5	Medium	5	0.5	2.5
UL_227	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
UL_228	Public	10	1.5	15	Yes	10	1	10	Yes	10	0.5	5	Medium	5	0.5	2.5
UL_706	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5

Site ID	Educational Opportunity				Pollutant Removal - VRRM													
	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit <sup>1</sup>	Size-Adjusted N-Removal Credit	Size-Adjusted N-Removal Credit <sup>1</sup>	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
TR_130A	Street w/ sidewalks	5	0.5	2.5	1.52	10.90	Street Bioretention	55%	64%	23%	17%	17%	20%	20%	0.26	2.20	38.10	461
TR_131-1&2&3	Street w/ sidewalks	5	0.5	2.5	2.78	19.85	Street Bioretention	55%	64%	73%	48%	48%	56%	56%	1.34	11.13	67.62	42
TR_132A	Street w/ sidewalks	5	0.5	2.5	2.80	20.01	Street Bioretention	55%	64%	28%	22%	22%	26%	26%	0.63	5.21	43.12	318
TR_132B	Street w/ sidewalks	5	0.5	2.5	2.24	15.99	Street Bioretention	55%	64%	40%	32%	32%	38%	38%	0.72	6.01	54.76	120
TR_133	Street w/ sidewalks	5	0.5	2.5	1.14	8.14	Street Bioretention	55%	64%	43%	33%	33%	39%	39%	0.38	3.17	39.11	431
TR_134	Street w/ sidewalks	5	0.5	2.5	1.14	8.15	Street Bioretention	55%	64%	18%	11%	11%	12%	12%	0.12	1.02	25.42	901
TR_136	Near park	8	0.5	4	0.83	5.91	Street Bioretention	55%	64%	65%	45%	45%	52%	52%	0.37	3.08	46.94	233
TR_137	Arterial Road	0	0.5	0	0.73	5.24	Street Bioretention	55%	64%	50%	37%	37%	43%	43%	0.27	2.27	40.12	399
TR_138	Street w/ sidewalks	5	0.5	2.5	1.35	9.69	Street Bioretention	55%	64%	45%	35%	35%	41%	41%	0.47	3.95	33.73	630
TR_139	Street w/o sidewalk	0	0.5	0	3.17	22.66	Street Bioretention	55%	64%	20%	13%	13%	15%	15%	0.41	3.40	43.78	295
TR_140A	Street w/ sidewalks	5	0.5	2.5	1.23	8.78	Street Bioretention	55%	64%	40%	32%	32%	37%	37%	0.39	3.24	39.82	405
TR_140B	Street w/ sidewalks	5	0.5	2.5	1.19	8.48	Street Bioretention	55%	64%	17%	11%	11%	12%	12%	0.13	1.06	33.03	655
TR_140D-1&2	Street w/ sidewalks	5	0.5	2.5	3.39	24.26	Street Bioretention	55%	64%	16%	8%	8%	10%	10%	0.28	2.31	36.59	521
TR_140E-1&2&3	Street w/ sidewalks	5	0.5	2.5	2.66	19.01	Street Bioretention	55%	64%	29%	23%	23%	27%	27%	0.61	5.11	34.53	603
TR_142-1&2	Arterial Road	0	0.5	0	2.65	18.92	Street Bioretention	55%	64%	25%	18%	18%	21%	21%	0.48	4.00	45.87	261
TR_144	Street w/ sidewalks	5	0.5	2.5	1.01	7.24	Street Bioretention	55%	64%	44%	34%	34%	39%	39%	0.34	2.86	38.09	462
TR_149	Street w/ sidewalks	5	0.5	2.5	1.49	10.69	Street Bioretention	55%	64%	82%	50%	50%	59%	59%	0.75	6.28	41.63	354
TR_150A	Street w/ sidewalks	5	0.5	2.5	1.17	8.35	Street Bioretention	55%	64%	33%	27%	27%	31%	31%	0.32	2.62	29.70	784
TR_150B	Street w/ sidewalks	5	0.5	2.5	0.44	3.13	Street Bioretention	55%	64%	69%	46%	46%	54%	54%	0.20	1.69	24.65	919
TR_151	Street w/ sidewalks	5	0.5	2.5	0.87	6.26	Street Bioretention	55%	64%	49%	37%	37%	43%	43%	0.32	2.68	36.96	506
TR_154A-1&2	Arterial Road	0	0.5	0	2.86	20.46	Street Bioretention	55%	64%	19%	13%	13%	15%	15%	0.37	3.07	40.24	393
TR_154B-1&2	Arterial Road	0	0.5	0	1.84	13.17	Street Bioretention	55%	64%	51%	38%	38%	45%	45%	0.71	5.90	40.65	381
TR_160A-1&2	Street w/ sidewalks	5	0.5	2.5	1.76	12.59	Street Bioretention	55%	64%	34%	27%	27%	31%	31%	0.48	3.96	32.55	681
TR_160B	Street w/ sidewalks	5	0.5	2.5	1.52	10.86	Street Bioretention	55%	64%	33%	26%	26%	30%	30%	0.39	3.27	41.47	357
TR_500	Street w/ sidewalks	5	0.5	2.5	1.78	12.70	Bioretention	55%	64%	55%	40%	40%	47%	47%	0.72	5.97	44.96	278
UL_152 A	Not on a street; not highly visible	0	0.5	0	1.34	9.59	Bioretention	55%	64%	124%	59%	55%	68%	64%	0.74	6.14	46.01	258
UL_152 B	Not highly visible	0	0.5	0	18.30	130.95	Bioretention	55%	64%	20%	14%	14%	17%	17%	2.60	21.66	153.02	2
UL_227	Church	8	0.5	4	0.66	4.71	Bioretention	55%	64%	983%	63%	55%	74%	64%	0.36	3.01	26.04	880
UL_228	School	10	0.5	5	1.41	10.10	Bioretention	55%	64%	127%	59%	55%	68%	64%	0.78	6.46	74.09	29
UL_706	Parks	8	0.5	4	2.05	14.64	Street Bioretention	55%	64%	37%	29%	29%	34%	34%	0.60	5.02	51.50	168

Site ID	Pollutant Removal - CSN											Rank
	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	
TR_130A	1.15	14.64	806.25	0.26	33.3%	0.38	28.6%	4.18	35.7%	287.70	41.10	454
TR_131-1&2&3	2.14	32.50	1,173.61	1.02	70.3%	1.50	60.1%	19.54	75.4%	884.53	71.78	49
TR_132A	2.14	30.90	1,276.67	0.37	43.2%	0.93	37.1%	11.46	46.3%	591.16	50.63	245
TR_132B	1.70	23.00	1,106.12	0.48	51.2%	0.87	43.9%	10.10	54.9%	606.94	58.51	133
TR_133	0.87	11.94	551.65	0.52	53.4%	0.46	45.8%	5.47	57.2%	315.41	41.18	449
TR_134	0.86	11.22	588.56	0.20	27.4%	0.24	23.4%	2.63	29.3%	172.49	28.28	862
TR_136	0.63	8.10	429.19	0.73	63.0%	0.40	53.9%	4.37	67.5%	289.60	47.56	301
TR_137	0.56	7.23	377.83	0.57	56.0%	0.31	48.0%	3.47	60.0%	226.72	41.09	455
TR_138	1.05	16.92	519.85	0.69	61.5%	0.64	52.6%	8.91	65.9%	342.42	37.98	559
TR_139	2.43	35.38	1,425.66	0.26	33.4%	0.81	28.7%	10.14	35.8%	510.71	53.88	196
TR_140A	0.93	12.39	619.68	0.46	50.1%	0.47	43.0%	5.33	53.7%	332.75	41.80	429
TR_140B	0.90	12.22	586.13	0.21	28.2%	0.25	24.1%	2.95	30.2%	177.16	36.23	617
TR_140D-1&2	2.60	38.54	1,493.69	0.21	28.7%	0.75	24.6%	9.48	30.8%	460.03	55.31	172
TR_140E-1&2&3	2.04	29.29	1,215.78	0.38	44.2%	0.90	37.9%	11.10	47.3%	575.19	56.99	152
TR_142-1&2	2.00	24.19	1,462.30	0.26	33.9%	0.68	29.1%	7.03	36.3%	531.27	50.80	242
TR_144	0.77	9.67	539.12	0.49	51.6%	0.40	44.2%	4.27	55.2%	297.79	39.39	517
TR_149	1.15	17.33	641.23	1.13	72.0%	0.83	61.6%	10.67	77.2%	495.06	43.47	393
TR_150A	0.90	13.27	514.06	0.45	49.0%	0.44	42.1%	5.58	52.5%	270.09	32.80	738
TR_150B	0.33	4.59	212.17	0.84	66.2%	0.22	56.7%	2.60	71.0%	150.62	25.11	929
TR_151	0.66	8.46	460.18	0.55	54.8%	0.36	47.0%	3.98	58.8%	270.39	38.01	556
TR_154A-1&2	2.19	31.48	1,311.69	0.25	32.2%	0.71	27.6%	8.70	34.5%	453.08	57.90	143
TR_154B-1&2	1.39	17.14	1,002.26	0.56	55.4%	0.77	47.4%	8.13	59.3%	594.43	42.21	418
TR_160A-1&2	1.33	16.57	949.45	0.37	43.4%	0.58	37.3%	6.18	46.5%	441.91	47.02	311
TR_160B	1.15	14.14	826.86	0.36	42.4%	0.49	36.4%	5.14	45.4%	375.58	43.81	378
TR_500	1.35	16.95	945.41	0.61	57.8%	0.78	49.6%	8.40	62.0%	585.91	46.47	325
UL_152 A	1.02	13.41	683.12	1.44	75.6%	0.77	64.6%	8.67	81.0%	553.46	46.83	315
UL_152 B	13.86	173.10	9,828.86	0.22	29.9%	4.15	25.6%	44.36	32.1%	3,150.81	191.64	2
UL_227	0.49	5.25	402.52	9.50	85.0%	0.42	70.0%	3.68	85.0%	342.14	27.46	882
UL_228	1.12	22.53	293.54	3.62	85.0%	0.95	70.0%	15.77	85.0%	249.51	78.49	32
UL_706	1.56	21.27	1,002.66	0.44	48.5%	0.76	41.6%	8.85	52.0%	521.32	55.38	171

Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%IC	%Turf	P (in)	Rv	Water Quality Volume (CF)	Treatment Volume (CF)	Treatment Volume Sum for Projects in Series*	% Water Quality Volume Treated
UL_707A	Upper Long Branch	655 South Illinois Street	Street Bioretention	1.22	51%	49%	1.00	0.59	2634.45	344.95		0.13
UL_707B	Upper Long Branch	655 South Illinois Street	Street Bioretention	0.68	50%	50%	1.00	0.58	1437.39	541.45		0.38
UL_708	Upper Long Branch	5508 7th Street South	Street Bioretention	1.77	36%	64%	1.00	0.49	3122.18	595.20		0.19
UL_709	Upper Long Branch	510 South Kensington Street	Street Bioretention	1.51	38%	62%	1.00	0.50	2739.91	639.70		0.23
UL_800	Upper Long Branch	300 South Kensington Street	Street Bioretention	0.67	57%	43%	1.00	0.64	1546.00	884.60		0.57
UL_802-1&2	Upper Long Branch	531 South Harrison Street	Street Bioretention	1.43	39%	61%	1.00	0.50	2619.85	1016.40	1016.40	0.39
VH_184	Virginia Highlands	Our Lady of Lourdes Catholic Church Parking lot- 24th S	Bioretention	0.69	77%	23%	1.00	0.78	1960.78	1050.80		0.54
VH_186	Virginia Highlands	Linden Resources Parking lot- 750 23rd Street South	Bioretention	0.63	79%	21%	1.00	0.80	1820.12	1182.75		0.65
VH_601	Virginia Highlands	26th Street South & S. Grant St.	Street Bioretention	0.25	75%	25%	1.00	0.77	697.83	346.00		0.50
VH_608A	Virginia Highlands	South Grant St. (Between 26th St. South and 26th Place	Street Bioretention	0.34	71%	29%	1.00	0.74	912.80	666.00		0.73
VH_608B	Virginia Highlands	26th Place South and South Grant Street	Impervious Cover Removal	0.24	79%	21%	1.00	0.80	503.50	503.50		1.00
VH_608C	Virginia Highlands	South Grant St. (Between 26th St. South and 26th Place	Street Bioretention	0.36	59%	41%	1.00	0.65	851.92	874.00		1.03
VH_609	Virginia Highlands	South Fern Street (Dead Ends at the Park Entrance)	Street Bioretention	0.62	55%	45%	1.00	0.62	1393.45	672.50		0.48
VH_611A	Virginia Highlands	Intersection of 26th Rd. Street & South Eads Street (261	Street Bioretention	0.60	53%	47%	1.00	0.61	1319.18	232.95		0.18
VH_611B	Virginia Highlands	South side of 26th Road South	Street Bioretention	0.47	53%	47%	1.00	0.60	1029.87	183.00		0.18
VH_611C	Virginia Highlands	North side of 26th Road South- 501 26th Road South	Street Bioretention	0.88	37%	63%	1.00	0.49	1561.34	183.00		0.12
VH_850	Virginia Highlands	South Ives St. & 26th St. South	Street Bioretention	0.29	57%	43%	1.00	0.64	671.48	760.80		1.13
WB_100	Westover Branch	Lutheran Church at Washington Blvd and North Powhatan Street	Bioretention	0.25	68%	32%	1.00	0.72	649.87	1987.50		3.06
WB_102A	Westover Branch	Overlee Swim Club	Bioretention	0.53	43%	57%	1.00	0.53	1023.20	2227.50		2.18
WB_102B	Westover Branch	Overlee Swim Club	Bioretention	0.45	58%	42%	1.00	0.65	1056.29	3495.00		3.31
WB_106-1&2	Westover Branch	28th Street North and North Nottingham Street	Street Bioretention	0.69	65%	35%	1.00	0.69	1739.51	890.00	890	0.51
WB_109	Westover Branch	John Marshall Drive and 25th Street North	Street Bioretention	1.50	47%	53%	1.00	0.56	3066.08	1034.00		0.34
WB_113	Westover Branch	North Ohio Street and 22nd Street North - near bike path	Bioretention	0.61	69%	31%	1.00	0.72	1602.49	629.50		0.39
WB_118B	Westover Branch	18th Street North and North Ohio Street	Street Bioretention	0.65	45%	55%	1.00	0.55	1297.10	470.00		0.36
WB_119	Westover Branch	North Ohio Street and 14th Street North	Street Bioretention	0.53	44%	56%	1.00	0.54	1041.21	505.22		0.49
WB_124	Westover Branch	North Powhatan Street between #2236 and #2242	Street Bioretention	0.35	46%	54%	1.00	0.56	706.14	907.00		1.28

Site ID	Phosphorus Removal - VRRM				Phosphorus Removal - CSN				Impervious Area Acreage				Potential Utility or Site Constraints			
	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
UL_707A	0.08	0.77	2.5	1.92	0.27	2.69	2.5	6.74	0.63	3.13	2	6.27	Medium	5	1.5	7.5
UL_707B	0.27	2.73	2.5	6.82	0.33	3.34	2.5	8.35	0.34	1.69	2	3.38	Medium	5	1.5	7.5
UL_708	0.25	2.53	2.5	6.32	0.50	4.97	2.5	12.43	0.64	3.22	2	6.45	Low	10	1.5	15
UL_709	0.30	2.99	2.5	7.47	0.50	4.99	2.5	12.48	0.58	2.89	2	5.79	Low	10	1.5	15
UL_800	0.41	4.07	2.5	10.18	0.44	4.36	2.5	10.91	0.38	1.91	2	3.82	Low	10	1.5	15
UL_802-1&2	0.51	5.09	2.5	12.73	0.66	6.61	2.5	16.52	0.56	2.79	2	5.58	Medium	5	1.5	7.5
VH_184	0.49	4.91	2.5	12.26	0.51	5.07	2.5	12.68	0.53	2.66	2	5.32	Medium	5	1.5	7.5
VH_186	0.51	5.12	2.5	12.81	0.52	5.16	2.5	12.89	0.50	2.49	2	4.97	Medium	5	1.5	7.5
VH_601	0.16	1.63	2.5	4.08	0.17	1.74	2.5	4.35	0.19	0.94	2	1.88	Medium	5	1.5	7.5
VH_608A	0.27	2.73	2.5	6.83	0.28	2.76	2.5	6.89	0.24	1.21	2	2.42	Medium	5	1.5	7.5
VH_608B	0.24	2.40	2.5	6.01	0.21	2.06	2.5	5.16	0.19	0.95	2	1.90	Medium	5	1.5	7.5
VH_608C	0.29	2.94	2.5	7.36	0.29	2.92	2.5	7.31	0.21	1.07	2	2.13	Medium	5	1.5	7.5
VH_609	0.32	3.22	2.5	8.05	0.36	3.65	2.5	9.11	0.34	1.70	2	3.39	Medium	5	1.5	7.5
VH_611A	0.09	0.89	2.5	2.22	0.17	1.73	2.5	4.32	0.32	1.59	2	3.17	Medium	5	1.5	7.5
VH_611B	0.07	0.69	2.5	1.74	0.14	1.36	2.5	3.40	0.25	1.24	2	2.47	Medium	5	1.5	7.5
VH_611C	0.02	0.18	2.5	0.44	0.16	1.65	2.5	4.12	0.32	1.62	2	3.24	Medium	5	1.5	7.5
VH_850	0.23	2.32	2.5	5.80	0.24	2.36	2.5	5.90	0.17	0.83	2	1.66	High	0	1.5	0
WB_100	0.22	2.25	2.5	5.61	0.26	2.62	2.5	6.55	0.17	0.85	2	1.70	Low	10	1.5	15
WB_102A	0.35	3.54	2.5	8.84	0.39	3.94	2.5	9.86	0.23	1.13	2	2.26	Low	10	1.5	15
WB_102B	0.37	3.65	2.5	9.13	0.43	4.27	2.5	10.68	0.26	1.32	2	2.63	Medium	5	1.5	7.5
WB_106-1&2	0.42	4.21	2.5	10.51	0.45	4.53	2.5	11.33	0.45	2.24	2	4.49	Medium	5	1.5	7.5
WB_109	0.52	5.20	2.5	13.00	0.67	6.75	2.5	16.87	0.71	3.53	2	7.05	Low	10	1.5	15
WB_113	0.32	3.19	2.5	7.97	0.35	3.53	2.5	8.83	0.42	2.10	2	4.21	Low	10	1.5	15
WB_118B	0.24	2.40	2.5	6.00	0.30	3.02	2.5	7.55	0.29	1.47	2	2.94	Medium	5	1.5	7.5
WB_119	0.24	2.41	2.5	6.01	0.29	2.87	2.5	7.17	0.23	1.17	2	2.33	Low	10	1.5	15
WB_124	0.24	2.44	2.5	6.10	0.26	2.58	2.5	6.46	0.16	0.81	2	1.61	Medium	5	1.5	7.5



Site ID	Property Ownership				Potential for Quick Implementation				Existing Drainage Problem/Hotspot				County Maintenance Burden			
	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
UL_707A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
UL_707B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
UL_708	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
UL_709	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
UL_800	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
UL_802-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
VH_184	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
VH_186	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
VH_601	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
VH_608A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
VH_608B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
VH_608C	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
VH_609	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
VH_611A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
VH_611B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
VH_611C	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
VH_850	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
WB_100	Private	0	1.5	0	No	0	1	0	No	10	0.5	5	Medium	5	0.5	2.5
WB_102A	Private	0	1.5	0	No	0	1	0	No	10	0.5	5	Medium	5	0.5	2.5
WB_102B	Private	0	1.5	0	No	0	1	0	No	10	0.5	5	Medium	5	0.5	2.5
WB_106-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
WB_109	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
WB_113	Public	10	1.5	15	Yes	10	1	10	No	10	0.5	5	Medium	5	0.5	2.5
WB_118B	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
WB_119	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
WB_124	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0

Site ID	Educational Opportunity				Pollutant Removal - VRRM													
	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit <sup>1</sup>	Size-Adjusted N Removal Credit	Size-Adjusted N Removal Credit <sup>1</sup>	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
UL_707A	Residential Streets with sidewalks	5	0.5	2.5	1.66	11.84	Street Bioretention	55%	64%	13%	5%	5%	5%	5%	0.08	0.64	28.68	813
UL_707B	Residential Streets with sidewalks	5	0.5	2.5	0.90	6.46	Street Bioretention	55%	64%	38%	30%	30%	35%	35%	0.27	2.27	30.70	757
UL_708	Residential Streets with sidewalks	5	0.5	2.5	1.96	14.03	Street Bioretention	55%	64%	19%	13%	13%	15%	15%	0.25	2.10	40.76	379
UL_709	Residential Streets with sidewalks	5	0.5	2.5	1.72	12.32	Street Bioretention	55%	64%	23%	17%	17%	20%	20%	0.30	2.49	41.26	363
UL_800	Residential Streets with sidewalks	5	0.5	2.5	0.97	6.95	Bioretention	55%	64%	57%	42%	42%	49%	49%	0.41	3.39	41.99	340
UL_802-1&2	Residential streets with Sidewalks	5	0.5	2.5	1.65	11.78	Street Bioretention	55%	64%	39%	31%	31%	36%	36%	0.51	4.24	38.80	444
VH_184	Private	0	0.5	0	1.23	8.81	Bioretention	55%	64%	54%	40%	40%	46%	46%	0.49	4.08	27.58	840
VH_186	Private	0	0.5	0	1.14	8.18	Bioretention	55%	64%	65%	45%	45%	52%	52%	0.51	4.26	27.78	837
VH_601	streets with sidewalks	5	0.5	2.5	0.44	3.14	Street Bioretention	55%	64%	50%	37%	37%	43%	43%	0.16	1.36	26.46	868
VH_608A	streets with sidewalks	5	0.5	2.5	0.57	4.10	Street Bioretention	55%	64%	73%	48%	48%	55%	55%	0.27	2.27	29.75	782
VH_608B	Residential Street with sidewalks	5	0.5	2.5	0.44	3.12	Impervious Cover Removal	55%	64%	100%	55%	55%	64%	64%	0.24	2.00	33.41	647
VH_608C	streets with sidewalks	5	0.5	2.5	0.54	3.83	Street Bioretention	55%	64%	103%	56%	55%	65%	64%	0.29	2.45	29.99	775
VH_609	streets with sidewalks	5	0.5	2.5	0.88	6.26	Street Bioretention	55%	64%	48%	37%	37%	43%	43%	0.32	2.68	31.94	700
VH_611A	streets with sidewalks	5	0.5	2.5	0.83	5.93	Street Bioretention	55%	64%	18%	11%	11%	12%	12%	0.09	0.74	25.89	883
VH_611B	streets with sidewalks	5	0.5	2.5	0.65	4.63	Street Bioretention	55%	77%	18%	11%	11%	15%	15%	0.07	0.70	24.71	917
VH_611C	streets with sidewalks	5	0.5	2.5	0.98	7.02	Street Bioretention	55%	64%	12%	2%	2%	2%	2%	0.02	0.15	24.18	929
VH_850	streets with sidewalks	5	0.5	2.5	0.42	3.02	Street Bioretention	55%	64%	113%	57%	55%	66%	64%	0.23	1.93	25.46	900
WB_100	Church	8	0.5	4	0.41	2.92	Bioretention	55%	64%	306%	63%	55%	74%	64%	0.22	1.87	33.81	624
WB_102A	Swim Club	8	0.5	4	0.64	4.60	Bioretention	55%	64%	218%	63%	55%	73%	64%	0.35	2.94	37.60	486
WB_102B	Swim Club	8	0.5	4	0.66	4.75	Bioretention	55%	64%	331%	63%	55%	74%	64%	0.37	3.04	30.76	752
WB_106-1&2	Street w/ sidewalks	5	0.5	2.5	1.09	7.82	Street Bioretention	55%	64%	51%	38%	38%	45%	45%	0.42	3.50	40.50	384
WB_109	Arterial Road	0	0.5	0	1.93	13.78	Street Bioretention	55%	64%	34%	27%	27%	31%	31%	0.52	4.33	50.55	177
WB_113	Street w/ sidewalks	5	0.5	2.5	1.01	7.20	Bioretention	55%	64%	39%	32%	32%	37%	37%	0.32	2.65	62.18	72
WB_118B	Street w/o sidewalk	0	0.5	0	0.81	5.83	Street Bioretention	55%	64%	36%	29%	29%	34%	34%	0.24	2.00	31.93	701
WB_119	Arterial Road	0	0.5	0	0.65	4.68	Street Bioretention	55%	64%	49%	37%	37%	43%	43%	0.24	2.00	38.85	443
WB_124	Street w/ sidewalks	5	0.5	2.5	0.44	3.17	Street Bioretention	55%	64%	128%	59%	55%	69%	64%	0.24	2.03	33.21	650

Site ID	Pollutant Removal - CSN											Rank
	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	
UL_707A	1.26	16.54	843.97	0.15	21.4%	0.27	18.2%	3.02	22.9%	193.63	33.50	711
UL_707B	0.69	9.14	454.65	0.44	48.6%	0.33	41.7%	3.81	52.1%	236.81	32.23	758
UL_708	1.51	22.20	868.62	0.25	33.0%	0.50	28.3%	6.28	35.4%	307.24	46.88	312
UL_709	1.32	19.14	779.85	0.30	37.8%	0.50	32.5%	6.21	40.5%	316.02	46.27	329
UL_800	0.74	9.34	513.93	0.64	59.3%	0.44	50.8%	4.74	63.5%	326.44	42.73	404
UL_802-1&2	1.26	18.19	751.29	0.50	52.4%	0.66	44.9%	8.17	56.1%	421.70	42.59	405
VH_184	0.93	10.56	716.67	0.54	54.7%	0.51	46.9%	4.96	58.7%	420.34	28.00	870
VH_186	0.86	9.72	669.52	0.66	60.0%	0.52	51.4%	4.99	64.3%	430.36	27.86	874
VH_601	0.33	3.79	253.26	0.51	52.7%	0.17	45.2%	1.71	56.4%	142.94	26.73	897
VH_608A	0.43	5.07	326.00	0.76	63.8%	0.28	54.6%	2.77	68.3%	222.78	29.81	818
VH_608B	0.33	3.71	255.96	0.73	62.8%	0.21	53.8%	1.99	67.3%	172.30	32.56	744
VH_608C	0.41	5.07	286.94	1.13	72.1%	0.29	61.6%	3.13	77.3%	221.73	29.94	813
VH_609	0.66	8.55	456.67	0.55	54.9%	0.36	47.0%	4.02	58.8%	268.47	33.00	726
VH_611A	0.63	8.19	427.04	0.20	27.5%	0.17	23.5%	1.93	29.4%	125.66	27.99	871
VH_611B	0.49	6.41	332.74	0.20	27.7%	0.14	23.7%	1.52	29.6%	98.58	26.37	900
VH_611C	0.75	11.06	436.47	0.16	21.9%	0.16	18.7%	2.06	23.5%	102.43	27.86	873
VH_850	0.32	4.05	223.62	1.26	73.8%	0.24	63.1%	2.55	79.1%	176.95	25.56	924
WB_100	0.31	3.67	228.88	3.22	85.0%	0.26	70.0%	2.57	85.0%	194.54	34.75	664
WB_102A	0.49	6.87	304.99	2.71	80.3%	0.39	69.7%	4.79	85.0%	259.24	38.62	538
WB_102B	0.50	6.32	354.29	3.66	85.0%	0.43	70.0%	4.42	85.0%	301.15	32.31	755
WB_106-1&2	0.83	9.99	604.18	0.55	54.9%	0.45	47.0%	4.70	58.8%	355.24	41.31	442
WB_109	1.47	19.89	949.72	0.40	46.0%	0.67	39.4%	7.85	49.2%	467.65	54.42	188
WB_113	0.76	9.00	567.00	0.41	46.5%	0.35	39.9%	3.59	49.9%	282.70	63.04	94
WB_118B	0.62	8.54	395.51	0.44	48.5%	0.30	41.7%	3.56	52.0%	205.73	33.48	712
WB_119	0.50	6.92	314.15	0.60	57.4%	0.29	49.2%	3.40	61.5%	193.17	40.00	490
WB_124	0.34	4.62	216.89	1.55	76.4%	0.26	65.3%	3.02	81.9%	177.66	33.57	710

Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%IC	%Turf	P (in)	Rv	Water Quality Volume (CF)	Treatment Volume (CF)	Treatment Volume Sum for Projects in Series*	% Water Quality Volume Treated
WB_126	Westover Branch	North Powhatan Street and North Ohio Street	Street Bioretention	1.10	57%	43%	1.00	0.64	2539.95	1318.50		0.52
WB_128	Westover Branch	North Powhatan Street between 26th Road North and 26th Street North	Street Bioretention	0.78	68%	32%	1.00	0.72	2033.98	742.00		0.36
WR-102	Windy Run	HB Woodlawn High School & adjacent Arlington Co Ballfield	Bioretention	2.57	34%	66%	1.00	0.47	4367.88	1526.25		0.35
WR-103	Windy Run	St Andrews Episcopal Church - front	Bioretention	0.48	91%	9%	1.00	0.88	1540.80	1670.00		1.08
WR-104	Windy Run	Cherrydale Baptist Church - portion of parking lot adjacent to Military Road	Bioretention	0.34	85%	15%	1.00	0.84	1037.35	936.88		0.90
WR-107	Windy Run	Cherry Hill Apts #2110 North Monroe St -	Bioretention	0.36	72%	28%	1.00	0.75	962.71	445.00		0.46
WR-109	Windy Run	Cherrydale United Methodist Church	Bioretention	0.46	73%	27%	1.00	0.75	1269.49	495.00		0.39
WR-500	Windy Run	N. Thomas St & Old Dominion Drive - Inlet in front of Yorktown Condos on N. Thomas St	Street Bioretention	0.94	77%	23%	1.00	0.78	2668.68	714.75		0.27
WR-502	Windy Run	Intersection of Vacation Lane & Military Road-curb inlet on Military Rd	Street Bioretention	2.12	33%	67%	1.00	0.46	3546.90	1254.00		0.35
WR-520	Windy Run	N. Quincy - between 25th St N and 24th St N	Street Bioretention	1.90	52%	48%	1.00	0.60	4135.44	534.00		0.13
WR-521	Windy Run	N Quebec St.- intx with 25th St. N	Street Bioretention	0.45	63%	37%	1.00	0.68	1110.62	621.25		0.56
WR-530	Windy Run	N. Nelson St.- between 25th St N and 26th St. N	Street Bioretention	0.31	66%	34%	1.00	0.70	789.74	1084.00		1.37
WR-531	Windy Run	25th St. N- South of N. Nelson St.	Street Bioretention	2.74	31%	69%	1.00	0.45	4438.99	1101.00		0.25
WR-535	Windy Run	Nelly Custis Rd- North side of street, west of N. Nelson intx	Street Bioretention	2.59	38%	62%	1.00	0.50	4676.41	568.00		0.12
WR-536	Windy Run	2354 N. Quincy Street & Lorcom Ln curb inlet	Street Bioretention	1.91	27%	73%	1.00	0.42	2885.22	1256.75		0.44
WR-539	Windy Run	#3650 Vacation Lane	Street Bioretention	1.02	41%	59%	1.00	0.52	1929.03	2454.00		1.27
WR-540A	Windy Run	Vacation Lane - east side CI immediately south of intx w/ N Monroe St	Street Bioretention	4.24	25%	75%	1.00	0.40	6194.07	848.00		0.14
WR-540B	Windy Run	Vacation Lane - west side CI immediately south of intx w/ N Monroe St	Street Bioretention	3.72	25%	75%	1.00	0.40	5440.46	794.25		0.15
WR-548	Windy Run	#2711 N. Fillmore Street	Street Bioretention	1.04	56%	44%	1.00	0.63	2369.70	2388.00		1.01
WR-554-1&2	Windy Run	#3541 Nelly Custis Drive	Street Bioretention	0.82	49%	51%	1.00	0.58	1719.37	1452.50		0.84
WR-600	Windy Run	21st Avenue North and North Lincoln Street	Street Bioretention	0.59	55%	45%	1.00	0.62	1331.07	380.25		0.29
WR-601	Windy Run	21st Avenue North and North Kenmore Street	Street Bioretention	0.30	63%	37%	1.00	0.68	740.41	159.75		0.22
WR-710	Windy Run	#3834 Lorcum Lane - east bound lane CI west of intx w/ N Quincy St	Street Bioretention	0.93	43%	57%	1.00	0.53	1811.31	1144.00		0.63
Sites that treat less than .25 acres of drainage												
Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%IC	%Turf	P (in)	Rv	Target Storage WQv (CF)	Total Volume (CF)	Total Volume Sum for Projects in Series*	% Water Quality Volume
AB_100A	Arlington Branch	701 South Highland St.	Bioretention	0.15	4%	96%	1.00	0.25	134.70	217.50		1.61

Site ID	Phosphorus Removal - VRRM				Phosphorus Removal - CSN				Impervious Area Acreage				Potential Utility or Site Constraints			
	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
WB_126	0.61	6.14	2.5	15.35	0.68	6.84	2.5	17.10	0.63	3.14	2	6.27	Medium	5	1.5	7.5
WB_128	0.38	3.76	2.5	9.40	0.43	4.29	2.5	10.71	0.53	2.66	2	5.33	Medium	5	1.5	7.5
WR-102	0.76	7.59	2.5	18.97	1.08	10.79	2.5	26.99	0.87	4.37	2	8.74	Medium	5	1.5	7.5
WR-103	0.53	5.32	2.5	13.31	0.51	5.14	2.5	12.85	0.44	2.18	2	4.37	Low	10	1.5	15
WR-104	0.34	3.44	2.5	8.61	0.33	3.31	2.5	8.26	0.29	1.45	2	2.89	Low	10	1.5	15
WR-107	0.22	2.17	2.5	5.41	0.23	2.32	2.5	5.81	0.26	1.28	2	2.56	High	0	1.5	0
WR-109	0.25	2.47	2.5	6.17	0.28	2.75	2.5	6.88	0.34	1.70	2	3.39	Medium	5	1.5	7.5
WR-500	0.34	3.41	2.5	8.53	0.44	4.39	2.5	10.97	0.72	3.62	2	7.24	Medium	5	1.5	7.5
WR-502	0.64	6.39	2.5	15.96	0.89	8.90	2.5	22.26	0.70	3.50	2	7.00	Medium	5	1.5	7.5
WR-520	0.08	0.84	2.5	2.10	0.42	4.16	2.5	10.40	0.99	4.94	2	9.88	High	0	1.5	0
WR-521	0.29	2.86	2.5	7.16	0.30	3.04	2.5	7.61	0.28	1.42	2	2.84	Medium	5	1.5	7.5
WR-530	0.27	2.73	2.5	6.82	0.28	2.84	2.5	7.09	0.20	1.02	2	2.05	Medium	5	1.5	7.5
WR-531	0.51	5.07	2.5	12.67	0.91	9.11	2.5	22.77	0.85	4.25	2	8.49	Medium	5	1.5	7.5
WR-535	0.10	0.95	2.5	2.38	0.50	5.03	2.5	12.58	0.98	4.92	2	9.84	Low	10	1.5	15
WR-536	0.62	6.15	2.5	15.38	0.85	8.52	2.5	21.30	0.51	2.57	2	5.15	Low	10	1.5	15
WR-539	0.67	6.67	2.5	16.67	0.71	7.11	2.5	17.78	0.42	2.11	2	4.21	Medium	5	1.5	7.5
WR-540A	0.18	1.80	2.5	4.51	0.89	8.90	2.5	22.25	1.06	5.30	2	10.60	Medium	5	1.5	7.5
WR-540B	0.21	2.08	2.5	5.21	0.82	8.23	2.5	20.58	0.93	4.65	2	9.31	Medium	5	1.5	7.5
WR-548	0.82	8.19	2.5	20.47	0.81	8.15	2.5	20.37	0.58	2.90	2	5.80	Medium	5	1.5	7.5
WR-554-1&2	0.55	5.53	2.5	13.83	0.57	5.74	2.5	14.35	0.40	2.01	2	4.02	Medium	5	1.5	7.5
WR-600	0.19	1.87	2.5	4.68	0.25	2.50	2.5	6.26	0.32	1.62	2	3.25	High	0	1.5	0
WR-601	0.07	0.71	2.5	1.77	0.11	1.08	2.5	2.71	0.19	0.95	2	1.89	Medium	5	1.5	7.5
WR-710	0.50	5.04	2.5	12.60	0.56	5.62	2.5	14.04	0.40	2.01	2	4.02	Medium	5	1.5	7.5
Sites that treat less than .25																
Site ID	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
AB_100A	0.05	0.47	2.5	1.16	0.06	0.58	2.5	1.45	0.01	0.03	2	0.06	Medium	5	1.5	7.5

Site ID	Property Ownership				Potential for Quick Implementation				Existing Drainage Problem/Hotspot				County Maintenance Burden			
	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
WB_126	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
WB_128	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
WR-102	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
WR-103	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
WR-104	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
WR-107	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
WR-109	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
WR-500	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
WR-502	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
WR-520	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
WR-521	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
WR-530	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
WR-531	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
WR-535	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
WR-536	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
WR-539	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
WR-540A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
WR-540B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
WR-548	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
WR-554-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
WR-600	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
WR-601	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
WR-710	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
Sites that treat less than .25																
Site ID	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
AB_100A	School	4	1.5	6	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5

Site ID	Educational Opportunity				Pollutant Removal - VRRM													
	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit <sup>1</sup>	Size-Adjusted N Removal Credit	Size-Adjusted N Removal Credit <sup>1</sup>	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
WB_126	Street w/ sidewalks	5	0.5	2.5	1.60	11.42	Street Bioretention	55%	64%	52%	38%	38%	45%	45%	0.61	5.11	47.12	230
WB_128	Street w/ sidewalks	5	0.5	2.5	1.28	9.14	Street Bioretention	55%	64%	36%	29%	29%	34%	34%	0.38	3.13	40.23	394
WR-102	School/Park	10	0.5	5	2.74	19.63	Bioretention	55%	64%	35%	28%	28%	32%	32%	0.76	6.32	67.71	41
WR-103	Church - highly visible	8	0.5	4	0.97	6.93	Bioretention	55%	64%	108%	56%	55%	66%	64%	0.53	4.43	39.18	430
WR-104	Church - highly visible	8	0.5	4	0.65	4.66	Bioretention	55%	64%	90%	53%	53%	61%	61%	0.34	2.87	33.00	659
WR-107	Parking lot	0	0.5	0	0.60	4.33	Bioretention	55%	64%	46%	36%	36%	42%	42%	0.22	1.80	10.48	1027
WR-109	Church - highly visible	8	0.5	4	0.80	5.71	Bioretention	55%	64%	39%	31%	31%	36%	36%	0.25	2.05	23.56	945
WR-500	Residential street with sidewalks	5	0.5	2.5	1.68	12.00	Street Bioretention	55%	64%	27%	20%	20%	24%	24%	0.34	2.84	36.27	535
WR-502	Residential street with sidewalks	5	0.5	2.5	2.23	15.94	Street Bioretention	55%	64%	35%	29%	29%	33%	33%	0.64	5.32	43.46	309
WR-520	Residential street with sidewalks	5	0.5	2.5	2.60	18.59	Street Bioretention	55%	64%	13%	3%	3%	4%	4%	0.08	0.70	24.98	912
WR-521	Residential street with sidewalks	5	0.5	2.5	0.70	4.99	Street Bioretention	55%	64%	56%	41%	41%	48%	48%	0.29	2.38	30.49	762
WR-530	Residential street with sidewalks	5	0.5	2.5	0.50	3.55	Street Bioretention	55%	64%	137%	60%	55%	70%	64%	0.27	2.27	29.37	793
WR-531	Residential street with sidewalks	5	0.5	2.5	2.79	19.95	Street Bioretention	55%	64%	25%	18%	18%	21%	21%	0.51	4.22	41.66	352
WR-535	Residential street with sidewalks	5	0.5	2.5	2.94	21.02	Street Bioretention	55%	64%	12%	3%	3%	4%	4%	0.10	0.79	40.22	395
WR-536	Residential street	0	0.5	0	1.81	12.97	Street Bioretention	55%	64%	44%	34%	34%	39%	39%	0.62	5.12	46.03	257
WR-539	Residential street with sidewalks	5	0.5	2.5	1.21	8.67	Street Bioretention	55%	64%	127%	59%	55%	68%	64%	0.67	5.55	41.38	360
WR-540A	Residential street with sidewalks	5	0.5	2.5	3.89	27.84	Street Bioretention	55%	64%	14%	5%	5%	5%	5%	0.18	1.50	35.61	555
WR-540B	Residential street with sidewalks	5	0.5	2.5	3.42	24.45	Street Bioretention	55%	64%	15%	6%	6%	7%	7%	0.21	1.74	35.02	585
WR-548	Residential street with sidewalks	5	0.5	2.5	1.49	10.65	Street Bioretention	55%	64%	101%	55%	55%	64%	64%	0.82	6.82	46.77	236
WR-554-1&2	Residential street with sidewalks	5	0.5	2.5	1.08	7.73	Street Bioretention	55%	64%	84%	51%	51%	60%	60%	0.55	4.60	38.35	456
WR-600	Residential street with sidewalks	5	0.5	2.5	0.84	5.98	Street Bioretention	55%	64%	29%	22%	22%	26%	26%	0.19	1.56	20.92	982
WR-601	Residential street with sidewalks	5	0.5	2.5	0.47	3.33	Street Bioretention	55%	64%	22%	15%	15%	18%	18%	0.07	0.59	24.16	931
WR-710	Residential street with sidewalks	5	0.5	2.5	1.14	8.14	Street Bioretention	55%	64%	63%	44%	44%	52%	52%	0.50	4.19	37.11	500
Sites that treat less than .2%																		
Site ID	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit <sup>1</sup>	Size-Adjusted N Removal Credit	Size-Adjusted N Removal Credit <sup>1</sup>	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
AB_100A		10	0.5	5	0.08	0.61	Bioretention	55%	64%	161%	61%	55%	71%	64%	0.05	0.39	22.22	

Pollutant Removal - CSN												
Site ID	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	Rank
WB_126	1.21	15.33	844.64	0.58	56.5%	0.68	48.5%	7.43	60.6%	511.72	48.87	276
WB_128	0.96	11.47	717.34	0.38	44.5%	0.43	38.1%	4.38	47.6%	341.64	41.54	435
WR-102	2.11	31.81	1,177.11	0.48	51.1%	1.08	43.9%	13.95	54.8%	644.90	75.72	38
WR-103	0.73	7.80	588.42	1.05	70.9%	0.51	60.6%	4.72	76.0%	446.92	38.72	531
WR-104	0.49	5.39	389.32	0.89	67.6%	0.33	57.8%	3.11	72.4%	281.97	32.65	739
WR-107	0.46	5.32	345.00	0.48	51.0%	0.23	43.7%	2.33	54.6%	188.44	10.87	1027
WR-109	0.60	6.98	456.79	0.40	45.8%	0.28	39.3%	2.74	49.1%	224.25	24.27	949
WR-500	1.26	14.38	975.05	0.27	34.8%	0.44	29.8%	4.29	37.3%	363.29	38.70	532
WR-502	1.72	26.10	942.45	0.49	51.9%	0.89	44.5%	11.62	55.6%	524.05	49.76	267
WR-520	1.97	25.84	1,330.95	0.15	21.1%	0.42	17.9%	4.63	22.6%	300.36	33.28	719
WR-521	0.53	6.46	381.91	0.60	57.7%	0.30	49.4%	3.19	61.8%	236.16	30.95	791
WR-530	0.37	4.51	275.62	1.46	75.7%	0.28	64.8%	2.92	81.2%	223.74	29.64	824
WR-531	2.15	33.36	1,144.24	0.36	42.3%	0.91	36.3%	12.12	45.4%	519.13	51.77	233
WR-535	2.25	32.76	1,325.84	0.16	22.3%	0.50	19.0%	6.24	23.9%	317.13	50.42	252
WR-536	1.40	22.68	693.11	0.67	60.7%	0.85	52.0%	11.79	65.0%	450.74	51.95	230
WR-539	0.93	13.11	567.54	1.60	76.7%	0.71	65.6%	8.60	82.3%	466.96	42.49	410
WR-540A	3.02	49.89	1,427.74	0.22	29.5%	0.89	25.2%	12.58	31.6%	450.61	53.35	207
WR-540B	2.65	43.82	1,254.03	0.24	31.0%	0.82	26.6%	11.65	33.2%	416.84	50.39	253
WR-548	1.13	14.44	781.19	1.13	72.2%	0.81	61.7%	8.91	77.3%	604.17	46.67	317
WR-554-1&2	0.82	10.98	541.21	1.00	69.8%	0.57	59.7%	6.56	74.8%	404.97	38.87	527
WR-600	0.63	8.14	437.14	0.32	39.5%	0.25	33.9%	2.76	42.3%	184.82	22.51	973
WR-601	0.35	4.30	254.61	0.23	30.8%	0.11	26.4%	1.14	33.0%	84.00	25.10	930
WR-710	0.87	12.14	541.38	0.78	64.6%	0.56	55.3%	6.71	69.2%	374.77	38.56	540
Sites that treat less than .25												
Site ID	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	
AB_100A	0.07	1.55	7.58	10.65	85.0%	0.06	70.0%	1.08	85.0%	6.44	22.51	



Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%C	%Turf	P (in)	Rv	Water Quality Volume (CF)	Treatment Volume (CF)	Treatment Volume Sum for Projects in Series*	% Water Quality Volume Treated
AB_100B	Arlington Branch	701 South Highland St.	Bioretention	0.14	0%	100%	1.00	0.22	111.80	484.50		4.33
AB_118	Arlington Branch	Cleveland Park - South Cleveland Street and 11th Street South	Street Bioretention	0.22	65%	35%	1.00	0.70	557.25	753.00		1.35
AB_134	Arlington Branch	Arlington Village Apt. 530 1400 S. Edgewood St.	Bioretention	0.18	66%	34%	1.00	0.70	456.44	789.00		1.73
AB_506B	Arlington Branch	Northwest corner of 9th Street South and Walter Reed Drive	Street Bioretention	0.22	52%	48%	1.00	0.60	477.78	1254.00		2.62
AB_509B	Arlington Branch	9th Road South and South Walter Reed Drive	Street Bioretention	0.20	90%	11%	1.00	0.87	634.05	1443.45		2.28
AB_514B	Arlington Branch	Near 1100 South Walter Reed Drive (West side of Walter Reed Drive and 11th Street South)	Street Bioretention	0.17	38%	62%	1.00	0.49	305.36	3402.00		11.14
BB_210	Bailey's Branch	804 8th Road South	Bioretention	0.07	48%	52%	1.00	0.57	144.94	523.80		3.61
CR_105B	Crossman Run	Verizon Central Office - Lee Highway	Bioretention	0.21	82%	18%	1.00	0.82	621.37	213.75		0.34
CR_106A	Crossman Run	East Falls Church Metro Station Parking Lot	Parking Lot Bioretention	0.22	85%	15%	1.00	0.84	672.28	1267.50		1.89
CR_106D	Crossman Run	East Falls Church Metro Station Parking Lot	Parking Lot Bioretention	0.18	81%	19%	1.00	0.81	531.96	1648.50		3.10
CVB_801	Colonial Village Branch	20th Street North and North Vietch	Street Bioretention	0.24	89%	11%	1.00	0.87	758.74	774.80		1.02
DB_107	Doctor's Branch	Apartment Complex on 5th Street North across from North Pollard Street	Filtering Practice	0.19	89%	11%	1.00	0.87	609.72	450.00		0.74
DB_127A	Doctor's Branch	Pearl's Cleaners (55 North Glebe Road)	Bioretention	0.19	93%	7%	1.00	0.90	617.77	561.00		0.91
DB_134	Doctor's Branch	Arbors of Arlington Condominiums, 30 South Old Glebe Road	Bioretention	0.13	65%	35%	1.00	0.69	320.08	1126.25		3.52
DB_143A	Doctor's Branch	South George Mason Drive and Alcova Heights Park	Street Bioretention	0.22	86%	14%	1.00	0.85	667.02	1203.75		1.80
DB_143B	Doctor's Branch	South George Mason Drive and Alcova Heights Park	Permeable Pavement	0.10	100%	0%	1.00	0.95	355.20	3600.00		10.14
DB_524	Doctor's Branch	Old Glebe Road, near Thomas Jefferson Middle School	Street Bioretention	0.17	87%	13%	1.00	0.85	538.43	621.25		1.15
DR_111B	Donaldson Run	Taylor Elementary School	Street Bioretention	0.19	100%	0%	1.00	0.95	652.83	301.00		0.46
FB_666A	Fairlington-Bradlee	4201 31st Street South	Street Bioretention	0.24	98%	2%	1.00	0.94	820.99	918.00		1.12
FB_668B	Fairlington-Bradlee	4236 32nd Street, South	Street Bioretention	0.17	95%	5%	1.00	0.91	563.72	1098.00		1.95
FMR1_102	Four Mile Run Mainstem 1	Kingdom Hall of Jehovah's Witnesses - 6917 Williamsburg Boulevard	Rain Garden	0.06	100%	0%	1.00	0.95	206.91	672.65		3.25
FMR1_119D	Four Mile Run Mainstem 1	McKinley Elementary School, 1310 North McKinley Road	Bioretention	0.12	83%	17%	1.00	0.83	359.76	333.90		0.93
FMR1_120A	Four Mile Run Mainstem 1	First Church of Christ, Scientist - McKinley and Quantico	Rain Garden	0.06	100%	0%	1.00	0.95	206.91	2375.10		11.48
FMR1_120B	Four Mile Run Mainstem 1	First Church of Christ, Scientist - McKinley and Quantico	Rain Garden	0.05	100%	0%	1.00	0.95	172.43	788.20		4.57
FMR1_120C	Four Mile Run Mainstem 1	First Church of Christ, Scientist - McKinley and Quantico	Rain Garden	0.07	100%	0%	1.00	0.95	241.40	478.05		1.98
FMR1_802	Four Mile Run Mainstem 1	Foot path near intersection of North Potomac Street and North Pocomoke Street	Bioretention	0.23	5%	95%	1.00	0.26	214.15	308.40		1.44
FMR2_511 C	Four Mile Run Mainstem 2	5703 Washington Boulevard	Street Bioretention	0.24	88%	13%	1.00	0.86	748.14	1769.00		2.36
FMR2_534	Four Mile Run Mainstem 2	883 North Lexington Street	Street Bioretention	0.17	88%	12%	1.00	0.86	532.19	945.40		1.78

Site ID	Phosphorus Removal - VRRM				Phosphorus Removal - CSN				Impervious Area Acreage				Potential Utility or Site Constraints			
	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
AB_100B	0.04	0.39	2.5	0.97	0.00	0.00	2.5	0.00	0.00	0.00	2	0.00	Medium	5	1.5	7.5
AB_118	0.19	1.93	2.5	4.81	0.20	2.00	2.5	4.99	0.14	0.72	2	1.44	Medium	5	1.5	7.5
AB_134	0.16	1.58	2.5	3.94	0.17	1.68	2.5	4.21	0.12	0.59	2	1.18	Medium	5	1.5	7.5
AB_506B	0.17	1.65	2.5	4.13	0.19	1.94	2.5	4.85	0.11	0.57	2	1.14	Medium	5	1.5	7.5
AB_509B	0.22	2.19	2.5	5.48	0.23	2.34	2.5	5.85	0.18	0.90	2	1.79	Medium	5	1.5	7.5
AB_514B	0.11	1.06	2.5	2.64	0.13	1.25	2.5	3.13	0.06	0.32	2	0.64	Medium	5	1.5	7.5
BB_210	0.05	0.50	2.5	1.25	0.06	0.59	2.5	1.47	0.03	0.17	2	0.34	Medium	5	1.5	7.5
CR_105B	0.11	1.08	2.5	2.70	0.12	1.21	2.5	3.03	0.17	0.86	2	1.71	Low	10	1.5	15
CR_106A	0.23	2.32	2.5	5.81	0.25	2.47	2.5	6.17	0.19	0.94	2	1.87	Medium	5	1.5	7.5
CR_106D	0.18	1.84	2.5	4.60	0.21	2.13	2.5	5.34	0.15	0.73	2	1.47	Medium	5	1.5	7.5
CVB_801	0.26	2.62	2.5	6.55	0.25	2.50	2.5	6.24	0.21	1.07	2	2.14	Medium	5	1.5	7.5
DB_107	0.18	1.84	2.5	4.61	0.18	1.80	2.5	4.49	0.17	0.86	2	1.72	Low	10	1.5	15
DB_127A	0.21	2.05	2.5	5.13	0.20	1.95	2.5	4.88	0.18	0.88	2	1.76	Low	10	1.5	15
DB_134	0.11	1.11	2.5	2.77	0.13	1.29	2.5	3.23	0.08	0.41	2	0.82	Medium	5	1.5	7.5
DB_143A	0.23	2.30	2.5	5.76	0.24	2.44	2.5	6.10	0.19	0.93	2	1.86	Medium	5	1.5	7.5
DB_143B	0.12	1.23	2.5	3.07	0.14	1.42	2.5	3.55	0.10	0.52	2	1.03	Medium	5	1.5	7.5
DB_524	0.18	1.76	2.5	4.40	0.18	1.83	2.5	4.58	0.15	0.75	2	1.51	Medium	5	1.5	7.5
DR_111B	0.15	1.47	2.5	3.67	0.15	1.48	2.5	3.71	0.19	0.95	2	1.89	Medium	5	1.5	7.5
FB_666A	0.28	2.84	2.5	7.09	0.27	2.74	2.5	6.86	0.24	1.19	2	2.37	Medium	5	1.5	7.5
FB_668B	0.21	2.13	2.5	5.31	0.21	2.06	2.5	5.16	0.16	0.81	2	1.62	Medium	5	1.5	7.5
FMR1_102	0.07	0.72	2.5	1.79	0.08	0.83	2.5	2.07	0.06	0.30	2	0.60	Low	10	1.5	15
FMR1_119D	0.12	1.20	2.5	3.01	0.12	1.16	2.5	2.90	0.10	0.50	2	1.00	Low	10	1.5	15
FMR1_120A	0.07	0.72	2.5	1.79	0.08	0.83	2.5	2.07	0.06	0.30	2	0.60	Low	10	1.5	15
FMR1_120B	0.06	0.60	2.5	1.49	0.07	0.69	2.5	1.72	0.05	0.25	2	0.50	Low	10	1.5	15
FMR1_120C	0.08	0.83	2.5	2.09	0.09	0.88	2.5	2.21	0.07	0.35	2	0.70	Low	10	1.5	15
FMR1_802	0.07	0.74	2.5	1.85	0.09	0.92	2.5	2.30	0.01	0.06	2	0.12	Low	10	1.5	15
FMR2_511 C	0.26	2.59	2.5	6.46	0.28	2.77	2.5	6.91	0.21	1.05	2	2.10	Medium	5	1.5	7.5
FMR2_534	0.18	1.84	2.5	4.60	0.19	1.94	2.5	4.85	0.15	0.75	2	1.50	Medium	5	1.5	7.5

Site ID	Property Ownership				Potential for Quick Implementation				Existing Drainage Problem/Hotspot				County Maintenance Burden			
	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
AB_100B	School	4	1.5	6	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
AB_118	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
AB_134	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
AB_506B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
AB_509B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
AB_514B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
BB_210	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
CR_105B	Private	0	1.5	0	No	0	1	0	No	10	0.5	5	Medium	5	0.5	2.5
CR_106A	Private	0	1.5	0	No	0	1	0	No	10	0.5	5	Medium	5	0.5	2.5
CR_106D	Private	0	1.5	0	No	0	1	0	No	10	0.5	5	Medium	5	0.5	2.5
CVB_801	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DB_107	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DB_127A	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
DB_134	Private	0	1.5	0	No	0	1	0	Yes	10	0.5	5	Medium	5	0.5	2.5
DB_143A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DB_143B	Public	10	1.5	15	No	0	2	0	No	0	1.5	0	High	0	0.5	0
DB_524	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DR_111B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FB_666A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FB_668B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_102	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FMR1_119D	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FMR1_120A	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FMR1_120B	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FMR1_120C	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FMR1_802	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
FMR2_511 C	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_534	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	High	0	0.5	0

Site ID	Educational Opportunity				Pollutant Removal - VRRM													
	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit <sup>1</sup>	Size-Adjusted N-Removal Credit	Size-Adjusted N-Removal Credit <sup>1</sup>	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
AB_100B		10	0.5	5	0.07	0.50	Bioretention	55%	64%	433%	63%	55%	74%	64%	0.04	0.32	21.97	
AB_118		8	0.5	4	0.35	2.50	Street Bioretention	55%	64%	135%	60%	55%	69%	64%	0.19	1.60	28.25	
AB_134		0	0.5	0	0.29	2.05	Bioretention	55%	64%	173%	61%	55%	71%	64%	0.16	1.31	15.12	
AB_506B		5	0.5	2.5	0.30	2.15	Street Bioretention	55%	64%	262%	63%	55%	74%	64%	0.17	1.37	25.77	
AB_509B		5	0.5	2.5	0.40	2.85	Street Bioretention	55%	64%	228%	63%	55%	73%	64%	0.22	1.82	27.77	
AB_514B		5	0.5	2.5	0.19	1.37	Street Bioretention	55%	64%	1114%	63%	55%	74%	64%	0.11	0.88	23.78	
BB_210	Residential streets with Sidewalks	5	0.5	2.5	0.09	0.65	Bioretention	55%	64%	361%	63%	55%	74%	64%	0.05	0.42	14.09	
CR_105B	Office Space	5	0.5	2.5	0.39	2.79	Bioretention	55%	64%	34%	28%	28%	32%	32%	0.11	0.90	29.41	
CR_106A	WMATA	5	0.5	2.5	0.42	3.02	Parking Lot Bioretention	55%	64%	189%	62%	55%	72%	64%	0.23	1.93	25.18	
CR_106D	WMATA	5	0.5	2.5	0.33	2.39	Parking Lot Bioretention	55%	64%	310%	63%	55%	74%	64%	0.18	1.53	23.56	
CVB_801		0	0.5	0	0.48	3.41	Street Bioretention	55%	64%	102%	56%	55%	65%	64%	0.26	2.18	26.69	
DB_107	N/A	0	0.5	0	0.38	2.74	Filtering Practice	55%	64%	74%	48%	48%	56%	56%	0.18	1.54	21.33	
DB_127A	Business parking lot	0	0.5	0	0.39	2.78	Bioretention	55%	64%	91%	53%	53%	61%	61%	0.21	1.71	24.39	
DB_134	Residential streets with Sidewalks	5	0.5	2.5	0.20	1.44	Bioretention	55%	64%	352%	63%	55%	74%	64%	0.11	0.92	21.09	
DB_143A	Park	8	0.5	4	0.42	3.00	Street Bioretention	55%	64%	180%	62%	55%	72%	64%	0.23	1.92	29.63	
DB_143B	Park	8	0.5	4	0.22	1.60	Permeable Pavement	55%	64%	1014%	63%	55%	74%	64%	0.12	1.02	30.60	
DB_524	Residential streets with Sidewalks	5	0.5	2.5	0.34	2.42	Street Bioretention	52%	55%	115%	54%	52%	57%	55%	0.18	1.33	26.40	
DR_111B	School	10	0.5	5	0.41	2.93	Street Bioretention	55%	64%	46%	36%	36%	42%	42%	0.15	1.22	28.56	
FB_666A	Arterial Street with parking	5	0.5	2.5	0.52	3.69	Street Bioretention	55%	64%	112%	57%	55%	66%	64%	0.28	2.36	29.96	
FB_668B	Residential streets with Sidewalks	5	0.5	2.5	0.35	2.53	Street Bioretention	60%	30%	195%	68%	60%	34%	30%	0.21	0.76	27.43	
FMR1_102	Church property adjacent to residential street	5	0.5	2.5	0.13	0.93	Rain Garden	55%	64%	325%	63%	55%	74%	64%	0.07	0.60	22.39	
FMR1_119D	Schools	10	0.5	5	0.23	1.62	Bioretention	55%	64%	93%	53%	53%	62%	62%	0.12	1.00	41.51	
FMR1_120A	Church	5	0.5	2.5	0.13	0.93	Rain Garden	55%	64%	1148%	63%	55%	74%	64%	0.07	0.60	22.39	
FMR1_120B	Church	5	0.5	2.5	0.11	0.78	Rain Garden	55%	64%	457%	63%	55%	74%	64%	0.06	0.50	21.99	
FMR1_120C	Church	5	0.5	2.5	0.15	1.09	Rain Garden	55%	64%	198%	62%	55%	72%	64%	0.08	0.69	22.79	
FMR1_802	Park	8	0.5	4	0.13	0.96	Bioretention	55%	64%	144%	60%	55%	70%	64%	0.07	0.62	48.47	
FMR2_511 C	Residential streets with sidewalks	5	0.5	2.5	0.47	3.36	Street Bioretention	55%	64%	236%	63%	55%	73%	64%	0.26	2.15	29.06	
FMR2_534	Park	8	0.5	4	0.33	2.39	Street Bioretention	55%	64%	178%	62%	55%	72%	64%	0.18	1.53	32.59	

Site ID	Pollutant Removal - CSN											
	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	Rank
AB_100B	0.06	1.41	0.00	0.00	0.0%	0.00	0.0%	0.00	0.0%	0.00	21.00	
AB_118	0.26	3.19	193.97	1.44	75.6%	0.20	64.6%	2.06	81.0%	157.14	28.43	
AB_134	0.22	2.61	158.96	1.84	77.8%	0.17	66.6%	1.74	83.5%	132.71	15.39	
AB_506B	0.23	2.99	153.57	3.03	85.0%	0.19	70.0%	2.09	85.0%	130.54	26.49	
AB_509B	0.30	3.23	241.13	2.22	78.4%	0.23	67.1%	2.17	84.3%	203.22	28.14	
AB_514B	0.15	2.15	86.22	14.64	85.0%	0.13	70.0%	1.50	85.0%	73.28	24.27	
BB_210	0.07	0.93	45.26	4.29	85.0%	0.06	70.0%	0.65	85.0%	38.47	14.31	
CR_105B	0.29	3.28	230.63	0.34	41.3%	0.12	35.4%	1.16	44.2%	101.96	29.74	
CR_106A	0.32	3.49	252.45	1.86	77.9%	0.25	66.6%	2.32	83.6%	210.95	25.54	
CR_106D	0.25	2.81	197.35	3.10	85.0%	0.21	70.0%	1.97	85.0%	167.75	24.30	
CVB_801	0.36	3.87	288.28	1.00	69.8%	0.25	59.7%	2.31	74.9%	215.80	26.38	
DB_107	0.29	3.11	231.48	0.72	62.5%	0.18	53.5%	1.67	67.0%	155.07	21.21	
DB_127A	0.29	3.10	237.24	0.88	67.2%	0.20	57.5%	1.78	72.0%	170.85	24.14	
DB_134	0.15	1.84	110.94	3.77	85.0%	0.13	70.0%	1.29	85.0%	94.30	21.55	
DB_143A	0.31	3.45	251.17	1.78	77.6%	0.24	66.4%	2.29	83.2%	209.04	29.96	
DB_143B	0.17	1.74	138.75	9.63	85.0%	0.14	70.0%	1.22	85.0%	117.94	31.08	
DB_524	0.25	2.78	203.01	1.14	72.2%	0.18	61.7%	1.71	77.4%	157.04	26.59	
DR_111B	0.31	3.20	254.74	0.44	48.4%	0.15	41.5%	1.33	51.8%	132.05	28.60	
FB_666A	0.39	4.04	319.40	1.07	71.1%	0.27	60.8%	2.45	76.2%	243.37	29.73	
FB_668B	0.27	2.81	217.56	1.87	77.9%	0.21	66.6%	1.87	83.6%	181.86	27.28	
FMR1_102	0.10	1.01	80.83	3.09	85.0%	0.08	70.0%	0.71	85.0%	68.70	22.67	
FMR1_119D	0.17	1.88	134.17	0.92	68.3%	0.12	58.4%	1.10	73.2%	98.21	41.39	
FMR1_120A	0.10	1.01	80.83	10.90	85.0%	0.08	70.0%	0.71	85.0%	68.70	22.67	
FMR1_120B	0.08	0.84	67.36	4.34	85.0%	0.07	70.0%	0.59	85.0%	57.25	22.22	
FMR1_120C	0.11	1.18	94.30	1.88	77.9%	0.09	66.6%	0.79	83.6%	78.85	22.91	
FMR1_802	0.11	2.39	15.49	7.39	85.0%	0.09	70.0%	1.68	85.0%	13.17	48.91	
FMR2_511 C	0.35	3.84	282.90	2.32	78.5%	0.28	67.2%	2.58	84.4%	238.79	29.51	
FMR2_534	0.25	2.73	201.53	1.74	77.4%	0.19	66.2%	1.81	83.1%	167.38	32.85	

Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%C	%Turf	P (in)	Rv	Water Quality Volume (CF)	Treatment Volume (CF)	Treatment Volume Sum for Projects in Series*	% Water Quality Volume Treated
FMR2_556 A	Four Mile Run Mainstem 2	Carlson Spring Park Parking Lot	Bioretention	0.09	67%	33%	1.00	0.71	230.87	263.80		1.14
FMR2_556 B	Four Mile Run Mainstem 2	Carlson Spring Park Parking Lot	Bioretention	0.09	78%	22%	1.00	0.79	257.37	256.70		1.00
FMR2_562 B	Four Mile Run Mainstem 2	511 North Manchester Street	Street Bioretention	0.21	100%	0%	1.00	0.95	724.19	1741.20		2.40
FMRM_157B	Four Mile Run Middle	DMV Customer Service Center, 4150 South Four Mile Run Drive	Bioretention	0.09	100%	0%	1.00	0.95	310.37	567.06		1.83
FMRM_160B	Four Mile Run Middle	West Village of Shirlington, 4161 South Four Mile Run Drive	Rain Garden	0.08	88%	13%	1.00	0.86	249.38	561.30		2.25
FMRM_183	Four Mile Run Middle	Jennie Dean Park, 3630 27th Street South	Bioretention	0.17	94%	6%	1.00	0.91	559.22	12198.40		21.81
FMRM_186A	Four Mile Run Middle	Shirlington House Apartments, 4201 South 31st Street	Bioretention	0.19	89%	11%	1.00	0.87	599.83	3910.20		6.52
FMRM_186B	Four Mile Run Middle	Shirlington House Apartments, 4201 South 31st Street	Bioretention	0.24	63%	37%	1.00	0.68	592.33	71.60		0.12
FMRM_200B	Four Mile Run Middle	Woman's Club of Arlington, 700 South Buchanan Street	Bioretention	0.07	43%	57%	1.00	0.53	135.66	308.94		2.28
FMRM_200C	Four Mile Run Middle	Woman's Club of Arlington, 700 South Buchanan Street	Bioretention	0.05	60%	40%	1.00	0.66	119.43	227.05		1.90
FMRM_201A	Four Mile Run Middle	Park Glen Condominium, 824 South Arlington Mill Drive	Bioretention	0.08	50%	50%	1.00	0.59	169.88	990.15		5.83
FMRM_216B	Four Mile Run Middle	Barcroft Apartments, 1130 South George Mason Drive	Bioretention	0.22	27%	73%	1.00	0.42	333.10	754.88		2.27
FMRM_216D	Four Mile Run Middle	Barcroft Apartments, 1130 South George Mason Drive	Rain Garden	0.15	47%	53%	1.00	0.56	306.61	1520.40		4.96
FMRM_219	Four Mile Run Middle	George Mason Village Apartments, South George Mason Drive and South Four Mile Run Drive	Bioretention	0.09	100%	0%	1.00	0.95	310.37	697.25		2.25
FMRM_243B	Four Mile Run Middle	South Buchanan Street and Columbia Pike	Bioretention	0.16	88%	12%	1.00	0.86	500.88	1463.40		2.92
GB_108B	Gulf Branch	North Piedmont Street Cul-de-sac (near 36th Street North)	Street Bioretention	0.24	99%	1%	1.00	0.94	819.16	1700.00		2.08
GB_122A	Gulf Branch	36th Road North and North Military Road	Street Bioretention	0.20	100%	0%	1.00	0.95	688.11	1094.00		1.59
GB_127B-1&2	Gulf Branch	35th Street North	Street Bioretention	0.20	98%	2%	1.00	0.94	679.90	1074.75	1074.75	1.58
GB_128B	Gulf Branch	North Thomas Street and 34th Street North	Street Bioretention	0.20	44%	56%	1.00	0.54	392.91	500.90		1.27
GB_128C	Gulf Branch	North Thomas Street and 34th Street North	Street Bioretention	0.22	36%	64%	1.00	0.48	386.09	485.40		1.26
GB_135	Gulf Branch	38th Street North and North Vernon Street	Street Bioretention	0.10	95%	5%	1.00	0.91	331.07	437.75		1.32
LLB_259	Lower Long Branch	Hoffman-Boston Elementary School 1415 South Queen Street, Arlington, VA	Bioretention	0.16	51%	49%	1.00	0.59	343.20	728.40		2.12
LPE-15E	Little Pimmit Run East	North George Mason Drive and 26th Street North - east side of street	Street Bioretention	0.07	39%	61%	1.00	0.51	129.04	346.00		2.68
LPE-300	Little Pimmit Run East	34th St. at Dinwiddle	Street Bioretention	0.17	75%	25%	1.00	0.77	475.42	874.00		1.84
LPW-37B	Little Pimmit Run West	Williamsburg St. near Harrison St.	Street Bioretention	0.07	100%	0%	1.00	0.95	241.40	1075.50		4.46
LPW-43B	Little Pimmit Run West	Williamsburg St. between N. Kensington Blvd and N. Powhatan St.	Street Bioretention	0.16	81%	19%	1.00	0.81	472.79	1422.00		3.01
LPW-43C	Little Pimmit Run West	Williamsburg St. between N. Kensington Blvd and N. Powhatan St.	Street Bioretention	0.14	85%	15%	1.00	0.84	427.94	3042.00		7.11
LPW-43F	Little Pimmit Run West	Williamsburg St. between N. Kensington Blvd and N. Powhatan St.	Street Bioretention	0.11	75%	25%	1.00	0.76	305.40	1062.00		3.48

Site ID	Phosphorus Removal - VRRM				Phosphorus Removal - CSN				Impervious Area Acreage				Potential Utility or Site Constraints			
	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
FMR2_556 A	0.08	0.80	2.5	1.99	0.08	0.80	2.5	2.00	0.06	0.30	2	0.60	Low	10	1.5	15
FMR2_556 B	0.09	0.88	2.5	2.21	0.09	0.85	2.5	2.13	0.07	0.35	2	0.70	Low	10	1.5	15
FMR2_562 B	0.25	2.50	2.5	6.26	0.27	2.67	2.5	6.67	0.21	1.05	2	2.10	Low	10	1.5	15
FMRM_157B	0.11	1.07	2.5	2.68	0.11	1.13	2.5	2.82	0.09	0.45	2	0.90	Low	10	1.5	15
FMRM_160B	0.09	0.86	2.5	2.15	0.09	0.92	2.5	2.30	0.07	0.35	2	0.70	Low	10	1.5	15
FMRM_183	0.19	1.93	2.5	4.83	0.22	2.24	2.5	5.59	0.16	0.80	2	1.60	Low	10	1.5	15
FMRM_186A	0.21	2.07	2.5	5.18	0.24	2.40	2.5	6.00	0.17	0.85	2	1.69	Medium	5	1.5	7.5
FMRM_186B	0.01	0.12	2.5	0.30	0.05	0.53	2.5	1.31	0.15	0.76	2	1.51	Medium	5	1.5	7.5
FMRM_200B	0.05	0.50	2.5	1.25	0.05	0.53	2.5	1.34	0.03	0.15	2	0.30	Low	10	1.5	15
FMRM_200C	0.04	0.41	2.5	1.03	0.04	0.44	2.5	1.11	0.03	0.15	2	0.30	Low	10	1.5	15
FMRM_201A	0.06	0.59	2.5	1.47	0.07	0.69	2.5	1.73	0.04	0.20	2	0.40	Low	10	1.5	15
FMRM_216B	0.12	1.15	2.5	2.88	0.14	1.38	2.5	3.44	0.06	0.30	2	0.59	Medium	5	1.5	7.5
FMRM_216D	0.11	1.06	2.5	2.65	0.12	1.25	2.5	3.12	0.07	0.35	2	0.71	Medium	5	1.5	7.5
FMRM_219	0.11	1.07	2.5	2.68	0.11	1.14	2.5	2.86	0.09	0.45	2	0.90	Low	10	1.5	15
FMRM_243B	0.17	1.73	2.5	4.33	0.20	1.95	2.5	4.88	0.14	0.70	2	1.41	Medium	5	1.5	7.5
GB_108B	0.28	2.83	2.5	7.08	0.30	3.01	2.5	7.52	0.24	1.18	2	2.37	Low	10	1.5	15
GB_122A	0.24	2.38	2.5	5.94	0.25	2.46	2.5	6.15	0.20	1.00	2	1.99	Low	10	1.5	15
GB_127B-1&2	0.23	2.35	2.5	5.87	0.24	2.43	2.5	6.08	0.20	0.98	2	1.96	Medium	5	1.5	7.5
GB_128B	0.14	1.36	2.5	3.39	0.14	1.44	2.5	3.60	0.09	0.44	2	0.88	Medium	5	1.5	7.5
GB_128C	0.13	1.33	2.5	3.34	0.14	1.44	2.5	3.59	0.08	0.40	2	0.79	Medium	5	1.5	7.5
GB_135	0.11	1.14	2.5	2.86	0.12	1.15	2.5	2.88	0.09	0.47	2	0.95	Medium	5	1.5	7.5
LLB_259	0.12	1.19	2.5	2.96	0.13	1.29	2.5	3.23	0.08	0.41	2	0.81	Low	10	1.5	15
LPE-15E	0.04	0.45	2.5	1.11	0.05	0.53	2.5	1.32	0.03	0.14	2	0.28	Medium	5	1.5	7.5
LPE-300	0.16	1.64	2.5	4.11	0.18	1.75	2.5	4.38	0.13	0.64	2	1.28	Medium	5	1.5	7.5
LPW-37B	0.08	0.83	2.5	2.09	0.10	0.96	2.5	2.41	0.07	0.35	2	0.70	Medium	5	1.5	7.5
LPW-43B	0.16	1.63	2.5	4.08	0.19	1.90	2.5	4.74	0.13	0.65	2	1.30	Medium	5	1.5	7.5
LPW-43C	0.15	1.48	2.5	3.70	0.17	1.71	2.5	4.29	0.12	0.60	2	1.19	Medium	5	1.5	7.5
LPW-43F	0.11	1.06	2.5	2.64	0.12	1.23	2.5	3.07	0.08	0.41	2	0.82	Medium	5	1.5	7.5

Site ID	Property Ownership				Potential for Quick Implementation				Existing Drainage Problem/Hotspot				County Maintenance Burden			
	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
FMR2_556 A	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FMR2_556 B	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FMR2_562 B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMRM_157B	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FMRM_160B	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
FMRM_183	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
FMRM_186A	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FMRM_186B	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FMRM_200B	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FMRM_200C	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FMRM_201A	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FMRM_216B	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FMRM_216D	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FMRM_219	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FMRM_243B	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
GB_108B	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
GB_122A	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
GB_127B-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
GB_128B	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
GB_128C	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
GB_135	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
LLB_259	School	4	1.5	6	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
LPE-15E	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LPE-300	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LPW-37B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LPW-43B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LPW-43C	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LPW-43F	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0



Site ID	Educational Opportunity				Pollutant Removal - VRRM													
	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit <sup>1</sup>	Size-Adjusted N-Removal Credit	Size-Adjusted N-Removal Credit <sup>1</sup>	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
FMR2_556 A	Park	8	0.5	4	0.15	1.04	Bioretention	55%	64%	114%	57%	55%	67%	64%	0.08	0.66	39.09	
FMR2_556 B	Park	8	0.5	4	0.16	1.16	Bioretention	55%	64%	100%	55%	55%	64%	64%	0.09	0.74	39.41	
FMR2_562 B	Residential streets with sidewalks	5	0.5	2.5	0.46	3.26	Street Bioretention	55%	64%	240%	63%	55%	73%	64%	0.25	2.08	36.36	
FMRM_157B	Commercial Site	0	0.5	0	0.20	1.40	Bioretention	55%	64%	183%	62%	55%	72%	64%	0.11	0.89	21.08	
FMRM_160B	All other Streets	0	0.5	0	0.16	1.12	Rain Garden	55%	64%	225%	63%	55%	73%	64%	0.09	0.72	22.85	
FMRM_183	Jennie Dean Park	8	0.5	4	0.35	2.51	Bioretention	55%	64%	2181%	63%	55%	74%	64%	0.19	1.61	52.93	
FMRM_186A	Private apartments	0	0.5	0	0.38	2.70	Bioretention	55%	64%	652%	63%	55%	74%	64%	0.21	1.73	16.87	
FMRM_186B	Private apartments	0	0.5	0	0.37	2.66	Bioretention	55%	64%	12%	3%	3%	4%	4%	0.01	0.10	11.81	
FMRM_200B	Private club	5	0.5	2.5	0.09	0.61	Bioretention	59%	59%	228%	67%	59%	67%	59%	0.05	0.36	21.55	
FMRM_200C	Private club	5	0.5	2.5	0.08	0.54	Bioretention	55%	64%	190%	62%	55%	72%	64%	0.04	0.34	21.33	
FMRM_201A	All other Streets	0	0.5	0	0.11	0.76	Bioretention	55%	64%	583%	63%	55%	74%	64%	0.06	0.49	19.37	
FMRM_216B	Private apartments	0	0.5	0	0.21	1.50	Bioretention	55%	64%	227%	63%	55%	73%	64%	0.12	0.96	13.47	
FMRM_216D	Private apartments	0	0.5	0	0.19	1.38	Rain Garden	55%	64%	496%	63%	55%	74%	64%	0.11	0.88	13.35	
FMRM_219	Private apartments	0	0.5	0	0.20	1.40	Bioretention	55%	64%	225%	63%	55%	73%	64%	0.11	0.89	21.08	
FMRM_243B	Private parking lot	0	0.5	0	0.31	2.25	Bioretention	55%	64%	292%	63%	55%	74%	64%	0.17	1.44	15.74	
GB_108B	Street w/ sidewalks	5	0.5	2.5	0.51	3.68	Street Bioretention	55%	64%	208%	63%	55%	73%	64%	0.28	2.36	42.44	
GB_122A	Street w/ sidewalks	5	0.5	2.5	0.43	3.09	Street Bioretention	55%	64%	159%	61%	55%	71%	64%	0.24	1.98	40.94	
GB_127B-1&2	Street w/ sidewalks	5	0.5	2.5	0.43	3.06	Street Bioretention	55%	64%	158%	61%	55%	71%	64%	0.23	1.96	33.34	
GB_128B	Street w/ sidewalks	5	0.5	2.5	0.25	1.77	Street Bioretention	55%	64%	127%	59%	55%	68%	64%	0.14	1.13	29.77	
GB_128C	Street w/ sidewalks	5	0.5	2.5	0.24	1.74	Street Bioretention	55%	64%	126%	59%	55%	68%	64%	0.13	1.11	29.63	
GB_135	Street w/o sidewalk	0	0.5	0	0.21	1.49	Street Bioretention	55%	64%	132%	59%	55%	69%	64%	0.11	0.95	26.81	
LLB_259	Grassy area		0.5	0	0.22	1.54	Bioretention	55%	64%	212%	63%	55%	73%	64%	0.12	0.99	29.78	
LPE-15E	Residential street w/ sidewalks	5	0.5	2.5	0.08	0.58	Street Bioretention	55%	64%	268%	63%	55%	74%	64%	0.04	0.37	21.89	
LPE-300	Residential street w/ sidewalks	5	0.5	2.5	0.30	2.14	Street Bioretention	55%	64%	184%	62%	55%	72%	64%	0.16	1.37	25.89	
LPW-37B	Roadway median	0	0.5	0	0.15	1.09	Street Bioretention	55%	64%	446%	63%	55%	74%	64%	0.08	0.69	20.79	
LPW-43B	Residential street w/ sidewalks	5	0.5	2.5	0.30	2.13	Street Bioretention	55%	64%	301%	63%	55%	74%	64%	0.16	1.36	25.89	
LPW-43C	Residential street w/ sidewalks	5	0.5	2.5	0.27	1.92	Street Bioretention	55%	64%	711%	63%	55%	74%	64%	0.15	1.23	25.39	
LPW-43F	Residential street w/ sidewalks	5	0.5	2.5	0.19	1.37	Street Bioretention	55%	64%	348%	63%	55%	74%	64%	0.11	0.88	23.96	

Site ID	Pollutant Removal - CSN											
	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	Rank
FMR2_556 A	0.11	1.31	80.83	1.21	73.2%	0.08	62.6%	0.82	78.5%	63.42	39.10	
FMR2_556 B	0.12	1.38	94.30	1.01	70.1%	0.09	59.9%	0.83	75.1%	70.84	39.33	
FMR2_562 B	0.34	3.54	282.90	2.28	78.4%	0.27	67.1%	2.38	84.4%	238.63	36.77	
FMRM_157B	0.15	1.52	121.24	1.74	77.4%	0.11	66.2%	1.00	83.0%	100.66	21.22	
FMRM_160B	0.12	1.28	94.30	2.21	78.4%	0.09	67.0%	0.86	84.3%	79.46	23.00	
FMRM_183	0.26	2.80	215.27	21.03	85.0%	0.22	70.0%	1.96	85.0%	182.98	53.69	
FMRM_186A	0.28	3.06	227.80	6.37	85.0%	0.24	70.0%	2.14	85.0%	193.63	17.69	
FMRM_186B	0.28	3.44	203.68	0.13	18.7%	0.05	15.9%	0.55	20.0%	40.78	12.83	
FMRM_200B	0.07	0.91	40.55	2.83	82.0%	0.05	70.0%	0.64	85.0%	34.47	21.64	
FMRM_200C	0.06	0.71	40.41	2.08	78.3%	0.04	67.0%	0.47	84.1%	33.99	21.41	
FMRM_201A	0.08	1.08	53.88	6.82	85.0%	0.07	70.0%	0.75	85.0%	45.80	19.63	
FMRM_216B	0.16	2.62	80.02	3.50	85.0%	0.14	70.0%	1.83	85.0%	68.02	14.04	
FMRM_216D	0.15	1.99	94.97	5.94	85.0%	0.12	70.0%	1.39	85.0%	80.73	13.82	
FMRM_219	0.15	1.52	121.24	2.13	78.3%	0.11	67.0%	1.02	84.2%	102.05	21.26	
FMRM_243B	0.24	2.57	189.67	2.86	82.8%	0.20	70.0%	1.80	85.0%	161.22	16.29	
GB_108B	0.38	4.02	319.00	1.98	78.1%	0.30	66.8%	2.69	83.9%	267.61	42.89	
GB_122A	0.32	3.37	268.62	1.51	76.1%	0.25	65.1%	2.19	81.6%	219.20	41.14	
GB_127B-1&2	0.32	3.35	264.44	1.51	76.1%	0.24	65.1%	2.18	81.6%	215.73	33.54	
GB_128B	0.19	2.61	118.55	1.57	76.5%	0.14	65.4%	1.71	82.0%	97.24	29.98	
GB_128C	0.19	2.75	106.96	1.68	77.1%	0.14	66.0%	1.82	82.8%	88.52	29.89	
GB_135	0.16	1.65	127.71	1.27	73.9%	0.12	63.2%	1.04	79.2%	101.20	26.83	
LLB_259	0.16	2.16	109.52	2.47	78.7%	0.13	67.6%	1.46	84.8%	92.84	30.04	
LPE-15E	0.06	0.89	37.18	3.45	85.0%	0.05	70.0%	0.62	85.0%	31.60	22.10	
LPE-300	0.22	2.58	172.67	1.88	77.9%	0.18	66.6%	1.72	83.6%	144.37	26.16	
LPW-37B	0.11	1.18	94.30	4.23	85.0%	0.10	70.0%	0.83	85.0%	80.15	21.11	
LPW-43B	0.22	2.50	175.40	3.01	85.0%	0.19	70.0%	1.75	85.0%	149.09	26.54	
LPW-43C	0.20	2.22	160.71	7.02	85.0%	0.17	70.0%	1.55	85.0%	136.60	25.98	
LPW-43F	0.14	1.67	110.60	3.56	85.0%	0.12	70.0%	1.17	85.0%	94.01	24.39	

Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%IC	%Turf	P (in)	Rv	Water Quality Volume (CF)	Treatment Volume (CF)	Treatment Volume Sum for Projects in Series*	% Water Quality Volume Treated
LPW-43H	Little Pimmit Run West	Williamsburg St. between N. Kensington Blvd and N. Powhatan St.	Street Bioretention	0.12	89%	11%	1.00	0.87	377.52	1332.00		3.53
LR-102	Lubber Run	High View Park, 1945 North Dinwiddie Street	Infiltration	0.19	100%	0%	1.00	0.95	666.08	1800.00		2.70
LR-107C	Lubber Run	Arlington Traditional School, 855 North Edison Street	Bioretention	0.20	100%	0%	1.00	0.95	700.86	1620.00		2.31
LR-108	Lubber Run	McDonalds, 5009 Wilson Boulevard	Street Bioretention	0.13	94%	6%	1.00	0.90	441.70	112.50		0.25
LR-110	Lubber Run	Carlin Ridge Townhomes on North Abingdon Street between 7th Road North and North Carlin Springs Road	Bioretention	0.22	63%	37%	1.00	0.68	542.97	675.00		1.24
LR-114B	Lubber Run	Lubber Run Community Center, 300 North Park Drive	Street Bioretention	0.16	97%	3%	1.00	0.93	539.04	465.30		0.86
LR-124B	Lubber Run	Boston Garden & Carlyn Springs Apartments, 4318 North Carlin Springs Road	Bioretention	0.18	49%	51%	1.00	0.58	368.03	111.00		0.30
LR-500A	Lubber Run	5016 22nd Street North	Street Bioretention	0.19	100%	0%	1.00	0.95	669.39	421.25		0.63
LR-510 (option 1)	Lubber Run	5100 block of 19th Street North	Street Bioretention	0.17	93%	7%	1.00	0.90	556.52	1347.00		2.42
LR-545 (option 1)	Lubber Run	15th Street north, near Capital Hospice	Bioretention	0.11	86%	14%	1.00	0.85	324.51	330.63		1.02
LR-545 (option 2)	Lubber Run	Capital Hospice, 4715 North 15th Street	Bioretention	0.24	84%	16%	1.00	0.83	720.06	330.63		0.46
LR-567	Lubber Run	North Buchanan Street and Fairfax Road	Street Bioretention	0.12	98%	2%	1.00	0.94	407.46	624.00		1.53
LR-579C	Lubber Run	North Abingdon Street between 7th Road North and North Carlin Springs Road	Street Bioretention	0.21	100%	0%	1.00	0.95	724.19	489.00		0.68
LR-592E	Lubber Run	Lubber Run Park and Amphitheatre, 2nd Street North and North Columbus Street	Regenerative Conveyance System	0.21	74%	26%	1.00	0.76	577.80	2006.00		3.47
LR-907	Lubber Run	4685 21st Street North	Street Bioretention	0.14	72%	28%	1.00	0.75	373.89	634.50		1.70
NB_985	Nauck Branch	1611 South Glebe Road (where South Glebe and South	Bioretention	0.21	100%	0%	1.00	0.95	724.19	543.75		0.75
RB_707A	Rixey Branch	Near house 2605 Military Road	Street Bioretention	0.19	88%	12%	1.00	0.86	594.24	590.40		0.99
ROC_239B	Rocky Run	Between 14th Street North 15th Street North to the west of North Courthouse Road	Bioretention	0.11	100%	0%	1.00	0.95	379.34	783.20		2.06
ROC_239C	Rocky Run	Between 14th Street North 15th Street North to the west of North Courthouse Road	Bioretention	0.12	100%	0%	1.00	0.95	413.82	1075.20		2.60
RR_650	Roaches Run	1785 South Hayes Street (close to) 7-11 across the street	Street Bioretention	0.21	95%	5%	1.00	0.92	697.69	1261.20		1.81
RR_669	Roaches Run	1215/1225/1235 South Clark Street	Bioretention	0.05	100%	0%	1.00	0.95	172.43	82.50		0.48
RR_677	Roaches Run	Waterford House Condominiums; 1200 Crystal Drive	Bioretention	0.24	88%	13%	1.00	0.86	748.14	556.90		0.74
SR-215	Spout Run	N. Kirkwood Rd. @ 19th St. N.	Street Bioretention	0.17	95%	5%	1.00	0.91	563.72	1214.38		2.15
SR-558	Spout Run	Key Blvd and North Cleveland Street	Street Bioretention	0.04	66%	34%	1.00	0.70	105.10	214.00		2.04
SR-561A	Spout Run	18th Street North and North Edgewood Street	Street Bioretention	0.20	49%	51%	1.00	0.58	419.41	1501.00		3.58
SR-562B	Spout Run	Lyon Village Park - intersection of N. Highland St and 19th St N.	Bioretention	0.07	44%	56%	1.00	0.54	128.24	637.50		4.97
SR-565	Spout Run	N. Hartford St. and 13th St. N.	Street Bioretention	0.09	98%	2%	1.00	0.94	313.91	518.00		1.65

Site ID	Phosphorus Removal - VRRM				Phosphorus Removal - CSN				Impervious Area Acreage				Potential Utility or Site Constraints			
	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
LPW-43H	0.13	1.30	2.5	3.26	0.15	1.51	2.5	3.78	0.11	0.53	2	1.06	Medium	5	1.5	7.5
LR-102	0.23	2.30	2.5	5.75	0.25	2.48	2.5	6.19	0.19	0.97	2	1.93	Low	10	1.5	15
LR-107C	0.24	2.42	2.5	6.05	0.26	2.58	2.5	6.45	0.20	1.02	2	2.03	Low	10	1.5	15
LR-108	0.05	0.54	2.5	1.34	0.07	0.67	2.5	1.67	0.13	0.63	2	1.26	Medium	5	1.5	7.5
LR-110	0.19	1.88	2.5	4.69	0.19	1.93	2.5	4.81	0.14	0.69	2	1.39	Medium	5	1.5	7.5
LR-114B	0.17	1.66	2.5	4.14	0.17	1.67	2.5	4.17	0.16	0.78	2	1.55	Medium	5	1.5	7.5
LR-124B	0.06	0.56	2.5	1.39	0.07	0.74	2.5	1.86	0.09	0.43	2	0.86	Medium	5	1.5	7.5
LR-500A	0.19	1.85	2.5	4.63	0.18	1.81	2.5	4.52	0.19	0.97	2	1.94	High	0	1.5	0
LR-510 (option 1)	0.19	1.92	2.5	4.81	0.21	2.06	2.5	5.14	0.16	0.79	2	1.59	Medium	5	1.5	7.5
LR-545 (option 1)	0.11	1.12	2.5	2.80	0.11	1.07	2.5	2.68	0.09	0.45	2	0.91	Low	10	1.5	15
LR-545 (option 2)	0.16	1.58	2.5	3.96	0.17	1.68	2.5	4.21	0.20	1.00	2	2.00	Low	10	1.5	15
LR-567	0.14	1.41	2.5	3.52	0.15	1.45	2.5	3.63	0.12	0.59	2	1.18	Medium	5	1.5	7.5
LR-579C	0.21	2.08	2.5	5.20	0.20	2.02	2.5	5.05	0.21	1.05	2	2.10	Medium	5	1.5	7.5
LR-592E	0.20	2.00	2.5	4.99	0.23	2.32	2.5	5.81	0.15	0.77	2	1.55	High	0	1.5	0
LR-907	0.13	1.29	2.5	3.23	0.14	1.37	2.5	3.43	0.10	0.50	2	1.00	Medium	5	1.5	7.5
NB_985	0.22	2.22	2.5	5.56	0.21	2.12	2.5	5.29	0.21	1.05	2	2.10	High	0	1.5	0
RB_707A	0.20	2.04	2.5	5.11	0.19	1.94	2.5	4.86	0.17	0.83	2	1.67	Medium	5	1.5	7.5
ROC_239B	0.15	1.49	2.5	3.72	0.14	1.39	2.5	3.48	0.11	0.55	2	1.10	Medium	5	1.5	7.5
ROC_239C	0.14	1.43	2.5	3.58	0.15	1.53	2.5	3.83	0.12	0.60	2	1.20	Medium	5	1.5	7.5
RR_650	0.24	2.41	2.5	6.03	0.25	2.54	2.5	6.35	0.20	1.00	2	2.00	High	0	1.5	0
RR_669	0.04	0.39	2.5	0.98	0.04	0.40	2.5	1.00	0.05	0.25	2	0.50	Medium	5	1.5	7.5
RR_677	0.23	2.28	2.5	5.70	0.22	2.22	2.5	5.54	0.21	1.05	2	2.10	Medium	5	1.5	7.5
SR-215	0.19	1.95	2.5	4.87	0.21	2.08	2.5	5.19	0.16	0.81	2	1.62	Medium	5	1.5	7.5
SR-558	0.04	0.36	2.5	0.91	0.04	0.39	2.5	0.98	0.03	0.14	2	0.27	Medium	5	1.5	7.5
SR-561A	0.14	1.45	2.5	3.62	0.17	1.70	2.5	4.26	0.10	0.49	2	0.98	Medium	5	1.5	7.5
SR-562B	0.04	0.44	2.5	1.11	0.05	0.52	2.5	1.31	0.03	0.14	2	0.29	Medium	5	1.5	7.5
SR-565	0.11	1.08	2.5	2.71	0.11	1.13	2.5	2.82	0.09	0.45	2	0.91	Low	10	1.5	15

Site ID	Property Ownership				Potential for Quick Implementation				Existing Drainage Problem/Hotspot				County Maintenance Burden			
	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
LPW-43H	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-102	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
LR-107C	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
LR-108	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-110	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
LR-114B	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-124B	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
LR-500A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-510 (option 1)	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-545 (option 1)	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-545 (option 2)	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-567	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-579C	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-592E	Public	10	1.5	15	No	0	1	0	Yes	10	0.5	5	High	0	0.5	0
LR-907	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
NB_985	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
RB_707A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
ROC_239B	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
ROC_239C	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
RR_650	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
RR_669	Street ROW	7	1.5	10.5	No	0	1	0	Yes	10	0.5	5	Medium	5	0.5	2.5
RR_677	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
SR-215	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
SR-558	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
SR-561A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
SR-562B	Public	10	1.5	15	Yes	10	1	10	No	0	0.5	0	Medium	5	0.5	2.5
SR-565	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0

Site ID	Educational Opportunity				Pollutant Removal - VRRM													
	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit <sup>1</sup>	Size-Adjusted N Removal Credit	Size-Adjusted N Removal Credit <sup>1</sup>	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
LPW-43H	Residential street w/ sidewalks	5	0.5	2.5	0.24	1.70	Street Bioretention	55%	64%	353%	63%	55%	74%	64%	0.13	1.09	24.82	
LR-102	Park	8	0.5	4	0.42	2.99	Infiltration	55%	64%	270%	63%	55%	74%	64%	0.23	1.92	54.19	
LR-107C	School	10	0.5	5	0.44	3.15	Bioretention	55%	64%	231%	63%	55%	73%	64%	0.24	2.02	55.59	
LR-108	High Traffic Area	5	0.5	2.5	0.28	1.99	Street Bioretention	55%	64%	25%	19%	19%	23%	23%	0.05	0.45	12.61	
LR-110	Townhome Complex	0	0.5	0	0.34	2.44	Bioretention	55%	64%	124%	59%	55%	68%	64%	0.19	1.56	16.08	
LR-114B	Community Center	8	0.5	4	0.34	2.42	Street Bioretention	52%	55%	86%	49%	49%	52%	52%	0.17	1.25	32.20	
LR-124B	Yes	5	0.5	2.5	0.23	1.65	Bioretention	55%	64%	30%	24%	24%	28%	28%	0.06	0.46	17.25	
LR-500A	Residential street w/ sidewalks	5	0.5	2.5	0.42	3.01	Street Bioretention	55%	64%	63%	44%	44%	51%	51%	0.19	1.54	19.57	
LR-510 (option 1)	Residential street w/ sidewalks	5	0.5	2.5	0.35	2.50	Street Bioretention	55%	64%	242%	63%	55%	73%	64%	0.19	1.60	26.89	
LR-545 (option 1)	Street	0	0.5	0	0.20	1.46	Bioretention	55%	64%	102%	55%	55%	64%	64%	0.11	0.93	29.21	
LR-545 (option 2)	Street	0	0.5	0	0.45	3.24	Bioretention	55%	64%	46%	35%	35%	41%	41%	0.16	1.32	31.46	
LR-567	Residential Street w/ sidewalk	5	0.5	2.5	0.26	1.83	Street Bioretention	55%	64%	153%	61%	55%	70%	64%	0.14	1.17	25.20	
LR-579C	Residential Street w/ sidewalk	5	0.5	2.5	0.46	3.26	Street Bioretention	55%	64%	68%	46%	46%	53%	53%	0.21	1.73	27.80	
LR-592E	County Amphitheatre	8	0.5	4	0.36	2.60	Regenerative Conveyance System	55%	64%	347%	63%	55%	74%	64%	0.20	1.66	30.54	
LR-907	Residential street with sidewalks	5	0.5	2.5	0.23	1.68	Street Bioretention	55%	64%	170%	61%	55%	71%	64%	0.13	1.08	24.73	
NB_985		0	0.5	0	0.46	3.26	Bioretention	55%	64%	75%	49%	49%	57%	57%	0.22	1.85	10.16	
RB_707A		5	0.5	2.5	0.37	2.67	Street Bioretention	55%	64%	99%	55%	55%	64%	64%	0.20	1.70	27.28	
ROC_239B	There is a lot of foot traffic through the parking lot	0	0.5	0	0.24	1.71	Bioretention	63%	58%	206%	71%	63%	65%	58%	0.15	0.98	29.82	
ROC_239C	There is a lot of foot traffic through the parking lot	0	0.5	0	0.26	1.86	Bioretention	55%	64%	260%	63%	55%	74%	64%	0.14	1.19	29.78	
RR_650		0	0.5	0	0.44	3.14	Street Bioretention	55%	64%	181%	62%	55%	72%	64%	0.24	2.01	18.53	
RR_669		0	0.5	0	0.11	0.78	Bioretention	55%	64%	48%	36%	36%	42%	42%	0.04	0.33	26.98	
RR_677		8	0.5	4	0.47	3.36	Bioretention	55%	64%	74%	48%	48%	56%	56%	0.23	1.90	29.80	
SR-215	Street (no sidewalk)	0	0.5	0	0.35	2.53	Street Bioretention	55%	64%	215%	63%	55%	73%	64%	0.19	1.62	41.49	
SR-558	Residential street with sidewalks	5	0.5	2.5	0.07	0.47	Street Bioretention	55%	64%	204%	63%	55%	73%	64%	0.04	0.30	21.68	
SR-561A	Residential street with sidewalks	5	0.5	2.5	0.26	1.89	Street Bioretention	55%	64%	358%	63%	55%	74%	64%	0.14	1.21	25.10	
SR-562B	Park	8	0.5	4	0.08	0.58	Bioretention	55%	64%	497%	63%	55%	74%	64%	0.04	0.37	40.39	
SR-565	Residential street with sidewalks	5	0.5	2.5	0.20	1.41	Street Bioretention	55%	64%	165%	61%	55%	71%	64%	0.11	0.90	31.62	

Site ID	Pollutant Removal - CSN											Rank
	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	
LPW-43H	0.18	1.93	143.20	3.45	85.0%	0.15	70.0%	1.35	85.0%	121.72	25.34	
LR-102	0.31	3.26	260.20	2.57	79.1%	0.25	68.1%	2.22	85.0%	221.17	54.62	
LR-107C	0.33	3.43	273.78	2.20	78.4%	0.26	67.0%	2.30	84.2%	230.65	55.98	
LR-108	0.21	2.21	169.87	0.25	32.1%	0.07	27.5%	0.61	34.4%	58.50	12.93	
LR-110	0.26	3.16	186.71	1.34	74.7%	0.19	63.8%	2.02	80.0%	149.44	16.20	
LR-114B	0.25	2.67	209.07	0.83	65.8%	0.17	56.3%	1.50	70.5%	147.49	32.22	
LR-124B	0.18	2.35	115.85	0.36	42.2%	0.07	36.2%	0.85	45.2%	52.41	17.72	
LR-500A	0.31	3.27	261.48	0.60	57.4%	0.18	49.2%	1.61	61.5%	160.92	19.46	
LR-510 (option 1)	0.26	2.79	213.65	2.34	78.5%	0.21	67.2%	1.88	84.4%	180.41	27.22	
LR-545 (option 1)	0.15	1.68	122.18	1.00	70.0%	0.11	59.8%	1.00	75.0%	91.63	29.08	
LR-545 (option 2)	0.34	3.76	269.02	0.46	49.5%	0.17	42.5%	1.60	53.1%	142.81	31.70	
LR-567	0.19	2.01	158.42	1.46	75.7%	0.15	64.8%	1.30	81.2%	128.63	25.30	
LR-579C	0.34	3.54	282.90	0.64	59.4%	0.20	50.9%	1.80	63.6%	180.04	27.65	
LR-592E	0.27	3.16	208.53	3.57	85.0%	0.23	70.0%	2.22	85.0%	177.25	31.36	
LR-907	0.18	2.06	134.17	1.75	77.5%	0.14	66.3%	1.37	83.1%	111.52	24.92	
NB_985	0.34	3.54	282.90	0.71	62.2%	0.21	53.3%	1.89	66.7%	188.63	9.89	
RB_707A	0.28	3.05	224.96	0.97	69.4%	0.19	59.3%	1.81	74.4%	167.27	27.03	
ROC_239B	0.18	1.85	148.18	1.96	78.1%	0.14	66.8%	1.24	83.9%	124.25	29.58	
ROC_239C	0.19	2.02	161.65	2.47	78.7%	0.15	67.6%	1.37	84.8%	137.03	30.03	
RR_650	0.33	3.47	269.42	1.74	77.4%	0.25	66.2%	2.30	83.0%	223.72	18.85	
RR_669	0.08	0.84	67.36	0.45	49.4%	0.04	42.4%	0.36	53.0%	35.68	27.00	
RR_677	0.35	3.84	282.90	0.73	62.8%	0.22	53.8%	2.07	67.3%	190.49	29.64	
SR-215	0.27	2.81	217.56	2.07	78.3%	0.21	66.9%	1.88	84.1%	182.91	41.80	
SR-558	0.05	0.60	36.64	2.17	78.4%	0.04	67.0%	0.40	84.2%	30.86	21.75	
SR-561A	0.20	2.68	132.02	4.22	85.0%	0.17	70.0%	1.88	85.0%	112.22	25.74	
SR-562B	0.06	0.86	38.53	6.14	85.0%	0.05	70.0%	0.60	85.0%	32.75	40.59	
SR-565	0.15	1.54	122.18	1.57	76.5%	0.11	65.5%	1.01	82.1%	100.27	31.73	

Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%IC	%Turf	P (in)	Rv	Water Quality Volume (CF)	Treatment Volume (CF)	Treatment Volume Sum for Projects in Series*	% Water Quality Volume Treated
SR-566B	Spout Run	North of intersection between N. Herndon St. and 13th St. N. (across from Dog Park)	Street Bioretention	0.17	94%	6%	1.00	0.91	557.06	1994.00		3.58
SR-605	Spout Run	NW corner of N. Nelson St. and 10th St. N.	Street Bioretention	0.23	99%	1%	1.00	0.94	787.06	807.75		1.03
TR_102	Torreyson Run	Westover Shopping Center	Parking Lot Bioretention	0.19	98%	2%	1.00	0.93	643.56	946.25		1.47
TR_113B	Torreyson Run	CVS/Advanced Auto Parts Shopping Center	Parking Lot Bioretention	0.22	99%	1%	1.00	0.94	752.84	1559.00		2.07
TR_146	Torreyson Run	North Longfellow Street between 18th Street North and 16th Street North	Street Bioretention	0.16	85%	15%	1.00	0.84	488.43	676.00		1.38
TR_154C-1&2	Torreyson Run	Patrick Henry Drive and North Inglewood Street	Street Bioretention	0.24	41%	59%	1.00	0.52	452.41	1397.00	1397	3.09
VH_183	Virginia Highlands	Mount Vernon Baptist Church- 935 South 23rd St.	Bioretention	0.05	54%	46%	1.00	0.61	111.48	246.15		2.21
VH_602	Virginia Highlands	26th Place South & South Grove St.	Street Bioretention	0.17	87%	13%	1.00	0.86	527.95	598.40		1.13
VH_604	Virginia Highlands	26th Place South- 736 26th Place South	Street Bioretention	0.09	92%	8%	1.00	0.89	291.82	946.40		3.24
WB_112	Westover Branch	John Marshall Drive and 23rd Street North	Street Bioretention	0.23	82%	18%	1.00	0.82	686.36	495.75		0.72
WB_117	Westover Branch	North Ohio Street near Washington Blvd.	Street Bioretention	0.24	52%	48%	1.00	0.60	522.37	677.81		1.30
WB_118A	Westover Branch	18th Street North and 16th Street North	Street Bioretention	0.18	98%	2%	1.00	0.93	610.93	1264.00		2.07
WR-501	Windy Run	N Randolph Street & 23rd St N - on N Randolph	Street Bioretention	0.23	82%	18%	1.00	0.82	686.72	298.75		0.44
WR-545	Windy Run	26th Street North (2900 block) cul-de-sac	Street Bioretention	0.21	63%	37%	1.00	0.68	518.29	2150.00		4.15
Sites that treat <10% Tv												
Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%IC	%Turf	P (in)	Rv	Target Storage WQv (CF)	Total Volume (CF)	Total Volume Sum for Projects in Series*	% Water Quality Volume
AB_101	Arlington Branch	9th Road South and Garfield Street	Bioretention	1.46	95%	5%	1.00	0.91	4841.37	370.50		0.08
AB_518	Arlington Branch	3100 South Highland Street	Street Bioretention	4.46	46%	54%	1.00	0.56	9001.84	358.00		0.04
BB_715	Bailey's Branch	756 8th Road South	Street Bioretention	3.52	50%	50%	1.00	0.59	7474.90	702.83		0.09
CR_117B	Crossman Run	26th Road North and North Quantico Street	Street Bioretention	3.76	45%	55%	1.00	0.55	7456.85	669.66		0.09
DB_160B	Doctor's Branch	Barcroft Apartments, 1130 South George Mason Drive	Bioretention	2.51	60%	40%	1.00	0.66	6005.15	473.13		0.08
DB_513	Doctor's Branch	Arlington Oaks, 4490 North Pershing Drive	Bioretention	2.15	39%	61%	1.00	0.51	3971.26	265.31		0.07
DB_535	Doctor's Branch	South Oakland Street at 6th Street South	Street Bioretention	4.72	37%	63%	1.00	0.49	8432.01	871.25		0.10
DB_553	Doctor's Branch	South Taylor Street and 8th Road South	Street Bioretention	1.90	49%	51%	1.00	0.58	4004.92	296.25		0.07
DR_110B	Donaldson Run	Wakefield Water Tower	Bioretention	2.02	31%	69%	1.00	0.45	3271.48	103.00		0.03
DR_111A	Donaldson Run	Taylor Elementary School	Bioretention	5.08	38%	62%	1.00	0.50	9153.71	220.00		0.02
DR_113	Donaldson Run	Church of the Covenant	Bioretention	3.35	29%	71%	1.00	0.43	5205.96	475.50		0.09
DR_118A	Donaldson Run	30th Road North - near 30th Place North	Street Bioretention	2.02	36%	64%	1.00	0.48	3540.18	137.00		0.04



Site ID	Phosphorus Removal - VRRM				Phosphorus Removal - CSN				Impervious Area Acreage				Potential Utility or Site Constraints			
	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
SR-566B	0.19	1.93	2.5	4.81	0.22	2.23	2.5	5.57	0.16	0.80	2	1.59	Low	10	1.5	15
SR-605	0.27	2.72	2.5	6.80	0.26	2.57	2.5	6.42	0.23	1.14	2	2.28	Medium	5	1.5	7.5
TR_102	0.22	2.22	2.5	5.56	0.23	2.28	2.5	5.69	0.19	0.93	2	1.86	Low	10	1.5	15
TR_113B	0.26	2.60	2.5	6.50	0.28	2.76	2.5	6.91	0.22	1.09	2	2.18	Low	10	1.5	15
TR_146	0.17	1.69	2.5	4.22	0.17	1.73	2.5	4.31	0.14	0.68	2	1.36	Medium	5	1.5	7.5
TR_154C-1&2	0.16	1.56	2.5	3.91	0.18	1.85	2.5	4.62	0.10	0.49	2	0.98	High	0	1.5	0
VH_183	0.04	0.39	2.5	0.96	0.04	0.42	2.5	1.05	0.03	0.14	2	0.27	Medium	5	1.5	7.5
VH_602	0.18	1.82	2.5	4.56	0.18	1.79	2.5	4.47	0.15	0.74	2	1.48	Medium	5	1.5	7.5
VH_604	0.10	1.01	2.5	2.52	0.12	1.17	2.5	2.92	0.08	0.42	2	0.83	Medium	5	1.5	7.5
WB_112	0.21	2.05	2.5	5.13	0.20	2.02	2.5	5.06	0.19	0.95	2	1.90	High	0	1.5	0
WB_117	0.18	1.81	2.5	4.51	0.19	1.90	2.5	4.74	0.12	0.62	2	1.25	Low	10	1.5	15
WB_118A	0.21	2.11	2.5	5.28	0.22	2.24	2.5	5.61	0.18	0.88	2	1.76	Low	10	1.5	15
WR-501	0.15	1.46	2.5	3.66	0.16	1.56	2.5	3.90	0.19	0.95	2	1.90	Low	10	1.5	15
WR-545	0.18	1.79	2.5	4.48	0.21	2.09	2.5	5.23	0.13	0.66	2	1.32	High	0	1.5	0
Sites that treat <10% Tv																
Site ID	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
AB_101	#N/A	#N/A	2.5	#N/A	0.25	2.45	2.5	6.13	1.39	6.94	2	13.87	Low	10	1.5	15
AB_518	#N/A	#N/A	2.5	#N/A	0.30	2.98	2.5	7.45	2.05	10.26	2	20.53	Low	10	1.5	15
BB_715	0.00	0.00	2.5	0.00	0.57	5.70	2.5	14.25	1.76	8.80	2	17.60	Medium	5	1.5	7.5
CR_117B	#N/A	#N/A	2.5	0.00	0.57	5.69	2.5	14.22	1.68	8.41	2	16.81	High	0	1.5	0
DB_160B	0.00	0.00	2.5	0.00	0.36	3.61	2.5	9.02	1.51	7.55	2	15.09	Low	10	1.5	15
DB_513	0.00	0.00	2.5	0.00	0.24	2.41	2.5	6.02	0.85	4.25	2	8.49	Low	10	1.5	15
DB_535	0.00	0.00	2.5	0.00	0.79	7.92	2.5	19.80	1.76	8.79	2	17.58	Medium	5	1.5	7.5
DB_553	0.00	0.00	2.5	0.00	0.24	2.44	2.5	6.09	0.94	4.69	2	9.38	Medium	5	1.5	7.5
DR_110B	0.00	0.00	2.5	0.00	0.10	1.03	2.5	2.57	0.63	3.13	2	6.26	Medium	5	1.5	7.5
DR_111A	0.00	0.00	2.5	0.00	0.19	1.90	2.5	4.75	1.92	9.62	2	19.23	Medium	5	1.5	7.5
DR_113	0.00	0.00	2.5	0.00	0.49	4.95	2.5	12.37	0.96	4.78	2	9.55	Low	10	1.5	15
DR_118A	0.00	0.00	2.5	0.00	0.13	1.28	2.5	3.21	0.73	3.64	2	7.27	High	0	1.5	0

Site ID	Property Ownership				Potential for Quick Implementation				Existing Drainage Problem/Hotspot				County Maintenance Burden			
	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
SR-566B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
SR-605	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
TR_102	Private	0	1.5	0	No	0	1	0	No	10	0.5	5	Medium	5	0.5	2.5
TR_113B	Private	0	1.5	0	No	0	1	0	No	10	0.5	5	Medium	5	0.5	2.5
TR_146	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
TR_154C-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
VH_183	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
VH_602	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
VH_604	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
WB_112	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
WB_117	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
WB_118A	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
WR-501	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
WR-545	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
Sites that treat <10% Tv																
Site ID	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
AB_101	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
AB_518	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
BB_715	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
CR_117B	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
DB_160B	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
DB_513	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
DB_535	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DB_553	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DR_110B	Public	10	1.5	15	Yes	10	1	10	Yes	10	0.5	5	Medium	5	0.5	2.5
DR_111A	School	4	1.5	6	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
DR_113	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
DR_118A	Street ROW	7	1.5	10.5	No	0	1	0	Yes	10	0.5	5	High	0	0.5	0

Site ID	Educational Opportunity				Pollutant Removal - VRRM													
	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit <sup>1</sup>	Size-Adjusted N Removal Credit	Size-Adjusted N Removal Credit <sup>1</sup>	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
SR-566B	Residential street with sidewalks	5	0.5	2.5	0.35	2.50	Street Bioretention	55%	64%	358%	63%	55%	74%	64%	0.19	1.60	34.41	
SR-605	Adjacent to ball park	8	0.5	4	0.49	3.54	Street Bioretention	55%	64%	103%	56%	55%	65%	64%	0.27	2.26	31.08	
TR_102	Shopping Center	5	0.5	2.5	0.40	2.89	Parking Lot Bioretention	55%	64%	147%	60%	55%	70%	64%	0.22	1.85	32.42	
TR_113B	Shopping Center	5	0.5	2.5	0.47	3.38	Parking Lot Bioretention	55%	64%	207%	63%	55%	73%	64%	0.26	2.17	33.68	
TR_146	Street w/ sidewalks	5	0.5	2.5	0.31	2.20	Street Bioretention	55%	64%	138%	60%	55%	70%	64%	0.17	1.41	31.08	
TR_154C-1&2	Arterial Road	0	0.5	0	0.28	2.03	Street Bioretention	55%	64%	309%	63%	55%	74%	64%	0.16	1.30	20.39	
VH_183	Church	0	0.5	0	0.07	0.50	Bioretention	55%	64%	221%	63%	55%	73%	64%	0.04	0.32	11.23	
VH_602	streets with sidewalks	5	0.5	2.5	0.33	2.37	Street Bioretention	55%	64%	113%	57%	55%	66%	64%	0.18	1.52	26.54	
VH_604	streets with sidewalks	5	0.5	2.5	0.18	1.31	Street Bioretention	55%	64%	324%	63%	55%	74%	64%	0.10	0.84	23.85	
WB_112	Street w/ sidewalks	5	0.5	2.5	0.43	3.09	Street Bioretention	55%	64%	72%	48%	48%	55%	55%	0.21	1.71	25.03	
WB_117	Arterial Road	0	0.5	0	0.33	2.35	Street Bioretention	55%	64%	130%	59%	55%	69%	64%	0.18	1.50	36.26	
WB_118A	Street w/o sidewalk	0	0.5	0	0.38	2.75	Street Bioretention	55%	64%	207%	63%	55%	73%	64%	0.21	1.76	37.54	
WR-501	Residential street with sidewalks	5	0.5	2.5	0.43	3.09	Street Bioretention	55%	64%	43.50%	34%	34%	39%	39%	0.15	1.22	33.56	
WR-545	Other	0	0.5	0	0.33	2.33	Street Bioretention	55%	64%	414.83%	63%	55%	74%	64%	0.18	1.49	16.30	
Sites that treat <10% Tv																		
Site ID	Opportunity for Signage	Score	Weight	Weighted Score	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	Practice	P-Removal for Practice	N-Removal for Practice	% WQv Treated	Size-Adjusted P Removal Credit	Size-Adjusted P Removal Credit <sup>1</sup>	Size-Adjusted N Removal Credit	Size-Adjusted N Removal Credit <sup>1</sup>	Total P-Removal (lbs/yr)	Total N-Removal (lbs/yr)	Total Score	Rank
AB_101		0	0.5	0	3.04	21.76	Bioretention	55%	64%	8%	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	
AB_518		5	0.5	2.5	5.66	40.46	Street Bioretention	55%	64%	4%	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	
BB_715	Residential streets with Sidewalks	5	0.5	2.5	4.70	33.60	Street Bioretention	55%	64%	9%	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	38.10	
CR_117B	Street w/ sidewalks	5	0.5	2.5	4.69	33.52	Street Bioretention	55%	64%	9%	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	34.81	
DB_160B	Apartment complex	5	0.5	2.5	3.77	26.99	Bioretention	55%	64%	8%	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	35.09	
DB_513	Apartment complex	5	0.5	2.5	2.50	17.85	Bioretention	55%	64%	7%	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	28.49	
DB_535	Residential streets with Sidewalks	5	0.5	2.5	5.30	37.90	Street Bioretention	55%	64%	10%	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	38.08	
DB_553	Residential streets with Sidewalks	5	0.5	2.5	2.52	18.00	Street Bioretention	55%	64%	7%	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	29.88	
DR_110B	Salt storage facility	5	0.5	2.5	2.06	14.70	Bioretention	55%	64%	3%	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	48.76	
DR_111A	School	10	0.5	5	5.75	41.14	Bioretention	55%	64%	2%	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	40.23	
DR_113	Church	8	0.5	4	3.27	23.40	Bioretention	55%	64%	9%	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	31.05	
DR_118A	Street w/ sidewalks	5	0.5	2.5	2.22	15.91	Street Bioretention	55%	64%	4%	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	25.27	

	Pollutant Removal - CSN											
Site ID	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	Rank
SR-566B	0.26	2.78	214.60	3.45	85.0%	0.22	70.0%	1.95	85.0%	182.41	35.16	
SR-605	0.37	3.86	306.74	0.98	69.5%	0.26	59.4%	2.29	74.4%	228.30	30.70	
TR_102	0.30	3.17	250.03	1.40	75.2%	0.23	64.3%	2.04	80.7%	201.71	32.55	
TR_113B	0.35	3.69	293.40	1.97	78.1%	0.28	66.8%	2.47	83.9%	246.09	34.09	
TR_146	0.23	2.54	183.34	1.37	74.9%	0.17	64.1%	1.62	80.3%	147.26	31.17	
TR_154C-1&2	0.22	3.08	132.56	3.91	85.0%	0.18	70.0%	2.16	85.0%	112.67	21.11	
VH_183	0.05	0.69	36.37	2.51	78.9%	0.04	67.8%	0.47	85.0%	30.90	11.32	
VH_602	0.25	2.72	199.37	1.11	71.9%	0.18	61.4%	1.67	77.0%	153.54	26.45	
VH_604	0.14	1.47	111.81	3.14	85.0%	0.12	70.0%	1.03	85.0%	95.04	24.25	
WB_112	0.32	3.60	255.55	0.72	62.5%	0.20	53.5%	1.93	66.9%	171.05	24.95	
WB_117	0.25	3.26	168.12	1.50	76.0%	0.19	65.0%	2.12	81.5%	136.99	36.49	
WB_118A	0.29	3.01	237.50	1.98	78.1%	0.22	66.8%	2.01	83.9%	199.22	37.87	
WR-501	0.32	3.61	255.28	0.43	48.1%	0.16	41.3%	1.49	51.5%	131.55	33.79	
WR-545	0.25	3.01	178.22	4.48	85.0%	0.21	70.0%	2.11	85.0%	151.49	17.05	
Sites that treat <10% Tv												
Site ID	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	
AB_101	2.28	24.12	1,868.46	0.07	10.8%	0.25	9.0%	2.16	11.5%	215.66	37.50	
AB_518	4.31	58.85	2,765.55	0.05	6.9%	0.30	5.6%	3.28	7.4%	204.70	55.98	
BB_715	3.57	47.40	2,370.93	0.11	16.0%	0.57	13.5%	6.39	17.1%	405.11	52.35	
CR_117B	3.58	49.27	2,264.62	0.11	15.9%	0.57	13.4%	6.62	17.0%	386.04	49.04	
DB_160B	2.86	35.54	2,033.07	0.09	12.6%	0.36	10.6%	3.76	13.5%	275.15	44.11	
DB_513	1.91	27.47	1,144.00	0.09	12.6%	0.24	10.5%	2.89	13.5%	154.30	34.51	
DB_535	4.06	59.51	2,368.47	0.14	19.5%	0.79	16.6%	9.85	20.9%	494.29	57.88	
DB_553	1.91	25.52	1,264.19	0.09	12.7%	0.24	10.7%	2.72	13.6%	172.26	35.97	
DR_110B	1.59	24.59	843.03	0.05	6.5%	0.10	5.2%	1.28	7.0%	58.61	51.33	
DR_111A	4.41	64.22	2,591.05	0.03	4.3%	0.19	3.3%	2.11	4.6%	119.39	44.98	
DR_113	2.53	40.22	1,286.50	0.14	19.6%	0.49	16.6%	6.69	21.0%	269.65	43.42	
DR_118A	1.71	25.28	979.63	0.05	7.5%	0.13	6.1%	1.54	8.0%	78.77	28.48	

Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%IC	%Turf	P (in)	Rv	Water Quality Volume (CF)	Treatment Volume (CF)	Treatment Volume Sum for Projects in Series*	% Water Quality Volume Treated
DR_124A	Donaldson Run	3061 North Oakland Street	Street Bioretention	4.46	27%	73%	1.00	0.41	6701.36	434.00		0.06
DR_124B	Donaldson Run	3066 North Oakland St.	Street Bioretention	3.32	31%	69%	1.00	0.45	5363.26	434.00		0.08
DR_134	Donaldson Run	4400 North Vacation Lane	Street Bioretention	1.81	32%	68%	1.00	0.45	2988.77	234.75		0.08
DR_142A	Donaldson Run	North Vernon Street at Bike Trail	Street Bioretention	1.38	32%	68%	1.00	0.45	2276.50	234.00		0.10
DR_142B	Donaldson Run	North Vernon Street at Bike Trail	Street Bioretention	1.91	36%	64%	1.00	0.48	3354.82	234.00		0.07
DR_142C	Donaldson Run	2547 North Vernon Street	Street Bioretention	2.65	34%	66%	1.00	0.47	4492.19	70.69		0.02
DR_145	Donaldson Run	26th St. and Marymount University	Bioswale	1.18	43%	57%	1.00	0.54	2298.57	136.00		0.06
DR_151B	Donaldson Run	3101 North Thomas Street	Bioswale	3.12	22%	78%	1.00	0.38	4310.52	93.75		0.02
DR_151C	Donaldson Run	3100 North Thomas Street	Street Bioretention	7.17	20%	80%	1.00	0.37	9564.61	234.00		0.02
FMR1_583-1&2	Four Mile Run Mainstem 1	3001 North Rochester Street	Street Bioretention	4.33	29%	71%	1.00	0.43	6785.42	629.88	629.88	0.09
FMR1_595B	Four Mile Run Mainstem 1	#2937 Westmoreland Street	Street Bioretention	2.13	39%	61%	1.00	0.50	3902.29	405.80		0.10
FMR2_143	Four Mile Run Mainstem 2	Arlington Blvd and South Manchester Street	Bioretention	0.75	40%	60%	1.00	0.51	1393.92	171.40		0.12
FMR2_500	Four Mile Run Mainstem 2	5528 16th Street North	Street Bioretention	11.34	33%	67%	1.00	0.46	19019.75	2178.00		0.11
FMR2_505-1&2	Four Mile Run Mainstem 2	1500 North Kenilworth Street	Street Bioretention	7.94	43%	57%	1.00	0.53	15388.17	1182.00	1182.00	0.08
FMRL_166A	Four Mile Run Lower	Oakridge Elementary 1414 24th Street South, Arlington	Street Bioretention	0.37	62%	38%	1.00	0.67	904.96	66.58		0.07
FMRL_168A	Four Mile Run Lower	Gunston School/Community Center 2700 South Lang St	Bioretention	5.89	12%	88%	1.00	0.31	6638.18	163.35		0.02
FMRL_575A	Four Mile Run Lower	S Uhle Street and S Four Mile Run Drive	Street Bioretention	2.55	64%	36%	1.00	0.69	6355.77	482.00		0.08
FMRL_582	Four Mile Run Lower	1560 28th St South	Street Bioretention	5.90	55%	45%	1.00	0.62	13270.92	778.00		0.06
FMRM_215A	Four Mile Run Middle	Holy Martyrs of Vietnam Church, 915 South Wakefield Street	Bioretention	0.55	99%	1%	1.00	0.94	1882.10	164.40		0.09
FMRM_696C	Four Mile Run Middle	3rd Street between South Abingdon Street and South Pershing Drive	Street Bioretention	4.11	30%	70%	1.00	0.44	6549.57	945.60		0.14
GB_144A	Gulf Branch	North Dittmar Road and North Albemarle Street	Street Bioretention	3.46	29%	71%	1.00	0.43	5453.86	593.75		0.11
LLB_828B	Lower Long Branch	312 North Highland Street	Dry Swale	2.93	25%	75%	1.00	0.40	4242.91	169.50		0.04
LR-400B	Lubber Run	North Edison Street and 20th Street North	Street Bioretention	4.67	29%	71%	1.00	0.43	7322.70	351.75		0.05
LR-574-1&2&3	Lubber Run	702-706 North Edison Street	Street Bioretention	3.75	37%	63%	1.00	0.49	6648.73	733.75		0.11
LR-598 (option 2)-1&2	Lubber Run	201 Block of North Greenbrier Street	Street Bioretention	2.22	33%	67%	1.00	0.46	3721.45	392.38		0.11
LR-599	Lubber Run	5161 3rd Street North	Street Bioretention	4.13	36%	64%	1.00	0.48	7194.78	601.50		0.08
ROC_712	Rocky Run	812 North Cleveland Street	Street Bioretention	1.78	43%	57%	1.00	0.53	3430.13	337.00		0.10

Site ID	Phosphorus Removal - VRRM				Phosphorus Removal - CSN				Impervious Area Acreage				Potential Utility or Site Constraints			
	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
DR_124A	0.00	0.00	2.5	0.00	0.48	4.79	2.5	11.98	1.18	5.92	2	11.85	Medium	5	1.5	7.5
DR_124B	0.00	0.00	2.5	0.00	0.44	4.39	2.5	10.97	1.02	5.12	2	10.23	Low	10	1.5	15
DR_134	0.00	0.00	2.5	0.00	0.23	2.33	2.5	5.82	0.58	2.91	2	5.82	Medium	5	1.5	7.5
DR_142A	0.00	0.00	2.5	0.00	0.23	2.27	2.5	5.68	0.44	2.22	2	4.43	Medium	5	1.5	7.5
DR_142B	0.00	0.00	2.5	0.00	0.22	2.21	2.5	5.52	0.69	3.45	2	6.90	Medium	5	1.5	7.5
DR_142C	0.00	0.00	2.5	0.00	0.06	0.59	2.5	1.48	0.90	4.48	2	8.97	Medium	5	1.5	7.5
DR_145	0.00	0.00	2.5	0.00	0.12	1.18	2.5	2.96	0.51	2.56	2	5.12	Low	10	1.5	15
DR_151B	0.00	0.00	2.5	0.00	0.11	1.11	2.5	2.78	0.69	3.43	2	6.86	Medium	5	1.5	7.5
DR_151C	0.00	0.00	2.5	0.00	0.30	2.99	2.5	7.46	1.45	7.24	2	14.49	Medium	5	1.5	7.5
FMR1_583-1&2	0.00	0.00	2.5	0.00	0.65	6.49	2.5	16.22	1.26	6.28	2	12.56	Medium	5	1.5	7.5
FMR1_595B	0.00	0.00	2.5	0.00	0.36	3.61	2.5	9.03	0.83	4.15	2	8.31	Medium	5	1.5	7.5
FMR2_143	0.00	0.00	2.5	0.00	0.15	1.48	2.5	3.71	0.30	1.50	2	3.00	Medium	5	1.5	7.5
FMR2_500	0.00	0.00	2.5	0.00	2.06	20.61	2.5	51.52	3.76	18.80	2	37.60	High	0	1.5	0
FMR2_505-1&2	0.00	0.00	2.5	0.00	1.03	10.28	2.5	25.70	3.41	17.07	2	34.14	Medium	5	1.5	7.5
FMRL_166A	#N/A	#N/A	2.5	#N/A	0.05	0.50	2.5	1.26	0.23	1.15	2	2.30	Medium	5	1.5	7.5
FMRL_168A	#N/A	#N/A	2.5	#N/A	0.30	2.97	2.5	7.42	0.73	3.65	2	7.30	Medium	5	1.5	7.5
FMRL_575A	#N/A	#N/A	2.5	#N/A	0.36	3.60	2.5	9.00	1.63	8.15	2	16.30	Medium	5	1.5	7.5
FMRL_582	#N/A	#N/A	2.5	#N/A	0.61	6.14	2.5	15.35	3.23	16.15	2	32.30	Medium	5	1.5	7.5
FMRM_215A	0.00	0.00	2.5	0.00	0.11	1.08	2.5	2.69	0.54	2.72	2	5.45	Low	10	1.5	15
FMRM_696C	0.00	0.00	2.5	0.00	0.90	9.04	2.5	22.60	1.23	6.17	2	12.33	Low	10	1.5	15
GB_144A	#N/A	#N/A	2.5	0.00	0.60	5.98	2.5	14.95	1.02	5.08	2	10.15	Low	10	1.5	15
LLB_828B	#N/A	#N/A	2.5	#N/A	0.20	1.97	2.5	4.92	0.72	3.59	2	7.18	Low	10	1.5	15
LR-400B	0.00	0.00	2.5	0.00	0.37	3.72	2.5	9.29	1.36	6.78	2	13.57	Low	10	1.5	15
LR-574-1&2&3	0.00	0.00	2.5	0.00	0.67	6.66	2.5	16.66	1.38	6.89	2	13.78	Medium	5	1.5	7.5
LR-598 (option 2)-1&2	0.00	0.00	2.5	0.00	0.37	3.75	2.5	9.37	0.74	3.68	2	7.35	High	0	1.5	0
LR-599	0.00	0.00	2.5	0.00	0.57	5.67	2.5	14.17	1.47	7.35	2	14.70	Medium	5	1.5	7.5
ROC_712	#N/A	#N/A	2.5	#N/A	0.29	2.90	2.5	7.26	0.76	3.79	2	7.58	Medium	5	1.5	7.5

Site ID	Property Ownership				Potential for Quick Implementation				Existing Drainage Problem/Hotspot				County Maintenance Burden			
	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
DR_124A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DR_124B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DR_134	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DR_142A	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DR_142B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DR_142C	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DR_145	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DR_151B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
DR_151C	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_583-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR1_595B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_143	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FMR2_500	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMR2_505-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMRL_166A	School	4	1.5	6	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
FMRL_168A	School	4	1.5	6	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMRL_575A	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMRL_582	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	High	0	0.5	0
FMRM_215A	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
FMRM_696C	Private	0	1.5	0	No	0	1	0	No	0	0.5	0	High	0	0.5	0
GB_144A	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
LLB_828B	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Medium	5	0.5	2.5
LR-400B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-574-1&2&3	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-598 (option 2)-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
LR-599	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
ROC_712	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0





Site ID	Pollutant Removal - CSN											Rank
	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	
DR_124A	3.26	52.96	1,596.07	0.10	14.7%	0.48	12.4%	6.55	15.7%	251.22	41.83	
DR_124B	2.60	40.38	1,378.64	0.12	16.9%	0.44	14.3%	5.77	18.1%	249.25	46.70	
DR_134	1.45	22.18	784.56	0.11	16.1%	0.23	13.6%	3.02	17.2%	135.24	32.14	
DR_142A	1.10	16.91	597.04	0.15	20.6%	0.23	17.6%	2.97	22.1%	131.94	32.12	
DR_142B	1.62	23.92	930.05	0.09	13.6%	0.22	11.5%	2.74	14.6%	135.83	34.42	
DR_142C	2.17	32.77	1,207.83	0.02	2.7%	0.06	1.9%	0.62	2.9%	35.13	32.44	
DR_145	1.10	15.36	689.46	0.07	10.7%	0.12	8.9%	1.37	11.5%	79.16	36.07	
DR_151B	2.11	36.08	924.66	0.04	5.3%	0.11	4.1%	1.49	5.7%	52.27	30.15	
DR_151C	4.69	82.04	1,951.44	0.04	6.4%	0.30	5.1%	4.17	6.8%	132.92	42.45	
FMR1_583-1&2	3.29	52.13	1,691.58	0.14	19.7%	0.65	16.7%	8.73	21.1%	356.94	49.28	
FMR1_595B	1.88	27.09	1,119.05	0.13	19.2%	0.36	16.3%	4.42	20.6%	230.52	37.84	
FMR2_143	0.67	9.59	404.14	0.16	22.1%	0.15	18.9%	1.81	23.7%	95.81	19.21	
FMR2_500	9.20	139.72	5,065.17	0.16	22.4%	2.06	19.1%	26.68	24.0%	1,215.48	102.12	
FMR2_505-1&2	7.39	103.14	4,599.34	0.10	13.9%	1.03	11.7%	12.06	14.9%	685.65	80.34	
FMRL_166A	0.43	5.29	309.84	0.08	11.7%	0.05	9.7%	0.52	12.5%	38.75	22.06	
FMRL_168A	3.30	64.27	983.40	0.06	9.0%	0.30	7.4%	4.75	9.6%	94.73	28.22	
FMRL_575A	3.02	36.75	2,195.81	0.08	11.9%	0.36	10.0%	3.66	12.8%	280.53	47.80	
FMRL_582	6.33	81.34	4,351.20	0.07	9.7%	0.61	8.0%	6.52	10.4%	452.15	70.15	
FMRM_215A	0.88	9.24	733.51	0.08	12.2%	0.11	10.2%	0.94	13.0%	95.66	28.14	
FMRM_696C	3.18	49.76	1,661.00	0.21	28.5%	0.90	24.4%	12.12	30.5%	506.35	52.43	
GB_144A	2.65	41.74	1,367.87	0.16	22.6%	0.60	19.3%	8.04	24.2%	330.98	58.10	
LLB_828B	2.07	34.38	967.42	0.07	9.5%	0.20	7.8%	2.69	10.2%	98.46	47.10	
LR-400B	3.56	56.21	1,827.91	0.07	10.5%	0.37	8.7%	4.87	11.2%	204.69	50.86	
LR-574-1&2&3	3.21	47.15	1,856.47	0.15	20.8%	0.67	17.7%	8.34	22.3%	413.36	50.94	
LR-598 (option 2)-1&2	1.80	27.35	990.40	0.15	20.8%	0.37	17.7%	4.85	22.3%	220.99	29.73	
LR-599	3.47	51.59	1,979.86	0.11	16.3%	0.57	13.8%	7.12	17.5%	346.21	49.37	
ROC_712	1.65	23.07	1,021.12	0.12	17.6%	0.29	14.9%	3.45	18.9%	192.91	35.34	

Site ID	Watershed	Site Description	Practice	Drainage Area (acre)	%IC	%Turf	P (in)	Rv	Water Quality Volume (CF)	Treatment Volume (CF)	Treatment Volume Sum for Projects in Series*	% Water Quality Volume Treated
SR-541	Spout Run	N. Nelson St. and 19th St. N.	Street Bioretention	3.27	37%	63%	1.00	0.49	5791.02	534.00		0.09
SR-560B	Spout Run	Key Blvd and North Edgewood Street	Street Bioretention	2.00	42%	58%	1.00	0.52	3804.69	344.00		0.09
SR-573B	Spout Run	17th St. N. and N. Johnson St.	Dry swale	3.25	31%	69%	1.00	0.44	5246.75	402.75		0.08
TR_127	Torreyson Run	North Kensington Street and 20th Street North	Street Bioretention	3.36	36%	64%	1.00	0.48	5888.62	240.00		0.04
TR_130B-1&2	Torreyson Run	#2001 North Illinois Street	Street Bioretention	3.94	32%	68%	1.00	0.45	6487.48	666.75	666.75	0.10
TR_140C	Torreyson Run	18th Street North and North Jefferson Street	Street Bioretention	5.07	39%	61%	1.00	0.51	9341.55	745.13		0.08
VH_196	Virginia Highlands	2700 Block of Crystal Dr. (West Side)	Stormwater Planters	0.14	94%	6%	1.00	0.90	458.94	38.50		0.08
VH_600	Virginia Highlands	Intersection of 26th Street S. & S. Hayes St.	Street Bioretention	0.59	55%	45%	1.00	0.62	1327.09	115.70		0.09
VH_625	Virginia Highlands	Sidewalk on South Clark St. in front of 2611 Jefferson D.	Stormwater Planters	0.29	98%	2%	1.00	0.93	981.52	56.70		0.06

Site ID	Phosphorus Removal - VRRM				Phosphorus Removal - CSN				Impervious Area Acreage				Potential Utility or Site Constraints			
	Total P Removal (lbs/year)	Score	Weight	Weighted Score	Total P Removal (lbs/year)	Score	Weight	Weighted Score	IC (acres)	Score	Weight	Weighted Score	Utility/Site Constraints	Score	Weight	Weighted Score
SR-541	0.00	0.00	2.5	0.00	0.49	4.93	2.5	12.32	1.20	6.00	2	12.01	Medium	5	1.5	7.5
SR-560B	0.00	0.00	2.5	0.00	0.30	3.01	2.5	7.53	0.83	4.16	2	8.33	Medium	5	1.5	7.5
SR-573B	0.00	0.00	2.5	0.00	0.41	4.09	2.5	10.22	1.00	5.00	2	10.01	Medium	5	1.5	7.5
TR_127	#N/A	#N/A	2.5	0.00	0.23	2.25	2.5	5.63	1.21	6.05	2	12.10	High	0	1.5	0
TR_130B-1&2	#N/A	#N/A	2.5	0.00	0.65	6.49	2.5	16.22	1.26	6.30	2	12.61	Medium	5	1.5	7.5
TR_140C	#N/A	#N/A	2.5	0.00	0.67	6.72	2.5	16.81	2.00	9.99	2	19.97	Low	10	1.5	15
VH_196	#N/A	#N/A	2.5	#N/A	0.03	0.26	2.5	0.64	0.13	0.66	2	1.31	Medium	5	1.5	7.5
VH_600	#N/A	#N/A	2.5	#N/A	0.09	0.91	2.5	2.28	0.32	1.62	2	3.23	Medium	5	1.5	7.5
VH_625	#N/A	#N/A	2.5	#N/A	0.04	0.37	2.5	0.92	0.28	1.42	2	2.83	High	0	1.5	0

Site ID	Property Ownership				Potential for Quick Implementation				Existing Drainage Problem/Hotspot				County Maintenance Burden			
	Ownership	Score	Weight	Weighted score	Yes/No	Score	Weight	Weighted Score	Issue	Score	Weight	Weighted Score	High/Med/Low	Score	Weight	Weighted Score
SR-541	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
SR-560B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
SR-573B	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
TR_127	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
TR_130B-1&2	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
TR_140C	Street ROW	7	1.5	10.5	No	0	1	0	No	10	0.5	5	High	0	0.5	0
VH_196	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Low	10	0.5	5
VH_600	Street ROW	7	1.5	10.5	No	0	1	0	No	0	0.5	0	High	0	0.5	0
VH_625	Public	10	1.5	15	No	0	1	0	No	0	0.5	0	Low	10	0.5	5



Site ID	Pollutant Removal - CSN											
	TP Pollutant Load (lbs/yr)	TN Pollutant Load (lbs/yr)	TSS Pollutant Load (lbs/yr)	Runoff Depth Captured per Impervious Acre (in)	Total Phosphorus Removal (%)	Total Phosphorus Removal (lbs/yr)	Total Nitrogen Removal (%)	Total Nitrogen Removal (lbs/yr)	Total TSS Removal (%)	Total TSS Removal (lbs/yr)	Total Score	Rank
SR-541	2.79	41.06	1,617.22	0.12	17.6%	0.49	15.0%	6.14	18.9%	305.66	44.82	
SR-560B	1.83	25.81	1,121.75	0.11	16.5%	0.30	13.9%	3.59	17.6%	197.89	36.35	
SR-573B	2.54	39.51	1,348.20	0.11	16.1%	0.41	13.6%	5.36	17.2%	232.04	40.72	
TR_127	2.84	42.05	1,629.48	0.05	7.9%	0.23	6.5%	2.72	8.5%	138.43	35.73	
TR_130B-1&2	3.14	48.24	1,698.45	0.15	20.7%	0.65	17.6%	8.48	22.1%	375.88	54.33	
TR_140C	4.50	64.62	2,690.60	0.10	15.0%	0.67	12.6%	8.14	16.0%	430.96	69.78	
VH_196	0.22	2.30	176.47	0.08	11.9%	0.03	9.9%	0.23	12.7%	22.41	31.95	
VH_600	0.63	8.13	435.12	0.10	14.4%	0.09	12.1%	0.98	15.4%	67.03	26.01	
VH_625	0.46	4.84	381.23	0.06	8.0%	0.04	6.5%	0.32	8.6%	32.72	26.25	