

Streetlight Management Plan Field Demonstration Briefing

February 27, 2018



- Overview of activities
- Field demonstration:
 - Product Summary
 - Kickoff
- Community engagement





Overview



SMP Timeline





RFI Timeline



RFI (Aug. '17)

 Vendors to consult with Synexxus and prepare submittal documents

Vendors Selection

(Sept. '17 – Oct. '17)

• County review

RFI Award

(Nov. '17)

 Purchasing process for RFI award to selected vendors

Field Demo (Spring 2018)

- Technical review by 3rd party
- Community engagement

Installation

(Feb. '18)

- Installation of demo light
- 81 cobras
- 23 post-tops

Engineering

(Nov.'17 – Jan '18)

Integration and bench testing

RFI Vendor Summary

Vendors	Residential Post-Top (3ea)	Commercial Post-Top (8ea)		
Α	I, II, & III	-	I, II, & III	I, II, & III
В	-	-	II	II
С	I & II	II	1 & 11	I & II
D	I, II, & III	-	I, II, & III	I, II, & III
E	II(1), & III(1)*	-	N/A (1)*	-
F*	-	-	-	-

Application not approved


ARLINGTON

Color Temperature Tiers – I, II & III

^{*}Fixture submissions not approved




Key Terms: Color Temperature Tiers






Key Terms: Uplight





Key Terms: Uplight



Current County LED Luminaire

Most LED Luminaires



Vendor A: Post-Top

Key Specifications				
Tier	I	II	III	
Wattage	52.1w	47.5w	52.3w	
Lumens per Watt	89	95	104	
Color Temperature	2700K	3500K	4000K	
Uplight Percentage	23.9% (UL- 5.3%, UH-18.6%)			





Vendor C: Post-Top

Key Specifications				
Tier		II		
Wattage	39.3w	39.3w		
Lumens per Watt	117	132		
Color Temperature	3000K	4000K		
Uplight Percentage	31% (UL- 5.9%, UH-25.9%)			





Vendor D: Post-Top

Key Specifications				
Tier	I	II	III	
Wattage	39w	39w	39w	
Lumens per Watt	132	139	139	
Color Temperature	3000K	4000K	5000K	
Uplight Percentage	26.2% (UL- 6.8%, UH-19.4%)			





Vendor A: Cobra

Key Specifications			
Tier		II	III
Wattage	63w	63w	63w
Lumens per Watt	109	116	116
Color Temperature	3000K	4000K	5000K
Uplight Percentage		0%	





Vendor B: Cobra

Key Specifications			
Tier	II		
Wattage	55w		
Lumens per Watt	100		
Color Temperature	4000K		
Uplight Percentage	0%		





Vendor C: Cobra

Key Specifications				
Tier		II		
Wattage	53.9w	53.9w		
Lumens per Watt	118	125		
Color Temperature	3000K	4000K		
Uplight Percentage 0%		%		





Vendor D: Cobra


Key Specifications			
Tier		II	III
Wattage	TBD	60w	TBD
Lumens per Watt	TBD	118	TBD
Color Temperature	3000K	4000K	5000K
Uplight Percentage 0%			























Community Engagement

Spring 2018 Demo:

- Spring kick-off event
- Self-guided tour









Community Engagement

Community Input:

- Short-form Survey Monkey
 - Collect feedback on general streetlight policies
- Long-form Survey Monkey
 - Collect feedback on demo and self-guided tour







Next Steps

Help Us Spread the Word!

- Look out for information on the upcoming streetlight demonstration in spring 2018
- Complete the feedback forms
 - Share with your network and neighbors





Questions?

